



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
AAAR41	A.W.Ash AR41	AR41	600	2600	310	1400	PW - NZ : Timber
AAAR41D	A.W.Ash AR41D	AR41D	600	2600	510	1400	PW - NZ : Timber
AAAR41E	A.W.Ash AR41E	AR41E	1600	2600	510	1400	PW - NZ : Timber
AAAR42	A.W.Ash AR42	AR42	600	2600	310	1400	PW - NZ : Timber
AAAR43	A.W.Ash AR43	AR43	1600	2600	310	1400	PW - NZ : Timber
AAAR43A	A.W.Ash AR43A	AR43A	1600	2600	510	1400	PW - NZ : Timber
AAAR43B	A.W.Ash AR43B	AR43B	1600	2600	510	1400	PW - NZ : Timber
AAAR43C	A.W.Ash AR43C	AR43C	1600	2600	510	1400	PW - NZ : Timber
AAAR44	A.W.Ash AR44 Interior	AR44	1600	2600	310	1400	PW - NZ : Timber
AAAR44V	A.W.Ash AR44 Exterior	AR44V	1600	2600	510	1200	PW - NZ : Timber
AAAR45	A.W.Ash AR45 Interior	AR45	600	2600	1200	1900	PW - NZ : Timber
AAAR45A	A.W.Ash AR45A Interior	AR45A	600	2600	1200	1900	PW - NZ : Timber
AAAR45B	A.W.Ash AR45B Interior	AR45B	600	2600	1200	1900	PW - NZ : Timber
AAAR45C	A.W.Ash AR45C Interior	AR45C	600	2600	1200	1900	PW - NZ : Timber
AAAR45D	A.W.Ash AR45D Interior	AR45D	600	2600	1200	1900	PW - NZ : Timber
AAAR45E	A.W.Ash AR45E Interior	AR45E	600	2600	1200	1900	PW - NZ : Timber
AAAR46	A.W.Ash AR46 Interior	AR46	600	2600	1200	1900	PW - NZ : Timber
AAAR47	A.W.Ash AR47 Interior	AR47	1600	2600	1200	1900	PW - NZ : Timber
AAAR47A	A.W.Ash AR47A Interior	AR47A	1600	2600	1200	1900	PW - NZ : Timber
AAAR47B	A.W.Ash AR47B Interior	AR47B	1600	2600	1200	1900	PW - NZ : Timber
AAAR47C	A.W.Ash AR47C Interior	AR47C	1600	2600	1200	1900	PW - NZ : Timber
AAAR47D	A.W.Ash AR47D Interior	AR47D	1600	2600	1200	1900	PW - NZ : Timber
AAAR48	A.W.Ash AR48 Interior	AR48	1600	2600	1200	1900	PW - NZ : Timber
AAAR61	A.W.Ash AR61	AR61	1600	2600	510	1200	PW - NZ : Timber
AAAR62	A.W.Ash AR62 Interior	AR62	1600	2600	510	1200	PW - NZ : Timber
AAAR63	A.W.Ash AR63	AR63	1600	2600	510	1200	PW - NZ : Timber
AABRACE	A.W.Ash Braced & Ledged	BRACE	1600	2600	510	1200	PW - NZ : Timber
AABUN1	A.W.Ash Bungalow 1	BUN1	600	2600	310	1200	PW - NZ : Timber
AABUN2	A.W.Ash Bungalow 2	BUN2	1600	2600	310	1200	PW - NZ : Timber
AABUN3	A.W.Ash Bungalow 3	BUN3	1600	2600	410	1200	PW - NZ : Timber
AABUN4	A.W.Ash Bungalow 4	BUN4	1600	2600	610	1200	PW - NZ : Timber
AAE11	A.W.Ash E11	E11	1800	2600	760	1200	PW - NZ : Timber
AAE12	A.W.Ash E12	E12	1600	2600	760	1200	PW - NZ : Timber
AAE13	A.W.Ash E13	E13	1600	2600	810	860	PW - NZ : Timber
AAE14	A.W.Ash E14	E14	1800	2600	810	860	PW - NZ : Timber
AAE14S	A.W.Ash E14S	E14S	1800	2600	375	610	PW - NZ : Timber
AAE16	A.W.Ash E16	E16	1900	2600	510	1200	PW - NZ : Timber
AAE17	A.W.Ash E17	E17	1800	2600	610	1200	PW - NZ : Timber
AAE18	A.W.Ash E18	E18	1200	2600	610	1200	PW - NZ : Timber



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
AAE19	A.W.Ash E19	E19	1960	2600	510	1200	PW - NZ : Timber
AAE1L	A.W.Ash Exterior 1 Lite	E1L	1200	2600	360	1200	PW - NZ : Timber
AAE1WR	A.W.Ash E1 With Rails	E1WR	1200	2600	510	1200	PW - NZ : Timber
AAE2	A.W.Ash E2	E2	1200	2600	510	1200	PW - NZ : Timber
AAE20	A.W.Ash E20	E20	1200	2600	810	1200	PW - NZ : Timber
AAE21	A.W.Ash E21	E21	1960	2600	610	1200	PW - NZ : Timber
AAE24	A.W.Ash E24	E24	1900	2600	510	1200	PW - NZ : Timber
AAE2L	A.W.Ash Exterior 2 Lite	E2L	1200	2600	360	1200	PW - NZ : Timber
AAE2NS	A.W.Ash E2 No Stiles	E2NS	1200	2400	510	1200	PW - NZ : Timber
AAE3	A.W.Ash E3	E3	1600	2600	610	1200	PW - NZ : Timber
AAE3L	A.W.Ash Exterior 3 Lite	E3L	1600	2600	360	1200	PW - NZ : Timber
AAE4	A.W.Ash E4	E4	1600	2600	610	1200	PW - NZ : Timber
AAE4G	A.W.Ash E4G	E4G	1600	2600	610	1200	PW - NZ : Timber
AAE4L	A.W.Ash Exterior 4 Lite	E4L	1600	2600	360	1200	PW - NZ : Timber
AAE4OT	A.W.Ash E4 O/T	E4OT	1600	2600	610	1200	PW - NZ : Timber
AAE4S	A.W.Ash E4S	E4S	1600	2600	310	510	PW - NZ : Timber
AAE5	A.W.Ash E5	E5	1600	2600	610	1200	PW - NZ : Timber
AAE6	A.W.Ash E6	E6	1600	2600	610	1200	PW - NZ : Timber
AAE7	A.W.Ash E7	E7	1600	2600	610	1200	PW - NZ : Timber
AAE8	A.W.Ash E8	E8	1600	2600	610	1200	PW - NZ : Timber
AAE8OT	A.W.Ash E8 O/T	E8OT	1600	2600	610	1200	PW - NZ : Timber
AAE8S	A.W.Ash E8S	E8S	1600	2600	310	510	PW - NZ : Timber
AAE9	A.W.Ash E9	E9	1800	2600	610	1200	PW - NZ : Timber
AAE9S	A.W.Ash E9S	E9S	1800	2600	310	510	PW - NZ : Timber
AAEAR41	A.W.Ash EAR41 Exterior	EAR41	600	2600	310	1200	PW - NZ : Timber
AAEAR41D	A.W.Ash EAR41D Exterior	EAR41D	600	2600	510	1200	PW - NZ : Timber
AAEAR41E	A.W.Ash EAR41E Exterior	EAR41E	1600	2600	510	1200	PW - NZ : Timber
AAEAR42	A.W.Ash EAR42 Exterior	EAR42	600	2600	310	1200	PW - NZ : Timber
AAEAR43	A.W.Ash EAR43 Exterior	EAR43	1600	2600	310	1200	PW - NZ : Timber
AAEAR43A	A.W.Ash EAR43A Exterior	EAR43A	1600	2600	510	1200	PW - NZ : Timber
AAEAR43B	A.W.Ash EAR43B Exterior	EAR43B	1600	2600	510	1200	PW - NZ : Timber
AAEAR43C	A.W.Ash EAR43C Exterior	EAR43C	1600	2600	510	1200	PW - NZ : Timber
AAEAR44	A.W.Ash EAR44 Exterior	EAR44	1600	2600	310	1200	PW - NZ : Timber
AAEAR61	A.W.Ash EAR61 Exterior	EAR61	1600	2600	510	1200	PW - NZ : Timber
AAEAR63	A.W.Ash EAR63 Exterior	EAR63	1600	2600	510	1200	PW - NZ : Timber
AAEF3	A.W.Ash EF3	EF3	1200	2600	710	1200	PW - NZ : Timber
AAF10	A.W.Ash F10	F10	1600	2600	510	1200	PW - NZ : Timber
AAF12	A.W.Ash F12	F12	1600	2600	610	1200	PW - NZ : Timber
AAF6	A.W.Ash F6	F6	1600	2600	510	1200	PW - NZ : Timber



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
AAF8	A.W.Ash F8	F8	1600	2600	510	1200	PW - NZ : Timber
AAF9	A.W.Ash F9	F9	1600	2600	610	1200	PW - NZ : Timber
AAFIG5	A.W.Ash FIG 5	FIG5	1200	2600	510	1200	PW - NZ : Timber
AAFIG5A	A.W.Ash FIG 5A	FIG5A	1200	2600	510	1200	PW - NZ : Timber
AAFP1	A.W.Ash FP1	FP1	1600	2600	610	1200	PW - NZ : Timber
AAFP12	A.W.Ash FP12	FP12	1800	2600	760	1200	PW - NZ : Timber
AAFP6	A.W.Ash FP6	FP6	1800	2600	610	1200	PW - NZ : Timber
AAI1L	A.W.Ash Interior 1 Lite	I1L	600	2600	360	1200	PW - NZ : Timber
AAI2L	A.W.Ash Interior 2 Lite	I2L	1200	2600	360	1200	PW - NZ : Timber
AAI3L	A.W.Ash Interior 3 Lite	I3L	1600	2600	360	1200	PW - NZ : Timber
AAI4L	A.W.Ash Interior 4 Lite	I4L	1600	2600	360	1200	PW - NZ : Timber
AAIF10	A.W.Ash IF10	IF10	1600	2600	510	1200	PW - NZ : Timber
AAIF12	A.W.Ash IF12	IF12	1600	2600	610	1200	PW - NZ : Timber
AAIF3	A.W.Ash IF3	IF3	1200	2600	710	1200	PW - NZ : Timber
AAIF6	A.W.Ash IF6	IF6	1600	2600	510	1200	PW - NZ : Timber
AAIF8	A.W.Ash IF8	IF8	1600	2600	510	1200	PW - NZ : Timber
AAIF9	A.W.Ash IF9	IF9	1200	2600	610	1200	PW - NZ : Timber
AAIP1	A.W.Ash IP1	IP1	1600	2600	610	1200	PW - NZ : Timber
AAIP12	A.W.Ash IP12	IP12	1600	2600	760	1200	PW - NZ : Timber
AAIP6	A.W.Ash IP6	IP6	1600	2600	610	1200	PW - NZ : Timber
AAPIO2	A.W.Ash Pioneer 2	PIO2	1600	2600	460	1200	PW - NZ : Timber
AAPIO2OT	A.W.Ash Pioneer 2 O/T	PIO2OT	1600	2600	460	1200	PW - NZ : Timber
AAPIO4	A.W.Ash Pioneer 4	PIO4	1600	2600	610	1200	PW - NZ : Timber
AAPIO4OT	A.W.Ash Pioneer 4 O/T	PIO4OT	1600	2600	610	1200	PW - NZ : Timber
AAPIO61	A.W.Ash Pioneer 61	PIO61	1600	2600	510	1000	PW - NZ : Timber
AAPIO7	A.W.Ash Pioneer 7	PIO7	1600	2400	460	1200	PW - NZ : Timber
AAROS	A.W.Ash Roseville	ROS	1600	2600	610	1200	PW - NZ : Timber
AASA1	A.W.Ash 1 Lite Sash	SA1	200	2600	200	1200	PW - NZ : Timber
AASHA41	American White Ash Shaker 41	SHA41	600	2600	310	1400	PW - NZ : Timber
AASHA43	American White Ash Shaker 43	SHA43	1600	2600	310	1400	PW - NZ : Timber
AASHA44	American White Ash Shaker 44	SHA44	1600	2600	310	1400	PW - NZ : Timber
AATRAD1	A.W.Ash Traditional 1	TRAD1	600	2600	310	1200	PW - NZ : Timber
AATRAD2	A.W.Ash Traditional 2	TRAD2	1600	2600	310	1200	PW - NZ : Timber
AATRAD2OT	A.W.Ash Traditional 2 O/T	TRAD2OT	1600	2600	310	1200	PW - NZ : Timber
AATRAD4	A.W.Ash Traditional 4	TRAD4	1600	2600	510	1200	PW - NZ : Timber
AATRAD4OT	A.W.Ash Traditional 4 O/T	TRAD4OT	1600	2600	510	1200	PW - NZ : Timber
AATRAD61	A.W.Ash Traditional 61	TRAD61	1600	2600	510	1200	PW - NZ : Timber
AATRAD7	A.W.Ash Traditional 7	TRAD7	1600	2600	510	1200	PW - NZ : Timber
AAVIC1	A.W.Ash Victorian 1	VIC1	600	2600	410	1200	PW - NZ : Timber

Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
AAVIC2	A.W.Ash Victorian 2	VIC2	1600	2600	410	1200	PW - NZ : Timber
AAVIC2OT	A.W.Ash Victorian 2 O/T	VIC2OT	1600	2600	410	1200	PW - NZ : Timber
AAVIC4	A.W.Ash Victorian 4	VIC4	1600	2600	710	1200	PW - NZ : Timber
AAVIC4OT	A.W.Ash Victorian 4 O/T	VIC4OT	1600	2600	710	1200	PW - NZ : Timber
AAVIL1	A.W.Ash Villa 1	VIL1	600	2600	410	1200	PW - NZ : Timber
AAVIL2	A.W.Ash Villa 2	VIL2	1600	2600	410	1200	PW - NZ : Timber
AAVIL2OT	A.W.Ash Villa 2 O/T	VIL2OT	1600	2600	410	1200	PW - NZ : Timber
AAVIL4	A.W.Ash Villa 4	VIL4	1600	2600	610	1200	PW - NZ : Timber
AAVIL4OT	A.W.Ash Villa 4 O/T	VIL4OT	1600	2600	610	1200	PW - NZ : Timber
ALCAB106D	Aluminium Commercial 106mm Box - Double Frame	ALCAB106D	600	2650	600	2480	PW - NZ : Aluminium
ALCAB106S	Aluminium Commercial 106mm Box - Single Frame	ALCAB106S	600	2650	300	1280	PW - NZ : Aluminium
ALCGB100D	Aluminium Garrison 100mm Box - Double Frame	ALCGB100D	600	2650	600	2480	PW - NZ : Aluminium
ALCGB100FD	Aluminium Garrison 100mm Box With Flange - Double Frame	ALCGB100FD	600	2650	600	2480	PW - NZ : Aluminium
ALCGB100FS	Aluminium Garrison 100mm Box With Flange - Single Frame	ALCGB100FS	600	2650	300	1280	PW - NZ : Aluminium
ALCGB100S	Aluminium Garrison 100mm Box - Single Frame	ALCGB100S	600	2650	300	1280	PW - NZ : Aluminium
ALCGB75D	Aluminium Garrison 75mm Box - Double Frame	ALCGB75D	600	2650	600	2480	PW - NZ : Aluminium
ALCGB75FD	Aluminium Garrison 75mm Box With Flange - Double Frame	ALCGB75FD	600	2650	600	2480	PW - NZ : Aluminium
ALCGB75FS	Aluminium Garrison 75mm Box With Flange - Single Frame	ALCGB75FS	600	2650	300	1280	PW - NZ : Aluminium
ALCGB75S	Aluminium Garrison 75mm Box - Single Frame	ALCGB75S	600	2650	300	1280	PW - NZ : Aluminium
ALCPID	Aluminium Pacific Open In - Double Frame	ALCPID	600	2650	600	2480	PW - NZ : Aluminium
ALCPID4	Aluminium Pacific Open In - Double Frame 4 sides	ALCPID4	600	2650	600	2480	PW - NZ : Aluminium
ALCPIS	Aluminium Pacific Open In - Single Frame	ALCPIS	600	2650	300	1280	PW - NZ : Aluminium
ALCPIS4	Aluminium Pacific Open In - Single Frame 4 sides	ALCPIS4	600	2650	300	1280	PW - NZ : Aluminium
ALCPOD	Aluminium Pacific Open Out - Double Frame	ALCPOD	600	2650	600	2480	PW - NZ : Aluminium
ALCPOD4	Aluminium Pacific Open Out - Double Frame 4 sides	ALCPOD4	600	2650	600	2480	PW - NZ : Aluminium
ALCPOS	Aluminium Pacific Open Out - Single Frame	ALCPOS	600	2650	300	1280	PW - NZ : Aluminium
ALCPOS4	Aluminium Pacific Open Out - Single Frame 4 sides	ALCPOS4	600	2650	300	1280	PW - NZ : Aluminium
ALGAFL	Aluminium Garrison FL Flush Door	ALGAFL	300	2400	300	1200	PW - NZ : Aluminium
ALSBPOLY	Aluminium Sandwich Board (Flat) Polystyrene Core	ALSBPOLY	20	2400	20	1190	PW - NZ : Aluminium
ALSD10TH	Aluminium Strata DG 10TH	ALSD10TH	400	2650	350	1350	PW - NZ : Aluminium
ALSD10TV	Aluminium Strata DG 10TV	ALSD10TV	400	2650	350	1350	PW - NZ : Aluminium
ALSD11T	Aluminium Strata DG 11T	ALSD11T	400	2650	600	1350	PW - NZ : Aluminium
ALSD11TH	Aluminium Strata DG 11TH	ALSD11TH	400	2650	600	1350	PW - NZ : Aluminium
ALSD13T	Aluminium Strata DG 13T	ALSD13T	1500	2650	600	1350	PW - NZ : Aluminium
ALSD14T	Aluminium Strata DG 14T	ALSD14T	1600	2650	600	1350	PW - NZ : Aluminium
ALSD15T	Aluminium Strata DG 15T	ALSD15T	1800	2650	600	1350	PW - NZ : Aluminium
ALSD16T	Aluminium Strata DG 16T	ALSD16T	1900	2650	600	1350	PW - NZ : Aluminium
ALSD1L	Aluminium Strata DG 1L	ALSD1L	400	2450	350	1210	PW - NZ : Aluminium
ALSD1P	Aluminium Strata DG 1P	ALSD1P	400	2650	350	1350	PW - NZ : Aluminium

Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
ALSD22L	Aluminium Strata DG 22L	ALSD22L	1300	2650	350	1350	PW - NZ : Aluminium
ALSD22P	Aluminium Strata DG 22P	ALSD22P	1300	2650	350	1350	PW - NZ : Aluminium
ALSD22POT	Aluminium Strata DG 22P O/T	ALSD22POT	1300	2650	350	1350	PW - NZ : Aluminium
ALSD22TOT	Aluminium Strata DG 22T O/T	ALSD22TOT	1300	2650	350	1350	PW - NZ : Aluminium
ALSD23L	Aluminium Strata DG 23L	ALSD23L	1600	2650	350	1350	PW - NZ : Aluminium
ALSD24L	Aluminium Strata DG 24L	ALSD24L	1800	2650	350	1350	PW - NZ : Aluminium
ALSD24POT	Aluminium Strata DG 24P O/T	ALSD24POT	1300	2650	710	1350	PW - NZ : Aluminium
ALSD25L	Aluminium Strata DG 25L	ALSD25L	1800	2650	350	1350	PW - NZ : Aluminium
ALSD26L	Aluminium Strata DG 26L	ALSD26L	1900	2650	350	1350	PW - NZ : Aluminium
ALSD2L	Aluminium Strata DG 2L	ALSD2L	400	2450	600	1210	PW - NZ : Aluminium
ALSD3L	Aluminium Strata DG 3L	ALSD3L	400	2650	760	1350	PW - NZ : Aluminium
ALSD3P	Aluminium Strata DG 3P	ALSD3P	1300	2650	350	1350	PW - NZ : Aluminium
ALSD43POT	Aluminium Strata DG 43P O/T	ALSD43POT	1300	2650	600	1350	PW - NZ : Aluminium
ALSD43TOT	Aluminium Strata DG 43T O/T	ALSD43TOT	1300	2650	600	1350	PW - NZ : Aluminium
ALSD44T	Aluminium Strata DG 44T	ALSD44T	1600	2650	350	1350	PW - NZ : Aluminium
ALSD4L	Aluminium Strata DG 4L	ALSD4L	1300	2650	810	1350	PW - NZ : Aluminium
ALSD4P	Aluminium Strata DG 4P	ALSD4P	1300	2650	600	1350	PW - NZ : Aluminium
ALSD4POT	Aluminium Strata DG 4P O/T	ALSD4POT	1300	2650	600	1350	PW - NZ : Aluminium
ALSD63P	Aluminium Strata DG 63P	ALSD63P	1600	2650	600	1350	PW - NZ : Aluminium
ALSD64P	Aluminium Strata DG 64P	ALSD64P	1600	2650	600	1350	PW - NZ : Aluminium
ALSD6P	Aluminium Strata DG 6P	ALSD6P	1300	2650	600	1350	PW - NZ : Aluminium
ALSD7L	Aluminium Strata DG 7L	ALSD7L	1600	2650	350	1350	PW - NZ : Aluminium
ALSD7P	Aluminium Strata DG 7P	ALSD7P	1600	2650	350	1350	PW - NZ : Aluminium
ALSD8P	Aluminium Strata DG 8P	ALSD8P	1800	2650	600	1350	PW - NZ : Aluminium
ALSDCL1	Aluminium Strata CL1	ALSDCL1	470	2650	380	1350	PW - NZ : Aluminium
ALSDCL5	Aluminium Strata CL5	ALSDCL5	1800	2650	380	1350	PW - NZ : Aluminium
ALSDL5	Aluminium Commercial Louvre Screen	ALSDL5	100	2400	80	1200	PW - NZ : Aluminium
ALSTCFL	Aluminium Strata CFL	ALSTCFL	300	2400	270	1150	PW - NZ : Aluminium
ALSTCFLL3	Aluminium Strata CFL L3 Door Grille	ALSTCFLL3	1600	2400	730	1150	PW - NZ : Aluminium
ALSTCFLL4	Aluminium Strata CFL L4 Door Grille	ALSTCFLL4	1600	2400	730	1150	PW - NZ : Aluminium
ALSTCFLL8	Aluminium Strata CFL L8 Door Grille	ALSTCFLL8	1600	2400	730	1150	PW - NZ : Aluminium
ALSTCFLL9	Aluminium Strata CFL L9 Door Grille	ALSTCFLL9	1600	2400	730	1150	PW - NZ : Aluminium
ALSTCFLVP1	Aluminium Strata CFL VP1	ALSTCFLVP1	1300	2400	435	1150	PW - NZ : Aluminium
ALSTCFLVP10	Aluminium Strata CFL VP10	ALSTCFLVP10	1800	2400	435	1150	PW - NZ : Aluminium
ALSTCFLVP11	Aluminium Strata CFL VP11	ALSTCFLVP11	1800	2400	435	1150	PW - NZ : Aluminium
ALSTCFLVP12	Aluminium Strata CFL VP12	ALSTCFLVP12	1800	2400	535	1150	PW - NZ : Aluminium
ALSTCFLVP13	Aluminium Strata CFL VP13 (Glass side is from the top)	ALSTCFLVP13	1800	2400	535	1150	PW - NZ : Aluminium
ALSTCFLVP14	Aluminium Strata CFL VP14	ALSTCFLVP14	1800	2400	435	1150	PW - NZ : Aluminium
ALSTCFLVP21	Aluminium Strata CFL VP21	ALSTCFLVP21	1600	2400	435	1150	PW - NZ : Aluminium

Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
ALSTCFLVP23	Aluminium Strata CFL VP23	ALSTCFLVP23	1300	2400	435	1150	PW - NZ : Aluminium
ALSTCFLVP4	Aluminium Strata CFL VP4	ALSTCFLVP4	1100	2400	759	1150	PW - NZ : Aluminium
ALSTCFLVP41	Aluminium Strata CFL VP41	ALSTCFLVP41	1100	2400	759	1150	PW - NZ : Aluminium
ALSTCFLVP48	Aluminium Strata CFL VP48	ALSTCFLVP48	1800	2400	535	1150	PW - NZ : Aluminium
ALSTCFLVP5	Aluminium Strata CFL VP5	ALSTCFLVP5	1100	2400	435	1150	PW - NZ : Aluminium
ALSTCFLVP8	Aluminium Strata CFL VP8	ALSTCFLVP8	1100	2400	435	1150	PW - NZ : Aluminium
ALSTCFLVP9	Aluminium Strata CFL VP9	ALSTCFLVP9	1300	2400	435	1150	PW - NZ : Aluminium
ALSTFL	Aluminium Strata FL Flush Door	ALSTFL	300	2400	300	1200	PW - NZ : Aluminium
ALSTTGV	Aluminium Strata TGV	ALSTTGV	225	3100	310	1210	PW - NZ : Aluminium
ALSTTGVSW	Aluminium Strata TGV (Special Width)	ALSTTGVSW	225	3100	310	1210	PW - NZ : Aluminium
ALSTTGVSWP10	Aluminium Strata TGV VP10 (Special Width)	ALSTTGVSWP10	1800	2500	710	1210	PW - NZ : Aluminium
ALSTTGVSWP4	Aluminium Strata TGV VP4 (Special Width)	ALSTTGVSWP4	1100	2500	710	1210	PW - NZ : Aluminium
ALSTTGVSWP41	Aluminium Strata TGV VP41 (Special Width)	ALSTTGVSWP41	1100	2500	710	1210	PW - NZ : Aluminium
ALSTTGVSWP8	Aluminium Strata TGV VP8 (Special Width)	ALSTTGVSWP8	1100	2500	710	1210	PW - NZ : Aluminium
ALSTTGVSWP9	Aluminium Strata TGV VP9 (Special Width)	ALSTTGVSWP9	1300	2500	710	1210	PW - NZ : Aluminium
ALSTTGVP10	Aluminium Strata TGV VP10	ALSTTGVP10	1800	2500	710	1210	PW - NZ : Aluminium
ALSTTGVP4	Aluminium Strata TGV VP4	ALSTTGVP4	1100	2500	710	1210	PW - NZ : Aluminium
ALSTTGVP41	Aluminium Strata TGV VP41	ALSTTGVP41	1100	2500	710	1210	PW - NZ : Aluminium
ALSTTGVP8	Aluminium Strata TGV VP8	ALSTTGVP8	1100	2500	710	1210	PW - NZ : Aluminium
ALSTTGVP9	Aluminium Strata TGV VP9	ALSTTGVP9	1300	2500	710	1210	PW - NZ : Aluminium
ALTH10TH	Aluminium Thermtek 10TH	ALTH10TH	400	2450	350	1210	PW - NZ : Aluminium
ALTH10TV	Aluminium Thermtek 10TV	ALTH10TV	400	2650	350	1210	PW - NZ : Aluminium
ALTH11T	Aluminium Thermtek 11T	ALTH11T	400	2650	550	1210	PW - NZ : Aluminium
ALTH11TH	Aluminium Thermtek 11TH	ALTH11TH	400	2650	550	1210	PW - NZ : Aluminium
ALTH14T	Aluminium Thermtek 14T	ALTH14T	1600	2650	550	1210	PW - NZ : Aluminium
ALTH15T	Aluminium Thermtek 15T	ALTH15T	1800	2650	550	1210	PW - NZ : Aluminium
ALTH16T	Aluminium Thermtek 16T	ALTH16T	1800	2650	550	1210	PW - NZ : Aluminium
ALTH1L	Aluminium Thermtek 1L	ALTH1L	400	2450	350	1200	PW - NZ : Aluminium
ALTH1P	Aluminium Thermtek 1 Panel	ALTH1P	400	2650	350	1210	PW - NZ : Aluminium
ALTH22L	Aluminium Thermtek 22L	ALTH22L	1300	2450	350	1210	PW - NZ : Aluminium
ALTH22P	Aluminium Thermtek 22P	ALTH22P	1300	2650	350	1210	PW - NZ : Aluminium
ALTH22POT	Aluminium Thermtek 22P O/T	ALTH22POT	1300	2450	350	1210	PW - NZ : Aluminium
ALTH22TOT	Aluminium Thermtek 22T O/T	ALTH22TOT	1300	2450	350	1210	PW - NZ : Aluminium
ALTH24L	Aluminium Thermtek 24L	ALTH24L	1600	2450	350	1210	PW - NZ : Aluminium
ALTH24POT	Aluminium Thermtek 24P O/T	ALTH24POT	1300	2450	550	1210	PW - NZ : Aluminium
ALTH25L	Aluminium Thermtek 25L	ALTH25L	1800	2450	350	1210	PW - NZ : Aluminium
ALTH2HV	Aluminium Thermtek 2HV	ALTH2HV	300	2400	220	1200	PW - NZ : Aluminium
ALTH3HV	Aluminium Thermtek 3HV	ALTH3HV	300	2400	220	1200	PW - NZ : Aluminium
ALTH3HV50	Aluminium Thermtek 3HV 50mm thick	ALTH3HV50	300	2400	220	1200	PW - NZ : Aluminium

Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
ALTH3L	Aluminium Thermtek 3L	ALTH3L	400	2450	755	1210	PW - NZ : Aluminium
ALTH3VV	Aluminium Thermtek 3VV	ALTH3VV	300	2400	350	1200	PW - NZ : Aluminium
ALTH3VV50	Aluminium Thermtek 3VV 50mm Thick	ALTH3VV50	300	2400	350	1200	PW - NZ : Aluminium
ALTH43POT	Aluminium Thermtek 43P O/T	ALTH43POT	1300	2450	550	1210	PW - NZ : Aluminium
ALTH43TOT	Aluminium Thermtek 43T O/T	ALTH43TOT	1300	2450	550	1210	PW - NZ : Aluminium
ALTH44T	Aluminium Thermtek 44T	ALTH44T	1300	2650	350	1210	PW - NZ : Aluminium
ALTH4HV	Aluminium Thermtek 4HV	ALTH4HV	300	2400	220	1200	PW - NZ : Aluminium
ALTH4P	Aluminium Thermtek 4P	ALTH4P	1300	2650	550	1210	PW - NZ : Aluminium
ALTH4POT	Aluminium Thermtek 4P O/T	ALTH4POT	1300	2450	550	1210	PW - NZ : Aluminium
ALTH5HV	Aluminium Thermtek 5HV	ALTH5HV	300	2400	220	1200	PW - NZ : Aluminium
ALTH63P	Aluminium Thermtek 63P	ALTH63P	900	2650	550	1210	PW - NZ : Aluminium
ALTH64P	Aluminium Thermtek 64P	ALTH64P	900	2650	550	1210	PW - NZ : Aluminium
ALTH6P	Aluminium Thermtek 6P	ALTH6P	900	2650	550	1210	PW - NZ : Aluminium
ALTH7P	Aluminium Thermtek 7P	ALTH7P	1100	2650	350	1210	PW - NZ : Aluminium
ALTH8P	Aluminium Thermtek 8P	ALTH8P	1100	2650	550	1210	PW - NZ : Aluminium
ALTHCFL	Aluminium Thermtek CFL	ALTHCFL	300	2650	220	1200	PW - NZ : Aluminium
ALTHCFL50	Aluminium Thermtek CFL 50mm Thick	ALTHCFL50	300	2400	220	1200	PW - NZ : Aluminium
ALTHCFL3	Aluminium Thermtek CFL L3 Door Grille	ALTHCFL3	1600	2650	730	1200	PW - NZ : Aluminium
ALTHCFL4	Aluminium Thermtek CFL L4 Door Grille	ALTHCFL4	1600	2650	730	1200	PW - NZ : Aluminium
ALTHCFL8	Aluminium Thermtek CFL L8 Door Grille	ALTHCFL8	1600	2650	730	1200	PW - NZ : Aluminium
ALTHCFL9	Aluminium Thermtek CFL L9 Door Grille	ALTHCFL9	1600	2650	730	1200	PW - NZ : Aluminium
ALTHCFLVP1	Aluminium Thermtek CFL VP1	ALTHCFLVP1	1300	2650	435	1200	PW - NZ : Aluminium
ALTHCFLVP10	Aluminium Thermtek CFL VP10	ALTHCFLVP10	1800	2650	435	1200	PW - NZ : Aluminium
ALTHCFLVP11	Aluminium Thermtek CFL VP11	ALTHCFLVP11	1800	2650	435	1200	PW - NZ : Aluminium
ALTHCFLVP12	Aluminium Thermtek CFL VP12	ALTHCFLVP12	1800	2650	535	1200	PW - NZ : Aluminium
ALTHCFLVP13	Aluminium Thermtek CFL VP13 (Glass side is from the top)	ALTHCFLVP13	1800	2650	535	1200	PW - NZ : Aluminium
ALTHCFLVP14	Aluminium Thermtek CFL VP14	ALTHCFLVP14	1800	2650	435	1200	PW - NZ : Aluminium
ALTHCFLVP21	Aluminium Thermtek CFL VP21	ALTHCFLVP21	1600	2650	435	1200	PW - NZ : Aluminium
ALTHCFLVP23	Aluminium Thermtek CFL VP23	ALTHCFLVP23	1300	2650	435	1200	PW - NZ : Aluminium
ALTHCFLVP4	Aluminium Thermtek CFL VP4	ALTHCFLVP4	1100	2650	759	1200	PW - NZ : Aluminium
ALTHCFLVP41	Aluminium Thermtek CFL VP41	ALTHCFLVP41	1100	2650	759	1200	PW - NZ : Aluminium
ALTHCFLVP48	Aluminium Thermtek CFL VP48	ALTHCFLVP48	1800	2650	535	1200	PW - NZ : Aluminium
ALTHCFLVP5	Aluminium Thermtek CFL VP5	ALTHCFLVP5	1100	2650	435	1200	PW - NZ : Aluminium
ALTHCFLVP8	Aluminium Thermtek CFL VP8	ALTHCFLVP8	1100	2650	435	1200	PW - NZ : Aluminium
ALTHCFLVP9	Aluminium Thermtek CFL VP9	ALTHCFLVP9	1300	2650	435	1200	PW - NZ : Aluminium
ALTHFL	Aluminium Thermtek FL	ALTHFL	300	2410	300	1200	PW - NZ : Aluminium
ALTHM4	Aluminium Thermtek Meta 4 (Pattern Outside Only)	ALTHM4	300	2400	220	1200	PW - NZ : Aluminium
ALTHM4DS	Aluminium Thermtek Meta 4 (Pattern Both Sides)	ALTHM4DS	300	2400	220	1200	PW - NZ : Aluminium
ALHTGV	Aluminium Thermtek TGV	ALHTGV	300	2400	220	1000	PW - NZ : Aluminium

Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
ALHTGV50	Aluminium Thermtek TGV 50mm	ALHTGV50	300	2400	220	1000	PW - NZ : Aluminium
ALHTGVVP1	Aluminium Thermtek TGV VP1	ALHTGVVP1	1300	2400	435	1000	PW - NZ : Aluminium
ALHTGVVP10	Aluminium Thermtek TGV VP10	ALHTGVVP10	1800	2400	435	1000	PW - NZ : Aluminium
ALHTGVVP11	Aluminium Thermtek TGV VP11	ALHTGVVP11	1800	2400	435	1000	PW - NZ : Aluminium
ALHTGVVP12	Aluminium Thermtek TGV VP12	ALHTGVVP12	1800	2400	535	1000	PW - NZ : Aluminium
ALHTGVVP13	Aluminium Thermtek TGV VP13 (Glass side is from the top)	ALHTGVVP13	1800	2400	535	1000	PW - NZ : Aluminium
ALHTGVVP14	Aluminium Thermtek TGV VP14	ALHTGVVP14	1800	2400	435	1000	PW - NZ : Aluminium
ALHTGVVP21	Aluminium Thermtek TGV VP21	ALHTGVVP21	1600	2400	435	1000	PW - NZ : Aluminium
ALHTGVVP23	Aluminium Thermtek TGV VP23	ALHTGVVP23	1300	2400	435	1000	PW - NZ : Aluminium
ALHTGVVP4	Aluminium Thermtek TGV VP4	ALHTGVVP4	1100	2400	759	1000	PW - NZ : Aluminium
ALHTGVVP41	Aluminium Thermtek TGV VP41	ALHTGVVP41	1100	2400	759	1000	PW - NZ : Aluminium
ALHTGVVP48	Aluminium Thermtek TGV VP48	ALHTGVVP48	1800	2400	535	1000	PW - NZ : Aluminium
ALHTGVVP5	Aluminium Thermtek TGV VP5	ALHTGVVP5	1100	2400	435	1000	PW - NZ : Aluminium
ALHTGVVP8	Aluminium Thermtek TGV VP8	ALHTGVVP8	1100	2400	435	1000	PW - NZ : Aluminium
ALHTGVVP9	Aluminium Thermtek TGV VP9	ALHTGVVP9	1300	2400	435	1000	PW - NZ : Aluminium
F13W1980810	Duramax F13 - Glazed in DG Etchlite	F13W	1940	1980	785	810	PW - NZ : Imports
F13W1980860	Duramax F13 - Glazed in DG Etchlite	F13W	1940	1980	835	860	PW - NZ : Imports
F4OTW1980810	Duramax F4 O/T	F4OTW	1940	1980	785	810	PW - NZ : Imports
F4OTW1980860	Duramax F4 O/T	F4OTW	1940	1980	835	860	PW - NZ : Imports
F4P1W1980810	Duramax F4P1	F4P1W	1940	1980	785	810	PW - NZ : Imports
F4P1W1980860	Duramax F4P1	F4P1W	1940	1980	835	860	PW - NZ : Imports
F4W1980810	Duramax F4	F4W	1940	1980	785	810	PW - NZ : Imports
F4W1980860	Duramax F4	F4W	1940	1980	835	860	PW - NZ : Imports
F4W2040820	Duramax F4	F4W	2040	2040	820	820	PW - NZ : Imports
F60LS	Duramax 60mm Smooth	F60LS	2020	2100	810	910	PW - NZ : Imports
F6W1980810	Duramax F6	F6W	1940	1980	785	810	PW - NZ : Imports
F6W1980860	Duramax F6	F6W	1940	1980	835	860	PW - NZ : Imports
FHVS1980760	Duramax FHVS Smooth	FHVS	300	1980	720	760	PW - NZ : Imports
FHVS1980810	Duramax FHVS Smooth	FHVS	300	1980	761	810	PW - NZ : Imports
FHVS1980860	Duramax FHVS Smooth	FHVS	300	1980	811	860	PW - NZ : Imports
FHVS2040820	Duramax FHVS Smooth	FHVS	2040	2040	820	820	PW - NZ : Imports
FHVS2040870	Duramax FHVS Smooth	FHVS	2040	2040	870	870	PW - NZ : Imports
FHVS2040920	Duramax FHVS Smooth	FHVS	2040	2040	920	920	PW - NZ : Imports
FHVS22001060	Duramax FHVS Smooth	FHVS	300	2200	911	1060	PW - NZ : Imports
FHVS2200810	Duramax FHVS Smooth	FHVS	300	2200	761	810	PW - NZ : Imports
FHVS2200860	Duramax FHVS Smooth	FHVS	300	2200	811	860	PW - NZ : Imports
FHVS2200910	Duramax FHVS Smooth	FHVS	300	2200	861	910	PW - NZ : Imports
FHVS2340820	Duramax FHVS Smooth	FHVS	2340	2340	820	820	PW - NZ : Imports
FHVS2340920	Duramax FHVS Smooth	FHVS	2340	2340	920	920	PW - NZ : Imports



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
FHVS24001060	Duramax FHVS Smooth	FHVS	2201	2400	911	1060	PW - NZ : Imports
FHVS2400810	Duramax FHVS Smooth	FHVS	2201	2400	761	810	PW - NZ : Imports
FHVS2400860	Duramax FHVS Smooth	FHVS	2201	2400	811	860	PW - NZ : Imports
FHVS2400910	Duramax FHVS Smooth	FHVS	2201	2400	861	910	PW - NZ : Imports
FHVV1980760	Duramax FHVV Woodgrain	FHVV	300	1980	720	760	PW - NZ : Imports
FHVV1980810	Duramax FHVV Woodgrain	FHVV	300	1980	761	810	PW - NZ : Imports
FHVV1980860	Duramax FHVV Woodgrain	FHVV	300	1980	811	860	PW - NZ : Imports
FHVV20401200	Duramax FHVV Woodgrain	FHVV	2040	2040	1200	1200	PW - NZ : Imports
FHVV2040820	Duramax FHVV Woodgrain	FHVV	2040	2040	820	820	PW - NZ : Imports
FHVV2040870	Duramax FHVV Woodgrain	FHVV	2040	2040	870	870	PW - NZ : Imports
FHVV2040920	Duramax FHVV Woodgrain	FHVV	2040	2040	920	920	PW - NZ : Imports
FHVV22001060	Duramax FHVV Woodgrain	FHVV	300	2200	911	1060	PW - NZ : Imports
FHVV2200810	Duramax FHVV Woodgrain	FHVV	300	2200	761	810	PW - NZ : Imports
FHVV2200860	Duramax FHVV Woodgrain	FHVV	300	2200	811	860	PW - NZ : Imports
FHVV2200910	Duramax FHVV Woodgrain	FHVV	300	2200	861	910	PW - NZ : Imports
FHVV2340820	Duramax FHVV Woodgrain	FHVV	2340	2340	820	820	PW - NZ : Imports
FHVV2340920	Duramax FHVV Woodgrain	FHVV	2340	2340	920	920	PW - NZ : Imports
FHVV24001060	Duramax FHVV Woodgrain	FHVV	1980	2400	911	1060	PW - NZ : Imports
FHVV2400810	Duramax FHVV Woodgrain	FHVV	1980	2400	761	810	PW - NZ : Imports
FHVV2400860	Duramax FHVV Woodgrain	FHVV	1980	2400	811	860	PW - NZ : Imports
FHVV2400910	Duramax FHVV Woodgrain	FHVV	1980	2400	861	910	PW - NZ : Imports
FL1S2050760	Duramax FL1S - 1 Lite - Glazed in D/G Clear glass	FL1S	1980	2050	710	760	PW - NZ : Imports
FL1S2050810	Duramax FL1S - 1 Lite - Glazed in D/G Clear glass	FL1S	1980	2050	760	810	PW - NZ : Imports
FL1S2050860	Duramax FL1S - 1 Lite - Glazed in D/G Clear glass	FL1S	1980	2050	810	860	PW - NZ : Imports
FL1S2200960	Duramax FL1S - 1 Lite - Glazed in D/G Clear glass	FL1S	2130	2200	910	960	PW - NZ : Imports
FL1S2400960	Duramax FL1S - 1 Lite - Glazed in D/G Clear glass	FL1S	2330	2400	910	960	PW - NZ : Imports
FLAR10S1980760	Duramax FLAR10S Flush Smooth (Woodgrain beads)	FLAR10S	1900	1980	720	760	PW - NZ : Imports
FLAR10S1980810	Duramax FLAR10S Flush Smooth (Woodgrain beads)	FLAR10S	1900	1980	761	810	PW - NZ : Imports
FLAR10S1980860	Duramax FLAR10S Flush Smooth (Woodgrain beads)	FLAR10S	1900	1980	811	860	PW - NZ : Imports
FLAR10S2040820	Duramax FLAR10S Flush Smooth (Woodgrain beads)	FLAR10S	2040	2040	820	820	PW - NZ : Imports
FLAR10S2040870	Duramax FLAR10S Flush Smooth (Woodgrain beads)	FLAR10S	2040	2040	870	870	PW - NZ : Imports
FLAR10S2040920	Duramax FLAR10S Flush Smooth (Woodgrain beads)	FLAR10S	2040	2040	920	920	PW - NZ : Imports
FLAR10S22001060	Duramax FLAR10S Flush Smooth (Woodgrain beads)	FLAR10S	1900	2200	911	1060	PW - NZ : Imports
FLAR10S2200810	Duramax FLAR10S Flush Smooth (Woodgrain beads)	FLAR10S	1900	2200	761	810	PW - NZ : Imports
FLAR10S2200860	Duramax FLAR10S Flush Smooth (Woodgrain beads)	FLAR10S	1900	2200	811	860	PW - NZ : Imports
FLAR10S2200910	Duramax FLAR10S Flush Smooth (Woodgrain beads)	FLAR10S	1900	2200	861	910	PW - NZ : Imports
FLAR10S2340820	Duramax FLAR10S Flush Smooth (Woodgrain beads)	FLAR10S	2340	2340	820	820	PW - NZ : Imports
FLAR10S2340920	Duramax FLAR10S Flush Smooth (Woodgrain beads)	FLAR10S	2340	2340	920	920	PW - NZ : Imports
FLAR10S24001060	Duramax FLAR10S Flush Smooth (Woodgrain beads)	FLAR10S	2201	2400	911	1060	PW - NZ : Imports



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
FLAR10S2400810	Duramax FLAR10S Flush Smooth (Woodgrain beads)	FLAR10S	2201	2400	761	810	PW - NZ : Imports
FLAR10S2400860	Duramax FLAR10S Flush Smooth (Woodgrain beads)	FLAR10S	2201	2400	811	860	PW - NZ : Imports
FLAR10S2400910	Duramax FLAR10S Flush Smooth (Woodgrain beads)	FLAR10S	2201	2400	861	910	PW - NZ : Imports
FLAR10W1980760	Duramax FLAR10W Flush Woodgrain	FLAR10W	1900	1980	720	760	PW - NZ : Imports
FLAR10W1980810	Duramax FLAR10W Flush Woodgrain	FLAR10W	1900	1980	761	810	PW - NZ : Imports
FLAR10W1980860	Duramax FLAR10W Flush Woodgrain	FLAR10W	1900	1980	811	860	PW - NZ : Imports
FLAR10W20401200	Duramax FLAR10W Flush Woodgrain	FLAR10W	2040	2040	1200	1200	PW - NZ : Imports
FLAR10W2040820	Duramax FLAR10W Flush Woodgrain	FLAR10W	2040	2040	820	820	PW - NZ : Imports
FLAR10W2040870	Duramax FLAR10W Flush Woodgrain	FLAR10W	2040	2040	870	870	PW - NZ : Imports
FLAR10W2040920	Duramax FLAR10W Flush Woodgrain	FLAR10W	2040	2040	920	920	PW - NZ : Imports
FLAR10W22001060	Duramax FLAR10W Flush Woodgrain	FLAR10W	1900	2200	911	1060	PW - NZ : Imports
FLAR10W2200810	Duramax FLAR10W Flush Woodgrain	FLAR10W	1900	2200	761	810	PW - NZ : Imports
FLAR10W2200860	Duramax FLAR10W Flush Woodgrain	FLAR10W	1900	2200	811	860	PW - NZ : Imports
FLAR10W2200910	Duramax FLAR10W Flush Woodgrain	FLAR10W	1900	2200	861	910	PW - NZ : Imports
FLAR10W2340820	Duramax FLAR10W Flush Woodgrain	FLAR10W	2340	2340	820	820	PW - NZ : Imports
FLAR10W2340920	Duramax FLAR10W Flush Woodgrain	FLAR10W	2340	2340	920	920	PW - NZ : Imports
FLAR10W24001060	Duramax FLAR10W Flush Woodgrain	FLAR10W	2201	2400	911	1060	PW - NZ : Imports
FLAR10W2400810	Duramax FLAR10W Flush Woodgrain	FLAR10W	2201	2400	761	810	PW - NZ : Imports
FLAR10W2400860	Duramax FLAR10W Flush Woodgrain	FLAR10W	2201	2400	811	860	PW - NZ : Imports
FLAR10W2400910	Duramax FLAR10W Flush Woodgrain	FLAR10W	2201	2400	861	910	PW - NZ : Imports
FLAR11S1980760	Duramax FLAR11S Flush Smooth (Woodgrain beads)	FLAR11S	1600	1980	720	760	PW - NZ : Imports
FLAR11S1980810	Duramax FLAR11S Flush Smooth (Woodgrain beads)	FLAR11S	1600	1980	761	810	PW - NZ : Imports
FLAR11S1980860	Duramax FLAR11S Flush Smooth (Woodgrain beads)	FLAR11S	1600	1980	811	860	PW - NZ : Imports
FLAR11S2040820	Duramax FLAR11S Flush Smooth (Woodgrain beads)	FLAR11S	2040	2040	820	820	PW - NZ : Imports
FLAR11S2040870	Duramax FLAR11S Flush Smooth (Woodgrain beads)	FLAR11S	2040	2040	870	870	PW - NZ : Imports
FLAR11S2040920	Duramax FLAR11S Flush Smooth (Woodgrain beads)	FLAR11S	2040	2040	920	920	PW - NZ : Imports
FLAR11S22001060	Duramax FLAR11S Flush Smooth (Woodgrain beads)	FLAR11S	1600	2200	911	1060	PW - NZ : Imports
FLAR11S2200810	Duramax FLAR11S Flush Smooth (Woodgrain beads)	FLAR11S	1600	2200	761	810	PW - NZ : Imports
FLAR11S2200860	Duramax FLAR11S Flush Smooth (Woodgrain beads)	FLAR11S	1600	2200	811	860	PW - NZ : Imports
FLAR11S2200910	Duramax FLAR11S Flush Smooth (Woodgrain beads)	FLAR11S	1600	2200	861	910	PW - NZ : Imports
FLAR11S2340820	Duramax FLAR11S Flush Smooth (Woodgrain beads)	FLAR11S	2340	2340	820	820	PW - NZ : Imports
FLAR11S2340920	Duramax FLAR11S Flush Smooth (Woodgrain beads)	FLAR11S	2340	2340	920	920	PW - NZ : Imports
FLAR11S24001060	Duramax FLAR11S Flush Smooth (Woodgrain beads)	FLAR11S	2201	2400	911	1060	PW - NZ : Imports
FLAR11S2400810	Duramax FLAR11S Flush Smooth (Woodgrain beads)	FLAR11S	2201	2400	761	810	PW - NZ : Imports
FLAR11S2400860	Duramax FLAR11S Flush Smooth (Woodgrain beads)	FLAR11S	2201	2400	811	860	PW - NZ : Imports
FLAR11S2400910	Duramax FLAR11S Flush Smooth (Woodgrain beads)	FLAR11S	2201	2400	861	910	PW - NZ : Imports
FLAR11W1980760	Duramax FLAR11W Flush Woodgrain	FLAR11W	1600	1980	720	760	PW - NZ : Imports
FLAR11W1980810	Duramax FLAR11W Flush Woodgrain	FLAR11W	1600	1980	761	810	PW - NZ : Imports
FLAR11W1980860	Duramax FLAR11W Flush Woodgrain	FLAR11W	1600	1980	811	860	PW - NZ : Imports



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
FLAR11W20401200	Duramax FLAR11W Flush Woodgrain	FLAR11W	2040	2040	1200	1200	PW - NZ : Imports
FLAR11W2040820	Duramax FLAR11W Flush Woodgrain	FLAR11W	2040	2040	820	820	PW - NZ : Imports
FLAR11W2040870	Duramax FLAR11W Flush Woodgrain	FLAR11W	2040	2040	870	870	PW - NZ : Imports
FLAR11W2040920	Duramax FLAR11W Flush Woodgrain	FLAR11W	2040	2040	920	920	PW - NZ : Imports
FLAR11W22001060	Duramax FLAR11W Flush Woodgrain	FLAR11W	1600	2200	911	1060	PW - NZ : Imports
FLAR11W2200810	Duramax FLAR11W Flush Woodgrain	FLAR11W	1600	2200	761	810	PW - NZ : Imports
FLAR11W2200860	Duramax FLAR11W Flush Woodgrain	FLAR11W	1600	2200	811	860	PW - NZ : Imports
FLAR11W2200910	Duramax FLAR11W Flush Woodgrain	FLAR11W	1600	2200	861	910	PW - NZ : Imports
FLAR11W2340820	Duramax FLAR11W Flush Woodgrain	FLAR11W	2340	2340	820	820	PW - NZ : Imports
FLAR11W2340920	Duramax FLAR11W Flush Woodgrain	FLAR11W	2340	2340	920	920	PW - NZ : Imports
FLAR11W24001060	Duramax FLAR11W Flush Woodgrain	FLAR11W	2201	2400	911	1060	PW - NZ : Imports
FLAR11W2400810	Duramax FLAR11W Flush Woodgrain	FLAR11W	2201	2400	761	810	PW - NZ : Imports
FLAR11W2400860	Duramax FLAR11W Flush Woodgrain	FLAR11W	2201	2400	811	860	PW - NZ : Imports
FLAR11W2400910	Duramax FLAR11W Flush Woodgrain	FLAR11W	2201	2400	861	910	PW - NZ : Imports
FLAR12S1980810	Duramax FLAR12 Smooth - Glazed in D/G Etchlite	FLAR12S	1980	1980	810	810	PW - NZ : Imports
FLAR12S1980860	Duramax FLAR12 Smooth - Glazed in D/G Etchlite	FLAR12S	1980	1980	860	860	PW - NZ : Imports
FLAR12SST2040820	Duramax FLAR12SST Smooth - Glazed in 6.38mm Translucent Laminate	FLAR12SST	2040	2040	820	820	PW - NZ : Imports
FLAR12SST2040870	Duramax FLAR12SST Smooth - Glazed in 6.38mm Translucent Laminate	FLAR12SST	2040	2040	870	870	PW - NZ : Imports
FLAR12SST2040920	Duramax FLAR12SST Smooth - Glazed in 6.38mm Translucent Laminate	FLAR12SST	2040	2040	920	920	PW - NZ : Imports
FLAR21S1980760	Duramax FLAR21S Flush Smooth (Woodgrain beads)	FLAR21S	1600	1980	720	760	PW - NZ : Imports
FLAR21S1980810	Duramax FLAR21S Flush Smooth (Woodgrain beads)	FLAR21S	1600	1980	761	810	PW - NZ : Imports
FLAR21S1980860	Duramax FLAR21S Flush Smooth (Woodgrain beads)	FLAR21S	1600	1980	811	860	PW - NZ : Imports
FLAR21S2040820	Duramax FLAR21S Flush Smooth (Woodgrain beads)	FLAR21S	2040	2040	820	820	PW - NZ : Imports
FLAR21S2040870	Duramax FLAR21S Flush Smooth (Woodgrain beads)	FLAR21S	2040	2040	870	870	PW - NZ : Imports
FLAR21S2040920	Duramax FLAR21S Flush Smooth (Woodgrain beads)	FLAR21S	2040	2040	920	920	PW - NZ : Imports
FLAR21S22001060	Duramax FLAR21S Flush Smooth (Woodgrain beads)	FLAR21S	1600	2200	911	1060	PW - NZ : Imports
FLAR21S2200810	Duramax FLAR21S Flush Smooth (Woodgrain beads)	FLAR21S	1600	2200	761	810	PW - NZ : Imports
FLAR21S2200860	Duramax FLAR21S Flush Smooth (Woodgrain beads)	FLAR21S	1600	2200	811	860	PW - NZ : Imports
FLAR21S2200910	Duramax FLAR21S Flush Smooth (Woodgrain beads)	FLAR21S	1600	2200	861	910	PW - NZ : Imports
FLAR21S2340820	Duramax FLAR21S Flush Smooth (Woodgrain beads)	FLAR21S	2340	2340	820	820	PW - NZ : Imports
FLAR21S2340920	Duramax FLAR21S Flush Smooth (Woodgrain beads)	FLAR21S	2340	2340	920	920	PW - NZ : Imports
FLAR21S24001060	Duramax FLAR21S Flush Smooth (Woodgrain beads)	FLAR21S	2201	2400	911	1060	PW - NZ : Imports
FLAR21S2400810	Duramax FLAR21S Flush Smooth (Woodgrain beads)	FLAR21S	2201	2400	761	810	PW - NZ : Imports
FLAR21S2400860	Duramax FLAR21S Flush Smooth (Woodgrain beads)	FLAR21S	2201	2400	811	860	PW - NZ : Imports
FLAR21S2400910	Duramax FLAR21S Flush Smooth (Woodgrain beads)	FLAR21S	2201	2400	861	910	PW - NZ : Imports
FLAR21W1980760	Duramax FLAR21W Flush Woodgrain	FLAR21W	1600	1980	720	760	PW - NZ : Imports
FLAR21W1980810	Duramax FLAR21W Flush Woodgrain	FLAR21W	1600	1980	761	810	PW - NZ : Imports
FLAR21W1980860	Duramax FLAR21W Flush Woodgrain	FLAR21W	1600	1980	811	860	PW - NZ : Imports
FLAR21W20401200	Duramax FLAR21W Flush Woodgrain	FLAR21W	2040	2040	1200	1200	PW - NZ : Imports



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
FLAR21W2040820	Duramax FLAR21W Flush Woodgrain	FLAR21W	2040	2040	820	820	PW - NZ : Imports
FLAR21W2040870	Duramax FLAR21W Flush Woodgrain	FLAR21W	2040	2040	870	870	PW - NZ : Imports
FLAR21W2040920	Duramax FLAR21W Flush Woodgrain	FLAR21W	2040	2040	920	920	PW - NZ : Imports
FLAR21W22001060	Duramax FLAR21W Flush Woodgrain	FLAR21W	1600	2200	911	1060	PW - NZ : Imports
FLAR21W2200810	Duramax FLAR21W Flush Woodgrain	FLAR21W	1600	2200	761	810	PW - NZ : Imports
FLAR21W2200860	Duramax FLAR21W Flush Woodgrain	FLAR21W	1600	2200	811	860	PW - NZ : Imports
FLAR21W2200910	Duramax FLAR21W Flush Woodgrain	FLAR21W	1600	2200	861	910	PW - NZ : Imports
FLAR21W2340820	Duramax FLAR21W Flush Woodgrain	FLAR21W	2340	2340	820	820	PW - NZ : Imports
FLAR21W2340920	Duramax FLAR21W Flush Woodgrain	FLAR21W	2340	2340	920	920	PW - NZ : Imports
FLAR21W24001060	Duramax FLAR21W Flush Woodgrain	FLAR21W	2201	2400	911	1060	PW - NZ : Imports
FLAR21W2400810	Duramax FLAR21W Flush Woodgrain	FLAR21W	2201	2400	761	810	PW - NZ : Imports
FLAR21W2400860	Duramax FLAR21W Flush Woodgrain	FLAR21W	2201	2400	811	860	PW - NZ : Imports
FLAR21W2400910	Duramax FLAR21W Flush Woodgrain	FLAR21W	2201	2400	861	910	PW - NZ : Imports
FLAR23S1980760	Duramax FLAR23S Flush Smooth (Woodgrain beads)	FLAR23S	1600	1980	720	760	PW - NZ : Imports
FLAR23S1980810	Duramax FLAR23S Flush Smooth (Woodgrain beads)	FLAR23S	1600	1980	761	810	PW - NZ : Imports
FLAR23S1980860	Duramax FLAR23S Flush Smooth (Woodgrain beads)	FLAR23S	1600	1980	811	860	PW - NZ : Imports
FLAR23S2040820	Duramax FLAR23S Flush Smooth (Woodgrain beads)	FLAR23S	2040	2040	820	820	PW - NZ : Imports
FLAR23S2040870	Duramax FLAR23S Flush Smooth (Woodgrain beads)	FLAR23S	2040	2040	870	870	PW - NZ : Imports
FLAR23S2040920	Duramax FLAR23S Flush Smooth (Woodgrain beads)	FLAR23S	2040	2040	920	920	PW - NZ : Imports
FLAR23S22001060	Duramax FLAR23S Flush Smooth (Woodgrain beads)	FLAR23S	1600	2200	911	1060	PW - NZ : Imports
FLAR23S2200810	Duramax FLAR23S Flush Smooth (Woodgrain beads)	FLAR23S	1600	2200	761	810	PW - NZ : Imports
FLAR23S2200860	Duramax FLAR23S Flush Smooth (Woodgrain beads)	FLAR23S	1600	2200	811	860	PW - NZ : Imports
FLAR23S2200910	Duramax FLAR23S Flush Smooth (Woodgrain beads)	FLAR23S	1600	2200	861	910	PW - NZ : Imports
FLAR23S2340820	Duramax FLAR23S Flush Smooth (Woodgrain beads)	FLAR23S	2340	2340	820	820	PW - NZ : Imports
FLAR23S2340920	Duramax FLAR23S Flush Smooth (Woodgrain beads)	FLAR23S	2340	2340	920	920	PW - NZ : Imports
FLAR23S24001060	Duramax FLAR23S Flush Smooth (Woodgrain beads)	FLAR23S	2201	2400	911	1060	PW - NZ : Imports
FLAR23S2400810	Duramax FLAR23S Flush Smooth (Woodgrain beads)	FLAR23S	2201	2400	761	810	PW - NZ : Imports
FLAR23S2400860	Duramax FLAR23S Flush Smooth (Woodgrain beads)	FLAR23S	2201	2400	811	860	PW - NZ : Imports
FLAR23S2400910	Duramax FLAR23S Flush Smooth (Woodgrain beads)	FLAR23S	2201	2400	861	910	PW - NZ : Imports
FLAR23W1980760	Duramax FLAR23W Flush Woodgrain	FLAR23W	1600	1980	720	760	PW - NZ : Imports
FLAR23W1980810	Duramax FLAR23W Flush Woodgrain	FLAR23W	1600	1980	761	810	PW - NZ : Imports
FLAR23W1980860	Duramax FLAR23W Flush Woodgrain	FLAR23W	1600	1980	811	860	PW - NZ : Imports
FLAR23W20401200	Duramax FLAR23W Flush Woodgrain	FLAR23W	2040	2040	1200	1200	PW - NZ : Imports
FLAR23W2040820	Duramax FLAR23W Flush Woodgrain	FLAR23W	2040	2040	820	820	PW - NZ : Imports
FLAR23W2040870	Duramax FLAR23W Flush Woodgrain	FLAR23W	2040	2040	870	870	PW - NZ : Imports
FLAR23W2040920	Duramax FLAR23W Flush Woodgrain	FLAR23W	2040	2040	920	920	PW - NZ : Imports
FLAR23W22001060	Duramax FLAR23W Flush Woodgrain	FLAR23W	1600	2200	911	1060	PW - NZ : Imports
FLAR23W2200810	Duramax FLAR23W Flush Woodgrain	FLAR23W	1600	2200	761	810	PW - NZ : Imports
FLAR23W2200860	Duramax FLAR23W Flush Woodgrain	FLAR23W	1600	2200	811	860	PW - NZ : Imports



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
FLAR23W2200910	Duramax FLAR23W Flush Woodgrain	FLAR23W	1600	2200	861	910	PW - NZ : Imports
FLAR23W2340820	Duramax FLAR23W Flush Woodgrain	FLAR23W	2340	2340	820	820	PW - NZ : Imports
FLAR23W2340920	Duramax FLAR23W Flush Woodgrain	FLAR23W	2340	2340	920	920	PW - NZ : Imports
FLAR23W24001060	Duramax FLAR23W Flush Woodgrain	FLAR23W	2201	2400	911	1060	PW - NZ : Imports
FLAR23W2400810	Duramax FLAR23W Flush Woodgrain	FLAR23W	2201	2400	761	810	PW - NZ : Imports
FLAR23W2400860	Duramax FLAR23W Flush Woodgrain	FLAR23W	2201	2400	811	860	PW - NZ : Imports
FLAR23W2400910	Duramax FLAR23W Flush Woodgrain	FLAR23W	2201	2400	861	910	PW - NZ : Imports
FLAR24S1980760	Duramax FLAR24S Flush Smooth (Woodgrain beads)	FLAR24S	1600	1980	760	760	PW - NZ : Imports
FLAR24S1980810	Duramax FLAR24S Flush Smooth (Woodgrain beads)	FLAR24S	1600	1980	761	810	PW - NZ : Imports
FLAR24S1980860	Duramax FLAR24S Flush Smooth (Woodgrain beads)	FLAR24S	1600	1980	811	860	PW - NZ : Imports
FLAR24S2040820	Duramax FLAR24S Flush Smooth (Woodgrain beads)	FLAR24S	2040	2040	820	820	PW - NZ : Imports
FLAR24S2040870	Duramax FLAR24S Flush Smooth (Woodgrain beads)	FLAR24S	2040	2040	870	870	PW - NZ : Imports
FLAR24S2040920	Duramax FLAR24S Flush Smooth (Woodgrain beads)	FLAR24S	2040	2040	920	920	PW - NZ : Imports
FLAR24S22001060	Duramax FLAR24S Flush Smooth (Woodgrain beads)	FLAR24S	1600	2200	911	1060	PW - NZ : Imports
FLAR24S2200810	Duramax FLAR24S Flush Smooth (Woodgrain beads)	FLAR24S	1600	2200	761	810	PW - NZ : Imports
FLAR24S2200860	Duramax FLAR24S Flush Smooth (Woodgrain beads)	FLAR24S	1600	2200	811	860	PW - NZ : Imports
FLAR24S2200910	Duramax FLAR24S Flush Smooth (Woodgrain beads)	FLAR24S	1600	2200	861	910	PW - NZ : Imports
FLAR24S2340820	Duramax FLAR24S Flush Smooth (Woodgrain beads)	FLAR24S	2340	2340	820	820	PW - NZ : Imports
FLAR24S2340920	Duramax FLAR24S Flush Smooth (Woodgrain beads)	FLAR24S	2340	2340	920	920	PW - NZ : Imports
FLAR24S24001060	Duramax FLAR24S Flush Smooth (Woodgrain beads)	FLAR24S	2201	2400	911	1060	PW - NZ : Imports
FLAR24S2400810	Duramax FLAR24S Flush Smooth (Woodgrain beads)	FLAR24S	2201	2400	761	810	PW - NZ : Imports
FLAR24S2400860	Duramax FLAR24S Flush Smooth (Woodgrain beads)	FLAR24S	2201	2400	811	860	PW - NZ : Imports
FLAR24S2400910	Duramax FLAR24S Flush Smooth (Woodgrain beads)	FLAR24S	2201	2400	861	910	PW - NZ : Imports
FLAR24W1980760	Duramax FLAR24W Flush Woodgrain	FLAR24W	1600	1980	760	760	PW - NZ : Imports
FLAR24W1980810	Duramax FLAR24W Flush Woodgrain	FLAR24W	1600	1980	761	810	PW - NZ : Imports
FLAR24W1980860	Duramax FLAR24W Flush Woodgrain	FLAR24W	1600	1980	811	860	PW - NZ : Imports
FLAR24W2040820	Duramax FLAR24W Flush Woodgrain	FLAR24W	2040	2040	820	820	PW - NZ : Imports
FLAR24W2040870	Duramax FLAR24W Flush Woodgrain	FLAR24W	2040	2040	870	870	PW - NZ : Imports
FLAR24W2040920	Duramax FLAR24W Flush Woodgrain	FLAR24W	2040	2040	920	920	PW - NZ : Imports
FLAR24W22001060	Duramax FLAR24W Flush Woodgrain	FLAR24W	1600	2200	911	1060	PW - NZ : Imports
FLAR24W2200810	Duramax FLAR24W Flush Woodgrain	FLAR24W	1600	2200	761	810	PW - NZ : Imports
FLAR24W2200860	Duramax FLAR24W Flush Woodgrain	FLAR24W	1600	2200	811	860	PW - NZ : Imports
FLAR24W2200910	Duramax FLAR24W Flush Woodgrain	FLAR24W	1600	2200	861	910	PW - NZ : Imports
FLAR24W2340820	Duramax FLAR24W Flush Woodgrain	FLAR24W	2340	2340	820	820	PW - NZ : Imports
FLAR24W2340920	Duramax FLAR24W Flush Woodgrain	FLAR24W	2340	2340	920	920	PW - NZ : Imports
FLAR24W24001060	Duramax FLAR24W Flush Woodgrain	FLAR24W	2201	2400	911	1060	PW - NZ : Imports
FLAR24W2400810	Duramax FLAR24W Flush Woodgrain	FLAR24W	2201	2400	761	810	PW - NZ : Imports
FLAR24W2400860	Duramax FLAR24W Flush Woodgrain	FLAR24W	2201	2400	811	860	PW - NZ : Imports
FLAR24W2400910	Duramax FLAR24W Flush Woodgrain	FLAR24W	2201	2400	861	910	PW - NZ : Imports



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
FLAR9S1980760	Duramax FLAR9S Flush Smooth (Woodgrain beads)	FLAR9S	1600	1980	720	760	PW - NZ : Imports
FLAR9S1980810	Duramax FLAR9S Flush Smooth (Woodgrain beads)	FLAR9S	1600	1980	761	810	PW - NZ : Imports
FLAR9S1980860	Duramax FLAR9S Flush Smooth (Woodgrain beads)	FLAR9S	1600	1980	811	860	PW - NZ : Imports
FLAR9S2040820	Duramax FLAR9S Flush Smooth (Woodgrain beads)	FLAR9S	2040	2040	820	820	PW - NZ : Imports
FLAR9S2040870	Duramax FLAR9S Flush Smooth (Woodgrain beads)	FLAR9S	2040	2040	870	870	PW - NZ : Imports
FLAR9S2040920	Duramax FLAR9S Flush Smooth (Woodgrain beads)	FLAR9S	2040	2040	920	920	PW - NZ : Imports
FLAR9S22001060	Duramax FLAR9S Flush Smooth (Woodgrain beads)	FLAR9S	1600	2200	911	1060	PW - NZ : Imports
FLAR9S2200810	Duramax FLAR9S Flush Smooth (Woodgrain beads)	FLAR9S	1600	2200	761	810	PW - NZ : Imports
FLAR9S2200860	Duramax FLAR9S Flush Smooth (Woodgrain beads)	FLAR9S	1600	2200	811	860	PW - NZ : Imports
FLAR9S2200910	Duramax FLAR9S Flush Smooth (Woodgrain beads)	FLAR9S	1600	2200	861	910	PW - NZ : Imports
FLAR9S2340820	Duramax FLAR9S Flush Smooth (Woodgrain beads)	FLAR9S	2340	2340	820	820	PW - NZ : Imports
FLAR9S2340920	Duramax FLAR9S Flush Smooth (Woodgrain beads)	FLAR9S	2340	2340	920	920	PW - NZ : Imports
FLAR9S24001060	Duramax FLAR9S Flush Smooth (Woodgrain beads)	FLAR9S	2201	2400	911	1060	PW - NZ : Imports
FLAR9S2400810	Duramax FLAR9S Flush Smooth (Woodgrain beads)	FLAR9S	2201	2400	761	810	PW - NZ : Imports
FLAR9S2400860	Duramax FLAR9S Flush Smooth (Woodgrain beads)	FLAR9S	2201	2400	811	860	PW - NZ : Imports
FLAR9S2400910	Duramax FLAR9S Flush Smooth (Woodgrain beads)	FLAR9S	2201	2400	861	910	PW - NZ : Imports
FLAR9W1980760	Duramax FLAR9W Flush Woodgrain	FLAR9W	1600	1980	720	760	PW - NZ : Imports
FLAR9W1980810	Duramax FLAR9W Flush Woodgrain	FLAR9W	1600	1980	761	810	PW - NZ : Imports
FLAR9W1980860	Duramax FLAR9W Flush Woodgrain	FLAR9W	1600	1980	811	860	PW - NZ : Imports
FLAR9W20401200	Duramax FLAR9W Flush Woodgrain	FLAR9W	2040	2040	1200	1200	PW - NZ : Imports
FLAR9W2040820	Duramax FLAR9W Flush Woodgrain	FLAR9W	2040	2040	820	820	PW - NZ : Imports
FLAR9W2040870	Duramax FLAR9W Flush Woodgrain	FLAR9W	2040	2040	870	870	PW - NZ : Imports
FLAR9W2040920	Duramax FLAR9W Flush Woodgrain	FLAR9W	2040	2040	920	920	PW - NZ : Imports
FLAR9W22001060	Duramax FLAR9W Flush Woodgrain	FLAR9W	1600	2200	911	1060	PW - NZ : Imports
FLAR9W2200810	Duramax FLAR9W Flush Woodgrain	FLAR9W	1600	2200	761	810	PW - NZ : Imports
FLAR9W2200860	Duramax FLAR9W Flush Woodgrain	FLAR9W	1600	2200	811	860	PW - NZ : Imports
FLAR9W2200910	Duramax FLAR9W Flush Woodgrain	FLAR9W	1600	2200	861	910	PW - NZ : Imports
FLAR9W2340820	Duramax FLAR9W Flush Woodgrain	FLAR9W	2340	2340	820	820	PW - NZ : Imports
FLAR9W2340920	Duramax FLAR9W Flush Woodgrain	FLAR9W	2340	2340	920	920	PW - NZ : Imports
FLAR9W24001060	Duramax FLAR9W Flush Woodgrain	FLAR9W	2201	2400	911	1060	PW - NZ : Imports
FLAR9W2400810	Duramax FLAR9W Flush Woodgrain	FLAR9W	2201	2400	761	810	PW - NZ : Imports
FLAR9W2400860	Duramax FLAR9W Flush Woodgrain	FLAR9W	2201	2400	811	860	PW - NZ : Imports
FLAR9W2400910	Duramax FLAR9W Flush Woodgrain	FLAR9W	2201	2400	861	910	PW - NZ : Imports
FLF10SST2040820	Duramax FLF10SST Smooth - Glazed in 6.38mm Translucent Laminate	FLF10SST	2040	2040	820	820	PW - NZ : Imports
FLF10SST2040870	Duramax FLF10SST Smooth - Glazed in 6.38mm Translucent Laminate	FLF10SST	2040	2040	870	870	PW - NZ : Imports
FLF10SST2040920	Duramax FLF10SST Smooth - Glazed in 6.38mm Translucent Laminate	FLF10SST	2040	2040	920	920	PW - NZ : Imports
FLF10SST2340820	Duramax FLF10SST Smooth - Glazed in 6.38mm Translucent Laminate	FLF10SST	2340	2340	820	820	PW - NZ : Imports
FLF10SST2340920	Duramax FLF10SST Smooth - Glazed in 6.38mm Translucent Laminate	FLF10SST	2340	2340	920	920	PW - NZ : Imports
FLF1SSC2040820	Duramax FLF1SSC Smooth - 1 lite - Glazed in 6.38mm Clear Laminate	FLF1SSC	2040	2040	820	820	PW - NZ : Imports

Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
FLFP1SSC1980810	Duramax FLP1SSC Smooth - Glazed in 6.38mm Clear Laminate	FLFP1SSC	1980	1980	810	810	PW - NZ : Imports
FLFP1SSC1980860	Duramax FLP1SSC Smooth - Glazed in 6.38mm Clear Laminate	FLFP1SSC	1980	1980	860	860	PW - NZ : Imports
FLFP1SSC2040820	Duramax FLP1SSC Smooth - Glazed in 6.38mm Clear Laminate	FLFP1SSC	2040	2040	820	820	PW - NZ : Imports
FLFP1SSC2040870	Duramax FLP1SSC Smooth - Glazed in 6.38mm Clear Laminate	FLFP1SSC	2040	2040	870	870	PW - NZ : Imports
FLFP1SSC2040920	Duramax FLP1SSC Smooth - Glazed in 6.38mm Clear Laminate	FLFP1SSC	2040	2040	920	920	PW - NZ : Imports
FLP1S1980810	Duramax FLP1S Flush Smooth (Woodgrain beads)	FLP1S	1600	1980	780	810	PW - NZ : Imports
FLP1S1980860	Duramax FLP1S Flush Smooth (Woodgrain beads)	FLP1S	1600	1980	811	860	PW - NZ : Imports
FLP1S2040820	Duramax FLP1S Flush Smooth (Woodgrain beads)	FLP1S	2040	2040	820	820	PW - NZ : Imports
FLP1S2040870	Duramax FLP1S Flush Smooth (Woodgrain beads)	FLP1S	2040	2040	870	870	PW - NZ : Imports
FLP1S2040920	Duramax FLP1S Flush Smooth (Woodgrain beads)	FLP1S	2040	2040	920	920	PW - NZ : Imports
FLP1S22001060	Duramax FLP1S Flush Smooth (Woodgrain beads)	FLP1S	1600	2200	911	1060	PW - NZ : Imports
FLP1S2200810	Duramax FLP1S Flush Smooth (Woodgrain beads)	FLP1S	1600	2200	780	810	PW - NZ : Imports
FLP1S2200860	Duramax FLP1S Flush Smooth (Woodgrain beads)	FLP1S	1600	2200	811	860	PW - NZ : Imports
FLP1S2200910	Duramax FLP1S Flush Smooth (Woodgrain beads)	FLP1S	1600	2200	861	910	PW - NZ : Imports
FLP1S2340820	Duramax FLP1S Flush Smooth (Woodgrain beads)	FLP1S	2340	2340	820	820	PW - NZ : Imports
FLP1S2340920	Duramax FLP1S Flush Smooth (Woodgrain beads)	FLP1S	2340	2340	920	920	PW - NZ : Imports
FLP1S24001060	Duramax FLP1S Flush Smooth (Woodgrain beads)	FLP1S	2201	2400	911	1060	PW - NZ : Imports
FLP1S2400810	Duramax FLP1S Flush Smooth (Woodgrain beads)	FLP1S	2201	2400	780	810	PW - NZ : Imports
FLP1S2400860	Duramax FLP1S Flush Smooth (Woodgrain beads)	FLP1S	2201	2400	811	860	PW - NZ : Imports
FLP1S2400910	Duramax FLP1S Flush Smooth (Woodgrain beads)	FLP1S	2201	2400	861	910	PW - NZ : Imports
FLP1W1980810	Duramax FLP1W Flush Woodgrain	FLP1W	1600	1980	780	810	PW - NZ : Imports
FLP1W1980860	Duramax FLP1W Flush Woodgrain	FLP1W	1600	1980	811	860	PW - NZ : Imports
FLP1W2040820	Duramax FLP1W Flush Woodgrain	FLP1W	2040	2040	820	820	PW - NZ : Imports
FLP1W2040870	Duramax FLP1W Flush Woodgrain	FLP1W	2040	2040	870	870	PW - NZ : Imports
FLP1W2040920	Duramax FLP1W Flush Woodgrain	FLP1W	2040	2040	920	920	PW - NZ : Imports
FLP1W22001060	Duramax FLP1W Flush Woodgrain	FLP1W	1600	2200	911	1060	PW - NZ : Imports
FLP1W2200810	Duramax FLP1W Flush Woodgrain	FLP1W	1600	2200	780	810	PW - NZ : Imports
FLP1W2200860	Duramax FLP1W Flush Woodgrain	FLP1W	1600	2200	811	860	PW - NZ : Imports
FLP1W2200910	Duramax FLP1W Flush Woodgrain	FLP1W	1600	2200	861	910	PW - NZ : Imports
FLP1W2340820	Duramax FLP1W Flush Woodgrain	FLP1W	2340	2340	820	820	PW - NZ : Imports
FLP1W2340920	Duramax FLP1W Flush Woodgrain	FLP1W	2340	2340	920	920	PW - NZ : Imports
FLP1W24001060	Duramax FLP1W Flush Woodgrain	FLP1W	2201	2400	911	1060	PW - NZ : Imports
FLP1W2400810	Duramax FLP1W Flush Woodgrain	FLP1W	2201	2400	780	810	PW - NZ : Imports
FLP1W2400860	Duramax FLP1W Flush Woodgrain	FLP1W	2201	2400	811	860	PW - NZ : Imports
FLP1W2400910	Duramax FLP1W Flush Woodgrain	FLP1W	2201	2400	861	910	PW - NZ : Imports
FLP2S1980810	Duramax FLP2S Flush Smooth (Woodgrain beads)	FLP2S	1600	1980	790	810	PW - NZ : Imports
FLP2S1980860	Duramax FLP2S Flush Smooth (Woodgrain beads)	FLP2S	1600	1980	811	860	PW - NZ : Imports
FLP2S2040820	Duramax FLP2S Flush Smooth (Woodgrain beads)	FLP2S	2040	2040	820	820	PW - NZ : Imports
FLP2S2040870	Duramax FLP2S Flush Smooth (Woodgrain beads)	FLP2S	2040	2040	870	870	PW - NZ : Imports



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
FLP2S2040920	Duramax FLP2S Flush Smooth (Woodgrain beads)	FLP2S	2040	2040	920	920	PW - NZ : Imports
FLP2S22001060	Duramax FLP2S Flush Smooth (Woodgrain beads)	FLP2S	1600	2200	911	1060	PW - NZ : Imports
FLP2S2200810	Duramax FLP2S Flush Smooth (Woodgrain beads)	FLP2S	1600	2200	790	810	PW - NZ : Imports
FLP2S2200860	Duramax FLP2S Flush Smooth (Woodgrain beads)	FLP2S	1600	2200	811	860	PW - NZ : Imports
FLP2S2200910	Duramax FLP2S Flush Smooth (Woodgrain beads)	FLP2S	1600	2200	861	910	PW - NZ : Imports
FLP2S2340820	Duramax FLP2S Flush Smooth (Woodgrain beads)	FLP2S	2340	2340	820	820	PW - NZ : Imports
FLP2S2340920	Duramax FLP2S Flush Smooth (Woodgrain beads)	FLP2S	2340	2340	920	920	PW - NZ : Imports
FLP2S24001060	Duramax FLP2S Flush Smooth (Woodgrain beads)	FLP2S	2201	2400	911	1060	PW - NZ : Imports
FLP2S2400810	Duramax FLP2S Flush Smooth (Woodgrain beads)	FLP2S	2201	2400	790	810	PW - NZ : Imports
FLP2S2400860	Duramax FLP2S Flush Smooth (Woodgrain beads)	FLP2S	2201	2400	811	860	PW - NZ : Imports
FLP2S2400910	Duramax FLP2S Flush Smooth (Woodgrain beads)	FLP2S	2201	2400	861	910	PW - NZ : Imports
FLP2W1980810	Duramax FLP2W Flush Woodgrain	FLP2W	1600	1980	790	810	PW - NZ : Imports
FLP2W1980860	Duramax FLP2W Flush Woodgrain	FLP2W	1600	1980	811	860	PW - NZ : Imports
FLP2W2040820	Duramax FLP2W Flush Woodgrain	FLP2W	2040	2040	820	820	PW - NZ : Imports
FLP2W2040870	Duramax FLP2W Flush Woodgrain	FLP2W	2040	2040	870	870	PW - NZ : Imports
FLP2W2040920	Duramax FLP2W Flush Woodgrain	FLP2W	2040	2040	920	920	PW - NZ : Imports
FLP2W22001060	Duramax FLP2W Flush Woodgrain	FLP2W	1600	2200	911	1060	PW - NZ : Imports
FLP2W2200810	Duramax FLP2W Flush Woodgrain	FLP2W	1600	2200	790	810	PW - NZ : Imports
FLP2W2200860	Duramax FLP2W Flush Woodgrain	FLP2W	1600	2200	811	860	PW - NZ : Imports
FLP2W2200910	Duramax FLP2W Flush Woodgrain	FLP2W	1600	2200	861	910	PW - NZ : Imports
FLP2W2340820	Duramax FLP2W Flush Woodgrain	FLP2W	2340	2340	820	820	PW - NZ : Imports
FLP2W2340920	Duramax FLP2W Flush Woodgrain	FLP2W	2340	2340	920	920	PW - NZ : Imports
FLP2W24001060	Duramax FLP2W Flush Woodgrain	FLP2W	2201	2400	911	1060	PW - NZ : Imports
FLP2W2400810	Duramax FLP2W Flush Woodgrain	FLP2W	2201	2400	790	810	PW - NZ : Imports
FLP2W2400860	Duramax FLP2W Flush Woodgrain	FLP2W	2201	2400	811	860	PW - NZ : Imports
FLP2W2400910	Duramax FLP2W Flush Woodgrain	FLP2W	2201	2400	861	910	PW - NZ : Imports
FLS1980760	Duramax FLS Flush Smooth	FLS	300	1980	720	760	PW - NZ : Imports
FLS1980810	Duramax FLS Flush Smooth	FLS	300	1980	761	810	PW - NZ : Imports
FLS1980860	Duramax FLS Flush Smooth	FLS	300	1980	811	860	PW - NZ : Imports
FLS2040820	Duramax FLS Flush Smooth	FLS	2040	2040	820	820	PW - NZ : Imports
FLS2040870	Duramax FLS Flush Smooth	FLS	2040	2040	870	870	PW - NZ : Imports
FLS2040920	Duramax FLS Flush Smooth	FLS	2040	2040	920	920	PW - NZ : Imports
FLS22001060	Duramax FLS Flush Smooth	FLS	300	2200	911	1060	PW - NZ : Imports
FLS2200810	Duramax FLS Flush Smooth	FLS	300	2200	761	810	PW - NZ : Imports
FLS2200860	Duramax FLS Flush Smooth	FLS	300	2200	811	860	PW - NZ : Imports
FLS2200910	Duramax FLS Flush Smooth	FLS	300	2200	861	910	PW - NZ : Imports
FLS2340820	Duramax FLS Flush Smooth	FLS	2340	2340	820	820	PW - NZ : Imports
FLS2340920	Duramax FLS Flush Smooth	FLS	2340	2340	920	920	PW - NZ : Imports
FLS24001060	Duramax FLS Flush Smooth	FLS	2201	2400	911	1060	PW - NZ : Imports



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
FLS2400810	Duramax FLS Flush Smooth	FLS	2201	2400	761	810	PW - NZ : Imports
FLS2400860	Duramax FLS Flush Smooth	FLS	2201	2400	811	860	PW - NZ : Imports
FLS2400910	Duramax FLS Flush Smooth	FLS	2201	2400	861	910	PW - NZ : Imports
FLW1980760	Duramax FLW Flush Woodgrain	FLW	300	1980	720	760	PW - NZ : Imports
FLW1980810	Duramax FLW Flush Woodgrain	FLW	300	1980	761	810	PW - NZ : Imports
FLW1980860	Duramax FLW Flush Woodgrain	FLW	300	1980	811	860	PW - NZ : Imports
FLW20401200	Duramax FLW Flush Woodgrain	FLW	2040	2040	1200	1200	PW - NZ : Imports
FLW2040820	Duramax FLW Flush Woodgrain	FLW	2040	2040	820	820	PW - NZ : Imports
FLW2040870	Duramax FLW Flush Woodgrain	FLW	2040	2040	870	870	PW - NZ : Imports
FLW2040920	Duramax FLW Flush Woodgrain	FLW	2040	2040	920	920	PW - NZ : Imports
FLW22001060	Duramax FLW Flush Woodgrain	FLW	300	2200	911	1060	PW - NZ : Imports
FLW2200810	Duramax FLW Flush Woodgrain	FLW	300	2200	761	810	PW - NZ : Imports
FLW2200860	Duramax FLW Flush Woodgrain	FLW	300	2200	811	860	PW - NZ : Imports
FLW2200910	Duramax FLW Flush Woodgrain	FLW	300	2200	861	910	PW - NZ : Imports
FLW2340820	Duramax FLW Flush Woodgrain	FLW	2340	2340	820	820	PW - NZ : Imports
FLW2340920	Duramax FLW Flush Woodgrain	FLW	2340	2340	920	920	PW - NZ : Imports
FLW24001060	Duramax FLW Flush Woodgrain	FLW	2201	2400	911	1060	PW - NZ : Imports
FLW2400810	Duramax FLW Flush Woodgrain	FLW	2201	2400	761	810	PW - NZ : Imports
FLW2400860	Duramax FLW Flush Woodgrain	FLW	2201	2400	811	860	PW - NZ : Imports
FLW2400910	Duramax FLW Flush Woodgrain	FLW	2201	2400	861	910	PW - NZ : Imports
FTS2040720	Duramax Intra FTS - 2040 x 720 x 35mm thick	FTS	2040	2040	720	720	PW - NZ : Imports
FTS2040820	Duramax Intra FTS - 2040 x 820 x 35mm thick	FTS	2040	2040	820	820	PW - NZ : Imports
FTSNZ : FTS1980710	Duramax Intra FTS - 1980 x 710 x 35mm thick	FTS	1980	1980	710	710	PW - NZ : Imports
FTSNZ : FTS1980760	Duramax Intra FTS - 1980 x 760 x 35mm thick	FTS	1980	1980	760	760	PW - NZ : Imports
FTSNZ : FTS1980810	Duramax Intra FTS - 1980 x 810 x 35mm thick	FTS	1980	1980	810	810	PW - NZ : Imports
FTSNZ : FTS1980860	Duramax Intra FTS - 1980 x 860 x 35mm thick	FTS	1980	1980	860	860	PW - NZ : Imports
FV11S1980760	Duramax FV11S Smooth	FV11S	300	1980	720	760	PW - NZ : Imports
FV11S1980810	Duramax FV11S Smooth	FV11S	300	1980	761	810	PW - NZ : Imports
FV11S1980860	Duramax FV11S Smooth	FV11S	300	1980	811	860	PW - NZ : Imports
FV11S2040820	Duramax FV11S Smooth	FV11S	2040	2040	820	820	PW - NZ : Imports
FV11S2040870	Duramax FV11S Smooth	FV11S	2040	2040	870	870	PW - NZ : Imports
FV11S2040920	Duramax FV11S Smooth	FV11S	2040	2040	920	920	PW - NZ : Imports
FV11S22001060	Duramax FV11S Smooth	FV11S	300	2200	911	1060	PW - NZ : Imports
FV11S2200810	Duramax FV11S Smooth	FV11S	300	2200	761	810	PW - NZ : Imports
FV11S2200860	Duramax FV11S Smooth	FV11S	300	2200	811	860	PW - NZ : Imports
FV11S2200910	Duramax FV11S Smooth	FV11S	300	2200	861	910	PW - NZ : Imports
FV11S2340820	Duramax FV11S Smooth	FV11S	2340	2340	820	820	PW - NZ : Imports
FV11S2340920	Duramax FV11S Smooth	FV11S	2340	2340	920	920	PW - NZ : Imports
FV11S24001060	Duramax FV11S Smooth	FV11S	2201	2400	911	1060	PW - NZ : Imports



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
FV11S2400810	Duramax FV11S Smooth	FV11S	2201	2400	761	810	PW - NZ : Imports
FV11S2400860	Duramax FV11S Smooth	FV11S	2201	2400	811	860	PW - NZ : Imports
FV11S2400910	Duramax FV11S Smooth	FV11S	2201	2400	861	910	PW - NZ : Imports
FV11W1980760	Duramax FV11W Woodgrain	FV11W	300	1980	720	760	PW - NZ : Imports
FV11W1980810	Duramax FV11W Woodgrain	FV11W	300	1980	761	810	PW - NZ : Imports
FV11W1980860	Duramax FV11W Woodgrain	FV11W	300	1980	811	860	PW - NZ : Imports
FV11W20401200	Duramax FV11W Woodgrain	FV11W	2040	2040	1200	1200	PW - NZ : Imports
FV11W2040820	Duramax FV11W Woodgrain	FV11W	2040	2040	820	820	PW - NZ : Imports
FV11W2040870	Duramax FV11W Woodgrain	FV11W	2040	2040	870	870	PW - NZ : Imports
FV11W2040920	Duramax FV11W Woodgrain	FV11W	2040	2040	920	920	PW - NZ : Imports
FV11W22001060	Duramax FV11W Woodgrain	FV11W	300	2200	911	1060	PW - NZ : Imports
FV11W2200810	Duramax FV11W Woodgrain	FV11W	300	2200	761	810	PW - NZ : Imports
FV11W2200860	Duramax FV11W Woodgrain	FV11W	300	2200	811	860	PW - NZ : Imports
FV11W2200910	Duramax FV11W Woodgrain	FV11W	300	2200	861	910	PW - NZ : Imports
FV11W2340820	Duramax FV11W Woodgrain	FV11W	2340	2340	820	820	PW - NZ : Imports
FV11W2340920	Duramax FV11W Woodgrain	FV11W	2340	2340	920	920	PW - NZ : Imports
FV11W24001060	Duramax FV11W Woodgrain	FV11W	2201	2400	911	1060	PW - NZ : Imports
FV11W2400810	Duramax FV11W Woodgrain	FV11W	2201	2400	761	810	PW - NZ : Imports
FV11W2400860	Duramax FV11W Woodgrain	FV11W	2201	2400	811	860	PW - NZ : Imports
FV11W2400910	Duramax FV11W Woodgrain	FV11W	2201	2400	861	910	PW - NZ : Imports
FV21S1980760	Duramax FV21S Smooth	FV21S	300	1980	720	760	PW - NZ : Imports
FV21S1980810	Duramax FV21S Smooth	FV21S	300	1980	761	810	PW - NZ : Imports
FV21S1980860	Duramax FV21S Smooth	FV21S	300	1980	811	860	PW - NZ : Imports
FV21S2040820	Duramax FV21S Smooth	FV21S	2040	2040	820	820	PW - NZ : Imports
FV21S2040870	Duramax FV21S Smooth	FV21S	2040	2040	870	870	PW - NZ : Imports
FV21S2040920	Duramax FV21S Smooth	FV21S	2040	2040	920	920	PW - NZ : Imports
FV21S22001060	Duramax FV21S Smooth	FV21S	300	2200	911	1060	PW - NZ : Imports
FV21S2200810	Duramax FV21S Smooth	FV21S	300	2200	761	810	PW - NZ : Imports
FV21S2200860	Duramax FV21S Smooth	FV21S	300	2200	811	860	PW - NZ : Imports
FV21S2200910	Duramax FV21S Smooth	FV21S	300	2200	861	910	PW - NZ : Imports
FV21S2340820	Duramax FV21S Smooth	FV21S	2340	2340	820	820	PW - NZ : Imports
FV21S2340920	Duramax FV21S Smooth	FV21S	2340	2340	920	920	PW - NZ : Imports
FV21S24001060	Duramax FV21S Smooth	FV21S	2201	2400	911	1060	PW - NZ : Imports
FV21S2400810	Duramax FV21S Smooth	FV21S	2201	2400	761	810	PW - NZ : Imports
FV21S2400860	Duramax FV21S Smooth	FV21S	2201	2400	811	860	PW - NZ : Imports
FV21S2400910	Duramax FV21S Smooth	FV21S	2201	2400	861	910	PW - NZ : Imports
FV21W1980760	Duramax FV21W Woodgrain	FV21W	300	1980	720	760	PW - NZ : Imports
FV21W1980810	Duramax FV21W Woodgrain	FV21W	300	1980	761	810	PW - NZ : Imports
FV21W1980860	Duramax FV21W Woodgrain	FV21W	300	1980	811	860	PW - NZ : Imports



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
FV21W20401200	Duramax FV21W Woodgrain	FV21W	2040	2040	1200	1200	PW - NZ : Imports
FV21W2040820	Duramax FV21W Woodgrain	FV21W	2040	2040	820	820	PW - NZ : Imports
FV21W2040870	Duramax FV21W Woodgrain	FV21W	2040	2040	870	870	PW - NZ : Imports
FV21W2040920	Duramax FV21W Woodgrain	FV21W	2040	2040	920	920	PW - NZ : Imports
FV21W22001060	Duramax FV21W Woodgrain	FV21W	300	2200	911	1060	PW - NZ : Imports
FV21W2200810	Duramax FV21W Woodgrain	FV21W	300	2200	761	810	PW - NZ : Imports
FV21W2200860	Duramax FV21W Woodgrain	FV21W	300	2200	811	860	PW - NZ : Imports
FV21W2200910	Duramax FV21W Woodgrain	FV21W	300	2200	861	910	PW - NZ : Imports
FV21W2340820	Duramax FV21W Woodgrain	FV21W	2340	2340	820	820	PW - NZ : Imports
FV21W2340920	Duramax FV21W Woodgrain	FV21W	2340	2340	920	920	PW - NZ : Imports
FV21W24001060	Duramax FV21W Woodgrain	FV21W	2201	2400	911	1060	PW - NZ : Imports
FV21W2400810	Duramax FV21W Woodgrain	FV21W	2201	2400	761	810	PW - NZ : Imports
FV21W2400860	Duramax FV21W Woodgrain	FV21W	2201	2400	811	860	PW - NZ : Imports
FV21W2400910	Duramax FV21W Woodgrain	FV21W	2201	2400	861	910	PW - NZ : Imports
FV28S1980760	Duramax FV28S Smooth	FV28S	300	1980	720	760	PW - NZ : Imports
FV28S1980810	Duramax FV28S Smooth	FV28S	300	1980	761	810	PW - NZ : Imports
FV28S1980860	Duramax FV28S Smooth	FV28S	300	1980	811	860	PW - NZ : Imports
FV28S2040820	Duramax FV28S Smooth	FV28S	2040	2040	820	820	PW - NZ : Imports
FV28S2040870	Duramax FV28S Smooth	FV28S	2040	2040	870	870	PW - NZ : Imports
FV28S2040920	Duramax FV28S Smooth	FV28S	2040	2040	920	920	PW - NZ : Imports
FV28S22001060	Duramax FV28S Smooth	FV28S	300	2200	911	1060	PW - NZ : Imports
FV28S2200810	Duramax FV28S Smooth	FV28S	300	2200	761	810	PW - NZ : Imports
FV28S2200860	Duramax FV28S Smooth	FV28S	300	2200	811	860	PW - NZ : Imports
FV28S2200910	Duramax FV28S Smooth	FV28S	300	2200	861	910	PW - NZ : Imports
FV28S2340820	Duramax FV28S Smooth	FV28S	2340	2340	820	820	PW - NZ : Imports
FV28S2340920	Duramax FV28S Smooth	FV28S	2340	2340	920	920	PW - NZ : Imports
FV28S24001060	Duramax FV28S Smooth	FV28S	2201	2400	911	1060	PW - NZ : Imports
FV28S2400810	Duramax FV28S Smooth	FV28S	2201	2400	761	810	PW - NZ : Imports
FV28S2400860	Duramax FV28S Smooth	FV28S	2201	2400	811	860	PW - NZ : Imports
FV28S2400910	Duramax FV28S Smooth	FV28S	2201	2400	861	910	PW - NZ : Imports
FV28W1980760	Duramax FV28W Woodgrain	FV28W	300	1980	720	760	PW - NZ : Imports
FV28W1980810	Duramax FV28W Woodgrain	FV28W	300	1980	761	810	PW - NZ : Imports
FV28W1980860	Duramax FV28W Woodgrain	FV28W	300	1980	811	860	PW - NZ : Imports
FV28W20401200	Duramax FV28W Woodgrain	FV28W	2040	2040	1200	1200	PW - NZ : Imports
FV28W2040820	Duramax FV28W Woodgrain	FV28W	2040	2040	820	820	PW - NZ : Imports
FV28W2040870	Duramax FV28W Woodgrain	FV28W	2040	2040	870	870	PW - NZ : Imports
FV28W2040920	Duramax FV28W Woodgrain	FV28W	2040	2040	920	920	PW - NZ : Imports
FV28W22001060	Duramax FV28W Woodgrain	FV28W	300	2200	911	1060	PW - NZ : Imports
FV28W2200810	Duramax FV28W Woodgrain	FV28W	300	2200	761	810	PW - NZ : Imports



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
FV28W2200860	Duramax FV28W Woodgrain	FV28W	300	2200	811	860	PW - NZ : Imports
FV28W2200910	Duramax FV28W Woodgrain	FV28W	300	2200	861	910	PW - NZ : Imports
FV28W2340820	Duramax FV28W Woodgrain	FV28W	2340	2340	820	820	PW - NZ : Imports
FV28W2340920	Duramax FV28W Woodgrain	FV28W	2340	2340	920	920	PW - NZ : Imports
FV28W24001060	Duramax FV28W Woodgrain	FV28W	2201	2400	911	1060	PW - NZ : Imports
FV28W2400810	Duramax FV28W Woodgrain	FV28W	2201	2400	761	810	PW - NZ : Imports
FV28W2400860	Duramax FV28W Woodgrain	FV28W	2201	2400	811	860	PW - NZ : Imports
FV28W2400910	Duramax FV28W Woodgrain	FV28W	2201	2400	861	910	PW - NZ : Imports
FV29S1980760	Duramax FV29S Smooth	FV29S	300	1980	720	760	PW - NZ : Imports
FV29S1980810	Duramax FV29S Smooth	FV29S	300	1980	761	810	PW - NZ : Imports
FV29S1980860	Duramax FV29S Smooth	FV29S	300	1980	811	860	PW - NZ : Imports
FV29S2040820	Duramax FV29S Smooth	FV29S	2040	2040	820	820	PW - NZ : Imports
FV29S2040870	Duramax FV29S Smooth	FV29S	2040	2040	870	870	PW - NZ : Imports
FV29S2040920	Duramax FV29S Smooth	FV29S	2040	2040	920	920	PW - NZ : Imports
FV29S22001060	Duramax FV29S Smooth	FV29S	300	2200	911	1060	PW - NZ : Imports
FV29S2200810	Duramax FV29S Smooth	FV29S	300	2200	761	810	PW - NZ : Imports
FV29S2200860	Duramax FV29S Smooth	FV29S	300	2200	811	860	PW - NZ : Imports
FV29S2200910	Duramax FV29S Smooth	FV29S	300	2200	861	910	PW - NZ : Imports
FV29S2340820	Duramax FV29S Smooth	FV29S	2340	2340	820	820	PW - NZ : Imports
FV29S2340920	Duramax FV29S Smooth	FV29S	2340	2340	920	920	PW - NZ : Imports
FV29S24001060	Duramax FV29S Smooth	FV29S	2201	2400	911	1060	PW - NZ : Imports
FV29S2400810	Duramax FV29S Smooth	FV29S	2201	2400	761	810	PW - NZ : Imports
FV29S2400860	Duramax FV29S Smooth	FV29S	2201	2400	811	860	PW - NZ : Imports
FV29S2400910	Duramax FV29S Smooth	FV29S	2201	2400	861	910	PW - NZ : Imports
FV29W1980760	Duramax FV29W Woodgrain	FV29W	300	1980	720	760	PW - NZ : Imports
FV29W1980810	Duramax FV29W Woodgrain	FV29W	300	1980	761	810	PW - NZ : Imports
FV29W1980860	Duramax FV29W Woodgrain	FV29W	300	1980	811	860	PW - NZ : Imports
FV29W20401200	Duramax FV29W Woodgrain	FV29W	2040	2040	1200	1200	PW - NZ : Imports
FV29W2040820	Duramax FV29W Woodgrain	FV29W	2040	2040	820	820	PW - NZ : Imports
FV29W2040870	Duramax FV29W Woodgrain	FV29W	2040	2040	870	870	PW - NZ : Imports
FV29W2040920	Duramax FV29W Woodgrain	FV29W	2040	2040	920	920	PW - NZ : Imports
FV29W22001060	Duramax FV29W Woodgrain	FV29W	300	2200	911	1060	PW - NZ : Imports
FV29W2200810	Duramax FV29W Woodgrain	FV29W	300	2200	761	810	PW - NZ : Imports
FV29W2200860	Duramax FV29W Woodgrain	FV29W	300	2200	811	860	PW - NZ : Imports
FV29W2200910	Duramax FV29W Woodgrain	FV29W	300	2200	861	910	PW - NZ : Imports
FV29W2340820	Duramax FV29W Woodgrain	FV29W	2340	2340	820	820	PW - NZ : Imports
FV29W2340920	Duramax FV29W Woodgrain	FV29W	2340	2340	920	920	PW - NZ : Imports
FV29W24001060	Duramax FV29W Woodgrain	FV29W	2201	2400	911	1060	PW - NZ : Imports
FV29W2400810	Duramax FV29W Woodgrain	FV29W	2201	2400	761	810	PW - NZ : Imports



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
FV29W2400860	Duramax FV29W Woodgrain	FV29W	2201	2400	811	860	PW - NZ : Imports
FV29W2400910	Duramax FV29W Woodgrain	FV29W	2201	2400	861	910	PW - NZ : Imports
FV2NSS1980760	Duramax FV2NSS Smooth	FV2NSS	300	1980	720	760	PW - NZ : Imports
FV2NSS1980810	Duramax FV2NSS Smooth	FV2NSS	300	1980	761	810	PW - NZ : Imports
FV2NSS1980860	Duramax FV2NSS Smooth	FV2NSS	300	1980	811	860	PW - NZ : Imports
FV2NSS2040820	Duramax FV2NSS Smooth	FV2NSS	2040	2040	820	820	PW - NZ : Imports
FV2NSS2040870	Duramax FV2NSS Smooth	FV2NSS	2040	2040	870	870	PW - NZ : Imports
FV2NSS2040920	Duramax FV2NSS Smooth	FV2NSS	2040	2040	920	920	PW - NZ : Imports
FV2NSS22001060	Duramax FV2NSS Smooth	FV2NSS	300	2200	911	1060	PW - NZ : Imports
FV2NSS2200810	Duramax FV2NSS Smooth	FV2NSS	300	2200	761	810	PW - NZ : Imports
FV2NSS2200860	Duramax FV2NSS Smooth	FV2NSS	300	2200	811	860	PW - NZ : Imports
FV2NSS2200910	Duramax FV2NSS Smooth	FV2NSS	300	2200	861	910	PW - NZ : Imports
FV2NSS2340820	Duramax FV2NSS Smooth	FV2NSS	2340	2340	820	820	PW - NZ : Imports
FV2NSS2340920	Duramax FV2NSS Smooth	FV2NSS	2340	2340	920	920	PW - NZ : Imports
FV2NSS24001060	Duramax FV2NSS Smooth	FV2NSS	2201	2400	911	1060	PW - NZ : Imports
FV2NSS2400810	Duramax FV2NSS Smooth	FV2NSS	2201	2400	761	810	PW - NZ : Imports
FV2NSS2400860	Duramax FV2NSS Smooth	FV2NSS	2201	2400	811	860	PW - NZ : Imports
FV2NSS2400910	Duramax FV2NSS Smooth	FV2NSS	2201	2400	861	910	PW - NZ : Imports
FV2NSW1980760	Duramax FV2NSW Woodgrain	FV2NSW	300	1980	720	760	PW - NZ : Imports
FV2NSW1980810	Duramax FV2NSW Woodgrain	FV2NSW	300	1980	761	810	PW - NZ : Imports
FV2NSW1980860	Duramax FV2NSW Woodgrain	FV2NSW	300	1980	811	860	PW - NZ : Imports
FV2NSW20401200	Duramax FV2NSW Woodgrain	FV2NSW	2040	2040	1200	1200	PW - NZ : Imports
FV2NSW2040820	Duramax FV2NSW Woodgrain	FV2NSW	2040	2040	820	820	PW - NZ : Imports
FV2NSW2040870	Duramax FV2NSW Woodgrain	FV2NSW	2040	2040	870	870	PW - NZ : Imports
FV2NSW2040920	Duramax FV2NSW Woodgrain	FV2NSW	2040	2040	920	920	PW - NZ : Imports
FV2NSW22001060	Duramax FV2NSW Woodgrain	FV2NSW	300	2200	911	1060	PW - NZ : Imports
FV2NSW2200810	Duramax FV2NSW Woodgrain	FV2NSW	300	2200	761	810	PW - NZ : Imports
FV2NSW2200860	Duramax FV2NSW Woodgrain	FV2NSW	300	2200	811	860	PW - NZ : Imports
FV2NSW2200910	Duramax FV2NSW Woodgrain	FV2NSW	300	2200	861	910	PW - NZ : Imports
FV2NSW2340820	Duramax FV2NSW Woodgrain	FV2NSW	2340	2340	820	820	PW - NZ : Imports
FV2NSW2340920	Duramax FV2NSW Woodgrain	FV2NSW	2340	2340	920	920	PW - NZ : Imports
FV2NSW24001060	Duramax FV2NSW Woodgrain	FV2NSW	2201	2400	911	1060	PW - NZ : Imports
FV2NSW2400810	Duramax FV2NSW Woodgrain	FV2NSW	2201	2400	761	810	PW - NZ : Imports
FV2NSW2400860	Duramax FV2NSW Woodgrain	FV2NSW	2201	2400	811	860	PW - NZ : Imports
FV2NSW2400910	Duramax FV2NSW Woodgrain	FV2NSW	2201	2400	861	910	PW - NZ : Imports
FV2S1980760	Duramax FV2S Smooth	FV2S	300	1980	720	760	PW - NZ : Imports
FV2S1980810	Duramax FV2S Smooth	FV2S	300	1980	761	810	PW - NZ : Imports
FV2S1980860	Duramax FV2S Smooth	FV2S	300	1980	811	860	PW - NZ : Imports
FV2S2040820	Duramax FV2S Smooth	FV2S	2040	2040	820	820	PW - NZ : Imports



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
FV2S2040870	Duramax FV2S Smooth	FV2S	2040	2040	870	870	PW - NZ : Imports
FV2S2040920	Duramax FV2S Smooth	FV2S	2040	2040	920	920	PW - NZ : Imports
FV2S22001060	Duramax FV2S Smooth	FV2S	300	2200	911	1060	PW - NZ : Imports
FV2S2200810	Duramax FV2S Smooth	FV2S	300	2200	761	810	PW - NZ : Imports
FV2S2200860	Duramax FV2S Smooth	FV2S	300	2200	811	860	PW - NZ : Imports
FV2S2200910	Duramax FV2S Smooth	FV2S	300	2200	861	910	PW - NZ : Imports
FV2S2340820	Duramax FV2S Smooth	FV2S	2340	2340	820	820	PW - NZ : Imports
FV2S2340920	Duramax FV2S Smooth	FV2S	2340	2340	920	920	PW - NZ : Imports
FV2S24001060	Duramax FV2S Smooth	FV2S	2201	2400	911	1060	PW - NZ : Imports
FV2S2400810	Duramax FV2S Smooth	FV2S	2201	2400	761	810	PW - NZ : Imports
FV2S2400860	Duramax FV2S Smooth	FV2S	2201	2400	811	860	PW - NZ : Imports
FV2S2400910	Duramax FV2S Smooth	FV2S	2201	2400	861	910	PW - NZ : Imports
FV2W1980760	Duramax FV2W Woodgrain	FV2W	300	1980	720	760	PW - NZ : Imports
FV2W1980810	Duramax FV2W Woodgrain	FV2W	300	1980	761	810	PW - NZ : Imports
FV2W1980860	Duramax FV2W Woodgrain	FV2W	300	1980	811	860	PW - NZ : Imports
FV2W20401200	Duramax FV2W Woodgrain	FV2W	2040	2040	1200	1200	PW - NZ : Imports
FV2W2040820	Duramax FV2W Woodgrain	FV2W	2040	2040	820	820	PW - NZ : Imports
FV2W2040870	Duramax FV2W Woodgrain	FV2W	2040	2040	870	870	PW - NZ : Imports
FV2W2040920	Duramax FV2W Woodgrain	FV2W	2040	2040	920	920	PW - NZ : Imports
FV2W22001060	Duramax FV2W Woodgrain	FV2W	300	2200	911	1060	PW - NZ : Imports
FV2W2200810	Duramax FV2W Woodgrain	FV2W	300	2200	761	810	PW - NZ : Imports
FV2W2200860	Duramax FV2W Woodgrain	FV2W	300	2200	811	860	PW - NZ : Imports
FV2W2200910	Duramax FV2W Woodgrain	FV2W	300	2200	861	910	PW - NZ : Imports
FV2W2340820	Duramax FV2W Woodgrain	FV2W	2340	2340	820	820	PW - NZ : Imports
FV2W2340920	Duramax FV2W Woodgrain	FV2W	2340	2340	920	920	PW - NZ : Imports
FV2W24001060	Duramax FV2W Woodgrain	FV2W	2201	2400	911	1060	PW - NZ : Imports
FV2W2400810	Duramax FV2W Woodgrain	FV2W	2201	2400	761	810	PW - NZ : Imports
FV2W2400860	Duramax FV2W Woodgrain	FV2W	2201	2400	811	860	PW - NZ : Imports
FV2W2400910	Duramax FV2W Woodgrain	FV2W	2201	2400	861	910	PW - NZ : Imports
FV33S1980760	Duramax FV33S Smooth	FV33S	1600	1980	720	760	PW - NZ : Imports
FV33S1980810	Duramax FV33S Smooth	FV33S	1600	1980	761	810	PW - NZ : Imports
FV33S1980860	Duramax FV33S Smooth	FV33S	1600	1980	811	860	PW - NZ : Imports
FV33S2040820	Duramax FV33S Smooth	FV33S	2040	2040	820	820	PW - NZ : Imports
FV33S2040870	Duramax FV33S Smooth	FV33S	2040	2040	870	870	PW - NZ : Imports
FV33S2040920	Duramax FV33S Smooth	FV33S	2040	2040	920	920	PW - NZ : Imports
FV33S22001060	Duramax FV33S Smooth	FV33S	1600	2200	911	1060	PW - NZ : Imports
FV33S2200810	Duramax FV33S Smooth	FV33S	1600	2200	761	810	PW - NZ : Imports
FV33S2200860	Duramax FV33S Smooth	FV33S	1600	2200	811	860	PW - NZ : Imports
FV33S2200910	Duramax FV33S Smooth	FV33S	1600	2200	861	910	PW - NZ : Imports



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
FV33S2340820	Duramax FV33S Smooth	FV33S	2340	2340	820	820	PW - NZ : Imports
FV33S2340920	Duramax FV33S Smooth	FV33S	2340	2340	920	920	PW - NZ : Imports
FV33S24001060	Duramax FV33S Smooth	FV33S	2201	2400	911	1060	PW - NZ : Imports
FV33S2400810	Duramax FV33S Smooth	FV33S	2201	2400	761	810	PW - NZ : Imports
FV33S2400860	Duramax FV33S Smooth	FV33S	2201	2400	811	860	PW - NZ : Imports
FV33S2400910	Duramax FV33S Smooth	FV33S	2201	2400	861	910	PW - NZ : Imports
FV33W1980760	Duramax FV33W Woodgrain	FV33W	1600	1980	720	760	PW - NZ : Imports
FV33W1980810	Duramax FV33W Woodgrain	FV33W	1600	1980	761	810	PW - NZ : Imports
FV33W1980860	Duramax FV33W Woodgrain	FV33W	1600	1980	811	860	PW - NZ : Imports
FV33W20401200	Duramax FV33W Woodgrain	FV33W	2040	2040	1200	1200	PW - NZ : Imports
FV33W2040820	Duramax FV33W Woodgrain	FV33W	2040	2040	820	820	PW - NZ : Imports
FV33W2040870	Duramax FV33W Woodgrain	FV33W	2040	2040	870	870	PW - NZ : Imports
FV33W2040920	Duramax FV33W Woodgrain	FV33W	2040	2040	920	920	PW - NZ : Imports
FV33W22001060	Duramax FV33W Woodgrain	FV33W	1600	2200	911	1060	PW - NZ : Imports
FV33W2200810	Duramax FV33W Woodgrain	FV33W	1600	2200	761	810	PW - NZ : Imports
FV33W2200860	Duramax FV33W Woodgrain	FV33W	1600	2200	811	860	PW - NZ : Imports
FV33W2200910	Duramax FV33W Woodgrain	FV33W	1600	2200	861	910	PW - NZ : Imports
FV33W2340820	Duramax FV33W Woodgrain	FV33W	2340	2340	820	820	PW - NZ : Imports
FV33W2340920	Duramax FV33W Woodgrain	FV33W	2340	2340	920	920	PW - NZ : Imports
FV33W24001060	Duramax FV33W Woodgrain	FV33W	2201	2400	911	1060	PW - NZ : Imports
FV33W2400810	Duramax FV33W Woodgrain	FV33W	2201	2400	761	810	PW - NZ : Imports
FV33W2400860	Duramax FV33W Woodgrain	FV33W	2201	2400	811	860	PW - NZ : Imports
FV33W2400910	Duramax FV33W Woodgrain	FV33W	2201	2400	861	910	PW - NZ : Imports
FV3P1S1980810	Duramax FV3P1S Smooth (Woodgrain beads)	FV3P1S	1700	1980	780	810	PW - NZ : Imports
FV3P1S1980860	Duramax FV3P1S Smooth (Woodgrain beads)	FV3P1S	1700	1980	811	860	PW - NZ : Imports
FV3P1S2040820	Duramax FV3P1S Smooth (Woodgrain beads)	FV3P1S	2040	2040	820	820	PW - NZ : Imports
FV3P1S2040870	Duramax FV3P1S Smooth (Woodgrain beads)	FV3P1S	2040	2040	870	870	PW - NZ : Imports
FV3P1S2040920	Duramax FV3P1S Smooth (Woodgrain beads)	FV3P1S	2040	2040	920	920	PW - NZ : Imports
FV3P1S2200910	Duramax FV3P1S Smooth (Woodgrain beads)	FV3P1S	1700	2200	861	910	PW - NZ : Imports
FV3P1S22001060	Duramax FV3P1S Smooth (Woodgrain beads)	FV3P1S	1700	2200	911	1060	PW - NZ : Imports
FV3P1S2200810	Duramax FV3P1S Smooth (Woodgrain beads)	FV3P1S	1700	2200	780	810	PW - NZ : Imports
FV3P1S2200860	Duramax FV3P1S Smooth (Woodgrain beads)	FV3P1S	1700	2200	811	860	PW - NZ : Imports
FV3P1S2340820	Duramax FV3P1S Smooth (Woodgrain beads)	FV3P1S	2340	2340	820	820	PW - NZ : Imports
FV3P1S2340920	Duramax FV3P1S Smooth (Woodgrain beads)	FV3P1S	2340	2340	920	920	PW - NZ : Imports
FV3P1S2400910	Duramax FV3P1S Smooth (Woodgrain beads)	FV3P1S	2201	2400	861	910	PW - NZ : Imports
FV3P1S24001060	Duramax FV3P1S Smooth (Woodgrain beads)	FV3P1S	2201	2400	911	1060	PW - NZ : Imports
FV3P1S2400810	Duramax FV3P1S Smooth (Woodgrain beads)	FV3P1S	2201	2400	780	810	PW - NZ : Imports
FV3P1S2400860	Duramax FV3P1S Smooth (Woodgrain beads)	FV3P1S	2201	2400	811	860	PW - NZ : Imports
FV3P1W1980810	Duramax FV3P1W Woodgrain	FV3P1W	1700	1980	780	810	PW - NZ : Imports



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
FV3P1W1980860	Duramax FV3P1W Woodgrain	FV3P1W	1700	1980	811	860	PW - NZ : Imports
FV3P1W2040820	Duramax FV3P1W Woodgrain	FV3P1W	2040	2040	820	820	PW - NZ : Imports
FV3P1W2040870	Duramax FV3P1W Woodgrain	FV3P1W	2040	2040	870	870	PW - NZ : Imports
FV3P1W2040920	Duramax FV3P1W Woodgrain	FV3P1W	2040	2040	920	920	PW - NZ : Imports
FV3P1W2200810	Duramax FV3P1W Woodgrain	FV3P1W	1700	2200	780	810	PW - NZ : Imports
FV3P1W2200860	Duramax FV3P1W Woodgrain	FV3P1W	1700	2200	811	860	PW - NZ : Imports
FV3P1W2200910	Duramax FV3P1W Woodgrain	FV3P1W	1700	2200	861	910	PW - NZ : Imports
FV3P1W22001060	Duramax FV3P1W Woodgrain	FV3P1W	1700	2200	911	1060	PW - NZ : Imports
FV3P1W2340820	Duramax FV3P1W Woodgrain	FV3P1W	2340	2340	820	820	PW - NZ : Imports
FV3P1W2340920	Duramax FV3P1W Woodgrain	FV3P1W	2340	2340	920	920	PW - NZ : Imports
FV3P1W2400810	Duramax FV3P1W Woodgrain	FV3P1W	2201	2400	780	810	PW - NZ : Imports
FV3P1W2400860	Duramax FV3P1W Woodgrain	FV3P1W	2201	2400	811	860	PW - NZ : Imports
FV3P1W2400910	Duramax FV3P1W Woodgrain	FV3P1W	2201	2400	861	910	PW - NZ : Imports
FV3P1W24001060	Duramax FV3P1W Woodgrain	FV3P1W	2201	2400	911	1060	PW - NZ : Imports
FV3P2S1980810	Duramax FV3P2S Smooth (Woodgrain beads)	FV3P2S	1600	1980	790	810	PW - NZ : Imports
FV3P2S1980860	Duramax FV3P2S Smooth (Woodgrain beads)	FV3P2S	1600	1980	811	860	PW - NZ : Imports
FV3P2S2040820	Duramax FV3P2S Smooth (Woodgrain beads)	FV3P2S	2040	2040	820	820	PW - NZ : Imports
FV3P2S2040870	Duramax FV3P2S Smooth (Woodgrain beads)	FV3P2S	2040	2040	870	870	PW - NZ : Imports
FV3P2S2040920	Duramax FV3P2S Smooth (Woodgrain beads)	FV3P2S	2040	2040	920	920	PW - NZ : Imports
FV3P2S22001060	Duramax FV3P2S Smooth (Woodgrain beads)	FV3P2S	1600	2200	911	1060	PW - NZ : Imports
FV3P2S2200810	Duramax FV3P2S Smooth (Woodgrain beads)	FV3P2S	1600	2200	790	810	PW - NZ : Imports
FV3P2S2200860	Duramax FV3P2S Smooth (Woodgrain beads)	FV3P2S	1600	2200	811	860	PW - NZ : Imports
FV3P2S2200910	Duramax FV3P2S Smooth (Woodgrain beads)	FV3P2S	1600	2200	861	910	PW - NZ : Imports
FV3P2S2340820	Duramax FV3P2S Smooth (Woodgrain beads)	FV3P2S	2340	2340	820	820	PW - NZ : Imports
FV3P2S2340920	Duramax FV3P2S Smooth (Woodgrain beads)	FV3P2S	2340	2340	920	920	PW - NZ : Imports
FV3P2S24001060	Duramax FV3P2S Smooth (Woodgrain beads)	FV3P2S	2201	2400	911	1060	PW - NZ : Imports
FV3P2S2400810	Duramax FV3P2S Smooth (Woodgrain beads)	FV3P2S	2201	2400	790	810	PW - NZ : Imports
FV3P2S2400860	Duramax FV3P2S Smooth (Woodgrain beads)	FV3P2S	2201	2400	811	860	PW - NZ : Imports
FV3P2S2400910	Duramax FV3P2S Smooth (Woodgrain beads)	FV3P2S	2201	2400	861	910	PW - NZ : Imports
FV3P2W1980810	Duramax FV3P2W Woodgrain	FV3P2W	1600	1980	790	810	PW - NZ : Imports
FV3P2W1980860	Duramax FV3P2W Woodgrain	FV3P2W	1600	1980	811	860	PW - NZ : Imports
FV3P2W2040820	Duramax FV3P2W Woodgrain	FV3P2W	2040	2040	820	820	PW - NZ : Imports
FV3P2W2040870	Duramax FV3P2W Woodgrain	FV3P2W	2040	2040	870	870	PW - NZ : Imports
FV3P2W2040920	Duramax FV3P2W Woodgrain	FV3P2W	2040	2040	920	920	PW - NZ : Imports
FV3P2W22001060	Duramax FV3P2W Woodgrain	FV3P2W	1600	2200	911	1060	PW - NZ : Imports
FV3P2W2200810	Duramax FV3P2W Woodgrain	FV3P2W	1600	2200	790	810	PW - NZ : Imports
FV3P2W2200860	Duramax FV3P2W Woodgrain	FV3P2W	1600	2200	811	860	PW - NZ : Imports
FV3P2W2200910	Duramax FV3P2W Woodgrain	FV3P2W	1600	2200	861	910	PW - NZ : Imports
FV3P2W2340820	Duramax FV3P2W Woodgrain	FV3P2W	2340	2340	820	820	PW - NZ : Imports



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
FV3P2W2340920	Duramax FV3P2W Woodgrain	FV3P2W	2340	2340	920	920	PW - NZ : Imports
FV3P2W24001060	Duramax FV3P2W Woodgrain	FV3P2W	2201	2400	911	1060	PW - NZ : Imports
FV3P2W2400810	Duramax FV3P2W Woodgrain	FV3P2W	2201	2400	790	810	PW - NZ : Imports
FV3P2W2400860	Duramax FV3P2W Woodgrain	FV3P2W	2201	2400	811	860	PW - NZ : Imports
FV3P2W2400910	Duramax FV3P2W Woodgrain	FV3P2W	2201	2400	861	910	PW - NZ : Imports
FV3S1980760	Duramax FV3S Smooth	FV3S	1600	1980	720	760	PW - NZ : Imports
FV3S1980810	Duramax FV3S Smooth	FV3S	1600	1980	761	810	PW - NZ : Imports
FV3S1980860	Duramax FV3S Smooth	FV3S	1600	1980	811	860	PW - NZ : Imports
FV3S2040820	Duramax FV3S Smooth	FV3S	2040	2040	820	820	PW - NZ : Imports
FV3S2040870	Duramax FV3S Smooth	FV3S	2040	2040	870	870	PW - NZ : Imports
FV3S2040920	Duramax FV3S Smooth	FV3S	2040	2040	920	920	PW - NZ : Imports
FV3S22001060	Duramax FV3S Smooth	FV3S	1600	2200	911	1060	PW - NZ : Imports
FV3S2200810	Duramax FV3S Smooth	FV3S	1600	2200	761	810	PW - NZ : Imports
FV3S2200860	Duramax FV3S Smooth	FV3S	1600	2200	811	860	PW - NZ : Imports
FV3S2200910	Duramax FV3S Smooth	FV3S	1600	2200	861	910	PW - NZ : Imports
FV3S2340820	Duramax FV3S Smooth	FV3S	2340	2340	820	820	PW - NZ : Imports
FV3S2340920	Duramax FV3S Smooth	FV3S	2340	2340	920	920	PW - NZ : Imports
FV3S24001060	Duramax FV3S Smooth	FV3S	2201	2400	911	1060	PW - NZ : Imports
FV3S2400810	Duramax FV3S Smooth	FV3S	2201	2400	761	810	PW - NZ : Imports
FV3S2400860	Duramax FV3S Smooth	FV3S	2201	2400	811	860	PW - NZ : Imports
FV3S2400910	Duramax FV3S Smooth	FV3S	2201	2400	861	910	PW - NZ : Imports
FV3W1980760	Duramax FV3W Woodgrain	FV3W	1600	1980	720	760	PW - NZ : Imports
FV3W1980810	Duramax FV3W Woodgrain	FV3W	1600	1980	761	810	PW - NZ : Imports
FV3W1980860	Duramax FV3W Woodgrain	FV3W	1600	1980	811	860	PW - NZ : Imports
FV3W20401200	Duramax FV3W Woodgrain	FV3W	2040	2040	1200	1200	PW - NZ : Imports
FV3W2040820	Duramax FV3W Woodgrain	FV3W	2040	2040	820	820	PW - NZ : Imports
FV3W2040870	Duramax FV3W Woodgrain	FV3W	2040	2040	870	870	PW - NZ : Imports
FV3W2040920	Duramax FV3W Woodgrain	FV3W	2040	2040	920	920	PW - NZ : Imports
FV3W22001060	Duramax FV3W Woodgrain	FV3W	1600	2200	911	1060	PW - NZ : Imports
FV3W2200810	Duramax FV3W Woodgrain	FV3W	1600	2200	761	810	PW - NZ : Imports
FV3W2200860	Duramax FV3W Woodgrain	FV3W	1600	2200	811	860	PW - NZ : Imports
FV3W2200910	Duramax FV3W Woodgrain	FV3W	1600	2200	861	910	PW - NZ : Imports
FV3W2340820	Duramax FV3W Woodgrain	FV3W	2340	2340	820	820	PW - NZ : Imports
FV3W2340920	Duramax FV3W Woodgrain	FV3W	2340	2340	920	920	PW - NZ : Imports
FV3W24001060	Duramax FV3W Woodgrain	FV3W	2201	2400	911	1060	PW - NZ : Imports
FV3W2400810	Duramax FV3W Woodgrain	FV3W	2201	2400	761	810	PW - NZ : Imports
FV3W2400860	Duramax FV3W Woodgrain	FV3W	2201	2400	811	860	PW - NZ : Imports
FV3W2400910	Duramax FV3W Woodgrain	FV3W	2201	2400	861	910	PW - NZ : Imports
FV6S1980760	Duramax FV6S Smooth	FV6S	300	1980	720	760	PW - NZ : Imports



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
FV6S1980810	Duramax FV6S Smooth	FV6S	300	1980	761	810	PW - NZ : Imports
FV6S1980860	Duramax FV6S Smooth	FV6S	300	1980	811	860	PW - NZ : Imports
FV6S2040820	Duramax FV6S Smooth	FV6S	2040	2040	820	820	PW - NZ : Imports
FV6S2040870	Duramax FV6S Smooth	FV6S	2040	2040	870	870	PW - NZ : Imports
FV6S2040920	Duramax FV6S Smooth	FV6S	2040	2040	920	920	PW - NZ : Imports
FV6S22001060	Duramax FV6S Smooth	FV6S	300	2200	911	1060	PW - NZ : Imports
FV6S2200810	Duramax FV6S Smooth	FV6S	300	2200	761	810	PW - NZ : Imports
FV6S2200860	Duramax FV6S Smooth	FV6S	300	2200	811	860	PW - NZ : Imports
FV6S2200910	Duramax FV6S Smooth	FV6S	300	2200	861	910	PW - NZ : Imports
FV6S2340820	Duramax FV6S Smooth	FV6S	2340	2340	820	820	PW - NZ : Imports
FV6S2340920	Duramax FV6S Smooth	FV6S	2340	2340	920	920	PW - NZ : Imports
FV6S24001060	Duramax FV6S Smooth	FV6S	2201	2400	911	1060	PW - NZ : Imports
FV6S2400810	Duramax FV6S Smooth	FV6S	2201	2400	761	810	PW - NZ : Imports
FV6S2400860	Duramax FV6S Smooth	FV6S	2201	2400	811	860	PW - NZ : Imports
FV6S2400910	Duramax FV6S Smooth	FV6S	2201	2400	861	910	PW - NZ : Imports
FV6W1980760	Duramax FV6W Woodgrain	FV6W	300	1980	720	760	PW - NZ : Imports
FV6W1980810	Duramax FV6W Woodgrain	FV6W	300	1980	761	810	PW - NZ : Imports
FV6W1980860	Duramax FV6W Woodgrain	FV6W	300	1980	811	860	PW - NZ : Imports
FV6W20401200	Duramax FV6W Woodgrain	FV6W	2040	2040	1200	1200	PW - NZ : Imports
FV6W2040820	Duramax FV6W Woodgrain	FV6W	2040	2040	820	820	PW - NZ : Imports
FV6W2040870	Duramax FV6W Woodgrain	FV6W	2040	2040	870	870	PW - NZ : Imports
FV6W2040920	Duramax FV6W Woodgrain	FV6W	2040	2040	920	920	PW - NZ : Imports
FV6W22001060	Duramax FV6W Woodgrain	FV6W	300	2200	911	1060	PW - NZ : Imports
FV6W2200810	Duramax FV6W Woodgrain	FV6W	300	2200	761	810	PW - NZ : Imports
FV6W2200860	Duramax FV6W Woodgrain	FV6W	300	2200	811	860	PW - NZ : Imports
FV6W2200910	Duramax FV6W Woodgrain	FV6W	300	2200	861	910	PW - NZ : Imports
FV6W2340820	Duramax FV6W Woodgrain	FV6W	2340	2340	820	820	PW - NZ : Imports
FV6W2340920	Duramax FV6W Woodgrain	FV6W	2340	2340	920	920	PW - NZ : Imports
FV6W24001060	Duramax FV6W Woodgrain	FV6W	2201	2400	911	1060	PW - NZ : Imports
FV6W2400810	Duramax FV6W Woodgrain	FV6W	2201	2400	761	810	PW - NZ : Imports
FV6W2400860	Duramax FV6W Woodgrain	FV6W	2201	2400	811	860	PW - NZ : Imports
FV6W2400910	Duramax FV6W Woodgrain	FV6W	2201	2400	861	910	PW - NZ : Imports
FV7S1980760	Duramax FV7S Smooth	FV7S	1600	1980	720	760	PW - NZ : Imports
FV7S1980810	Duramax FV7S Smooth	FV7S	1600	1980	761	810	PW - NZ : Imports
FV7S1980860	Duramax FV7S Smooth	FV7S	1600	1980	811	860	PW - NZ : Imports
FV7S2040820	Duramax FV7S Smooth	FV7S	2040	2040	820	820	PW - NZ : Imports
FV7S2040870	Duramax FV7S Smooth	FV7S	2040	2040	870	870	PW - NZ : Imports
FV7S2040920	Duramax FV7S Smooth	FV7S	2040	2040	920	920	PW - NZ : Imports
FV7S22001060	Duramax FV7S Smooth	FV7S	1600	2200	911	1060	PW - NZ : Imports



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
FV7S2200810	Duramax FV7S Smooth	FV7S	1600	2200	761	810	PW - NZ : Imports
FV7S2200860	Duramax FV7S Smooth	FV7S	1600	2200	811	860	PW - NZ : Imports
FV7S2200910	Duramax FV7S Smooth	FV7S	1600	2200	861	910	PW - NZ : Imports
FV7S2340820	Duramax FV7S Smooth	FV7S	2340	2340	820	820	PW - NZ : Imports
FV7S2340920	Duramax FV7S Smooth	FV7S	2340	2340	920	920	PW - NZ : Imports
FV7S24001060	Duramax FV7S Smooth	FV7S	2201	2400	911	1060	PW - NZ : Imports
FV7S2400810	Duramax FV7S Smooth	FV7S	2201	2400	761	810	PW - NZ : Imports
FV7S2400860	Duramax FV7S Smooth	FV7S	2201	2400	811	860	PW - NZ : Imports
FV7S2400910	Duramax FV7S Smooth	FV7S	2201	2400	861	910	PW - NZ : Imports
FV7W1980760	Duramax FV7W Woodgrain	FV7W	1600	1980	720	760	PW - NZ : Imports
FV7W1980810	Duramax FV7W Woodgrain	FV7W	1600	1980	761	810	PW - NZ : Imports
FV7W1980860	Duramax FV7W Woodgrain	FV7W	1600	1980	811	860	PW - NZ : Imports
FV7W20401200	Duramax FV7W Woodgrain	FV7W	2040	2040	1200	1200	PW - NZ : Imports
FV7W2040820	Duramax FV7W Woodgrain	FV7W	2040	2040	820	820	PW - NZ : Imports
FV7W2040870	Duramax FV7W Woodgrain	FV7W	2040	2040	870	870	PW - NZ : Imports
FV7W2040920	Duramax FV7W Woodgrain	FV7W	2040	2040	920	920	PW - NZ : Imports
FV7W22001060	Duramax FV7W Woodgrain	FV7W	1600	2200	911	1060	PW - NZ : Imports
FV7W2200810	Duramax FV7W Woodgrain	FV7W	1600	2200	761	810	PW - NZ : Imports
FV7W2200860	Duramax FV7W Woodgrain	FV7W	1600	2200	811	860	PW - NZ : Imports
FV7W2200910	Duramax FV7W Woodgrain	FV7W	1600	2200	861	910	PW - NZ : Imports
FV7W2340820	Duramax FV7W Woodgrain	FV7W	2340	2340	820	820	PW - NZ : Imports
FV7W2340920	Duramax FV7W Woodgrain	FV7W	2340	2340	920	920	PW - NZ : Imports
FV7W24001060	Duramax FV7W Woodgrain	FV7W	2201	2400	911	1060	PW - NZ : Imports
FV7W2400810	Duramax FV7W Woodgrain	FV7W	2201	2400	761	810	PW - NZ : Imports
FV7W2400860	Duramax FV7W Woodgrain	FV7W	2201	2400	811	860	PW - NZ : Imports
FV7W2400910	Duramax FV7W Woodgrain	FV7W	2201	2400	861	910	PW - NZ : Imports
FVAR10S1980760	Duramax FVAR10S Smooth (Woodgrain beads)	FVAR10S	1900	1980	720	760	PW - NZ : Imports
FVAR10S1980810	Duramax FVAR10S Smooth (Woodgrain beads)	FVAR10S	1900	1980	761	810	PW - NZ : Imports
FVAR10S1980860	Duramax FVAR10S Smooth (Woodgrain beads)	FVAR10S	1900	1980	811	860	PW - NZ : Imports
FVAR10S2040820	Duramax FVAR10S Smooth (Woodgrain beads)	FVAR10S	2040	2040	820	820	PW - NZ : Imports
FVAR10S2040870	Duramax FVAR10S Smooth (Woodgrain beads)	FVAR10S	2040	2040	870	870	PW - NZ : Imports
FVAR10S2040920	Duramax FVAR10S Smooth (Woodgrain beads)	FVAR10S	2040	2040	920	920	PW - NZ : Imports
FVAR10S22001060	Duramax FVAR10S Smooth (Woodgrain beads)	FVAR10S	1900	2200	911	1060	PW - NZ : Imports
FVAR10S2200810	Duramax FVAR10S Smooth (Woodgrain beads)	FVAR10S	1900	2200	761	810	PW - NZ : Imports
FVAR10S2200860	Duramax FVAR10S Smooth (Woodgrain beads)	FVAR10S	1900	2200	811	860	PW - NZ : Imports
FVAR10S2200910	Duramax FVAR10S Smooth (Woodgrain beads)	FVAR10S	1900	2200	861	910	PW - NZ : Imports
FVAR10S2340820	Duramax FVAR10S Smooth (Woodgrain beads)	FVAR10S	2340	2340	820	820	PW - NZ : Imports
FVAR10S2340920	Duramax FVAR10S Smooth (Woodgrain beads)	FVAR10S	2340	2340	920	920	PW - NZ : Imports
FVAR10S24001060	Duramax FVAR10S Smooth (Woodgrain beads)	FVAR10S	2201	2400	911	1060	PW - NZ : Imports



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
FVAR10S2400810	Duramax FVAR10S Smooth (Woodgrain beads)	FVAR10S	2201	2400	761	810	PW - NZ : Imports
FVAR10S2400860	Duramax FVAR10S Smooth (Woodgrain beads)	FVAR10S	2201	2400	811	860	PW - NZ : Imports
FVAR10S2400910	Duramax FVAR10S Smooth (Woodgrain beads)	FVAR10S	2201	2400	861	910	PW - NZ : Imports
FVAR10W1980760	Duramax FVAR10W Woodgrain	FVAR10W	1900	1980	720	760	PW - NZ : Imports
FVAR10W1980810	Duramax FVAR10W Woodgrain	FVAR10W	1900	1980	761	810	PW - NZ : Imports
FVAR10W1980860	Duramax FVAR10W Woodgrain	FVAR10W	1900	1980	811	860	PW - NZ : Imports
FVAR10W20401200	Duramax FVAR10W Woodgrain	FVAR10W	2040	2040	1200	1200	PW - NZ : Imports
FVAR10W2040820	Duramax FVAR10W Woodgrain	FVAR10W	2040	2040	820	820	PW - NZ : Imports
FVAR10W2040870	Duramax FVAR10W Woodgrain	FVAR10W	2040	2040	870	870	PW - NZ : Imports
FVAR10W2040920	Duramax FVAR10W Woodgrain	FVAR10W	2040	2040	920	920	PW - NZ : Imports
FVAR10W22001060	Duramax FVAR10W Woodgrain	FVAR10W	1900	2200	911	1060	PW - NZ : Imports
FVAR10W2200810	Duramax FVAR10W Woodgrain	FVAR10W	1900	2200	761	810	PW - NZ : Imports
FVAR10W2200860	Duramax FVAR10W Woodgrain	FVAR10W	1900	2200	811	860	PW - NZ : Imports
FVAR10W2200910	Duramax FVAR10W Woodgrain	FVAR10W	1900	2200	861	910	PW - NZ : Imports
FVAR10W2340820	Duramax FVAR10W Woodgrain	FVAR10W	2340	2340	820	820	PW - NZ : Imports
FVAR10W2340920	Duramax FVAR10W Woodgrain	FVAR10W	2340	2340	920	920	PW - NZ : Imports
FVAR10W24001060	Duramax FVAR10W Woodgrain	FVAR10W	2201	2400	911	1060	PW - NZ : Imports
FVAR10W2400810	Duramax FVAR10W Woodgrain	FVAR10W	2201	2400	761	810	PW - NZ : Imports
FVAR10W2400860	Duramax FVAR10W Woodgrain	FVAR10W	2201	2400	811	860	PW - NZ : Imports
FVAR10W2400910	Duramax FVAR10W Woodgrain	FVAR10W	2201	2400	861	910	PW - NZ : Imports
FVAR11S1980760	Duramax FVAR11S Smooth (Woodgrain beads)	FVAR11S	1600	1980	720	760	PW - NZ : Imports
FVAR11S1980810	Duramax FVAR11S Smooth (Woodgrain beads)	FVAR11S	1600	1980	761	810	PW - NZ : Imports
FVAR11S1980860	Duramax FVAR11S Smooth (Woodgrain beads)	FVAR11S	1600	1980	811	860	PW - NZ : Imports
FVAR11S2040820	Duramax FVAR11S Smooth (Woodgrain beads)	FVAR11S	2040	2040	820	820	PW - NZ : Imports
FVAR11S2040870	Duramax FVAR11S Smooth (Woodgrain beads)	FVAR11S	2040	2040	870	870	PW - NZ : Imports
FVAR11S2040920	Duramax FVAR11S Smooth (Woodgrain beads)	FVAR11S	2040	2040	920	920	PW - NZ : Imports
FVAR11S22001060	Duramax FVAR11S Smooth (Woodgrain beads)	FVAR11S	1600	2200	911	1060	PW - NZ : Imports
FVAR11S2200810	Duramax FVAR11S Smooth (Woodgrain beads)	FVAR11S	1600	2200	761	810	PW - NZ : Imports
FVAR11S2200860	Duramax FVAR11S Smooth (Woodgrain beads)	FVAR11S	1600	2200	811	860	PW - NZ : Imports
FVAR11S2200910	Duramax FVAR11S Smooth (Woodgrain beads)	FVAR11S	1600	2200	861	910	PW - NZ : Imports
FVAR11S2340820	Duramax FVAR11S Smooth (Woodgrain beads)	FVAR11S	2340	2340	820	820	PW - NZ : Imports
FVAR11S2340920	Duramax FVAR11S Smooth (Woodgrain beads)	FVAR11S	2340	2340	920	920	PW - NZ : Imports
FVAR11S24001060	Duramax FVAR11S Smooth (Woodgrain beads)	FVAR11S	2201	2400	911	1060	PW - NZ : Imports
FVAR11S2400810	Duramax FVAR11S Smooth (Woodgrain beads)	FVAR11S	2201	2400	761	810	PW - NZ : Imports
FVAR11S2400860	Duramax FVAR11S Smooth (Woodgrain beads)	FVAR11S	2201	2400	811	860	PW - NZ : Imports
FVAR11S2400910	Duramax FVAR11S Smooth (Woodgrain beads)	FVAR11S	2201	2400	861	910	PW - NZ : Imports
FVAR11W1980760	Duramax FVAR11W Woodgrain	FVAR11W	1600	1980	720	760	PW - NZ : Imports
FVAR11W1980810	Duramax FVAR11W Woodgrain	FVAR11W	1600	1980	761	810	PW - NZ : Imports
FVAR11W1980860	Duramax FVAR11W Woodgrain	FVAR11W	1600	1980	811	860	PW - NZ : Imports



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
FVAR11W20401200	Duramax FVAR11W Woodgrain	FVAR11W	2040	2040	1200	1200	PW - NZ : Imports
FVAR11W2040820	Duramax FVAR11W Woodgrain	FVAR11W	2040	2040	820	820	PW - NZ : Imports
FVAR11W2040870	Duramax FVAR11W Woodgrain	FVAR11W	2040	2040	870	870	PW - NZ : Imports
FVAR11W2040920	Duramax FVAR11W Woodgrain	FVAR11W	2040	2040	920	920	PW - NZ : Imports
FVAR11W22001060	Duramax FVAR11W Woodgrain	FVAR11W	1600	2200	911	1060	PW - NZ : Imports
FVAR11W2200810	Duramax FVAR11W Woodgrain	FVAR11W	1600	2200	761	810	PW - NZ : Imports
FVAR11W2200860	Duramax FVAR11W Woodgrain	FVAR11W	1600	2200	811	860	PW - NZ : Imports
FVAR11W2200910	Duramax FVAR11W Woodgrain	FVAR11W	1600	2200	861	910	PW - NZ : Imports
FVAR11W2340820	Duramax FVAR11W Woodgrain	FVAR11W	2340	2340	820	820	PW - NZ : Imports
FVAR11W2340920	Duramax FVAR11W Woodgrain	FVAR11W	2340	2340	920	920	PW - NZ : Imports
FVAR11W24001060	Duramax FVAR11W Woodgrain	FVAR11W	2201	2400	911	1060	PW - NZ : Imports
FVAR11W2400810	Duramax FVAR11W Woodgrain	FVAR11W	2201	2400	761	810	PW - NZ : Imports
FVAR11W2400860	Duramax FVAR11W Woodgrain	FVAR11W	2201	2400	811	860	PW - NZ : Imports
FVAR11W2400910	Duramax FVAR11W Woodgrain	FVAR11W	2201	2400	861	910	PW - NZ : Imports
FVAR21S1980760	Duramax FVAR21S Smooth (Woodgrain beads)	FVAR21S	1600	1980	720	760	PW - NZ : Imports
FVAR21S1980810	Duramax FVAR21S Smooth (Woodgrain beads)	FVAR21S	1600	1980	761	810	PW - NZ : Imports
FVAR21S1980860	Duramax FVAR21S Smooth (Woodgrain beads)	FVAR21S	1600	1980	811	860	PW - NZ : Imports
FVAR21S2040820	Duramax FVAR21S Smooth (Woodgrain beads)	FVAR21S	2040	2040	820	820	PW - NZ : Imports
FVAR21S2040870	Duramax FVAR21S Smooth (Woodgrain beads)	FVAR21S	2040	2040	870	870	PW - NZ : Imports
FVAR21S2040920	Duramax FVAR21S Smooth (Woodgrain beads)	FVAR21S	2040	2040	920	920	PW - NZ : Imports
FVAR21S22001060	Duramax FVAR21S Smooth (Woodgrain beads)	FVAR21S	1600	2200	911	1060	PW - NZ : Imports
FVAR21S2200810	Duramax FVAR21S Smooth (Woodgrain beads)	FVAR21S	1600	2200	761	810	PW - NZ : Imports
FVAR21S2200860	Duramax FVAR21S Smooth (Woodgrain beads)	FVAR21S	1600	2200	811	860	PW - NZ : Imports
FVAR21S2200910	Duramax FVAR21S Smooth (Woodgrain beads)	FVAR21S	1600	2200	861	910	PW - NZ : Imports
FVAR21S2340820	Duramax FVAR21S Smooth (Woodgrain beads)	FVAR21S	2340	2340	820	820	PW - NZ : Imports
FVAR21S2340920	Duramax FVAR21S Smooth (Woodgrain beads)	FVAR21S	2340	2340	920	920	PW - NZ : Imports
FVAR21S24001060	Duramax FVAR21S Smooth (Woodgrain beads)	FVAR21S	2201	2400	911	1060	PW - NZ : Imports
FVAR21S2400810	Duramax FVAR21S Smooth (Woodgrain beads)	FVAR21S	2201	2400	761	810	PW - NZ : Imports
FVAR21S2400860	Duramax FVAR21S Smooth (Woodgrain beads)	FVAR21S	2201	2400	811	860	PW - NZ : Imports
FVAR21S2400910	Duramax FVAR21S Smooth (Woodgrain beads)	FVAR21S	2201	2400	861	910	PW - NZ : Imports
FVAR21W1980760	Duramax FVAR21W Woodgrain	FVAR21W	1600	1980	720	760	PW - NZ : Imports
FVAR21W1980810	Duramax FVAR21W Woodgrain	FVAR21W	1600	1980	761	810	PW - NZ : Imports
FVAR21W1980860	Duramax FVAR21W Woodgrain	FVAR21W	1600	1980	811	860	PW - NZ : Imports
FVAR21W20401200	Duramax FVAR21W Woodgrain	FVAR21W	2040	2040	1200	1200	PW - NZ : Imports
FVAR21W2040820	Duramax FVAR21W Woodgrain	FVAR21W	2040	2040	820	820	PW - NZ : Imports
FVAR21W2040870	Duramax FVAR21W Woodgrain	FVAR21W	2040	2040	870	870	PW - NZ : Imports
FVAR21W2040920	Duramax FVAR21W Woodgrain	FVAR21W	2040	2040	920	920	PW - NZ : Imports
FVAR21W22001060	Duramax FVAR21W Woodgrain	FVAR21W	1600	2200	911	1060	PW - NZ : Imports
FVAR21W2200810	Duramax FVAR21W Woodgrain	FVAR21W	1600	2200	761	810	PW - NZ : Imports



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
FVAR21W2200860	Duramax FVAR21W Woodgrain	FVAR21W	1600	2200	811	860	PW - NZ : Imports
FVAR21W2200910	Duramax FVAR21W Woodgrain	FVAR21W	1600	2200	861	910	PW - NZ : Imports
FVAR21W2340820	Duramax FVAR21W Woodgrain	FVAR21W	2340	2340	820	820	PW - NZ : Imports
FVAR21W2340920	Duramax FVAR21W Woodgrain	FVAR21W	2340	2340	920	920	PW - NZ : Imports
FVAR21W24001060	Duramax FVAR21W Woodgrain	FVAR21W	2201	2400	911	1060	PW - NZ : Imports
FVAR21W2400810	Duramax FVAR21W Woodgrain	FVAR21W	2201	2400	761	810	PW - NZ : Imports
FVAR21W2400860	Duramax FVAR21W Woodgrain	FVAR21W	2201	2400	811	860	PW - NZ : Imports
FVAR21W2400910	Duramax FVAR21W Woodgrain	FVAR21W	2201	2400	861	910	PW - NZ : Imports
FVAR23S1980760	Duramax FVAR23S Smooth (Woodgrain beads)	FVAR23S	1600	1980	720	760	PW - NZ : Imports
FVAR23S1980810	Duramax FVAR23S Smooth (Woodgrain beads)	FVAR23S	1600	1980	761	810	PW - NZ : Imports
FVAR23S1980860	Duramax FVAR23S Smooth (Woodgrain beads)	FVAR23S	1600	1980	811	860	PW - NZ : Imports
FVAR23S2040820	Duramax FVAR23S Smooth (Woodgrain beads)	FVAR23S	2040	2040	820	820	PW - NZ : Imports
FVAR23S2040870	Duramax FVAR23S Smooth (Woodgrain beads)	FVAR23S	2040	2040	870	870	PW - NZ : Imports
FVAR23S2040920	Duramax FVAR23S Smooth (Woodgrain beads)	FVAR23S	2040	2040	920	920	PW - NZ : Imports
FVAR23S22001060	Duramax FVAR23S Smooth (Woodgrain beads)	FVAR23S	1600	2200	911	1060	PW - NZ : Imports
FVAR23S2200810	Duramax FVAR23S Smooth (Woodgrain beads)	FVAR23S	1600	2200	761	810	PW - NZ : Imports
FVAR23S2200860	Duramax FVAR23S Smooth (Woodgrain beads)	FVAR23S	1600	2200	811	860	PW - NZ : Imports
FVAR23S2200910	Duramax FVAR23S Smooth (Woodgrain beads)	FVAR23S	1600	2200	861	910	PW - NZ : Imports
FVAR23S2340820	Duramax FVAR23S Smooth (Woodgrain beads)	FVAR23S	2340	2340	820	820	PW - NZ : Imports
FVAR23S2340920	Duramax FVAR23S Smooth (Woodgrain beads)	FVAR23S	2340	2340	920	920	PW - NZ : Imports
FVAR23S24001060	Duramax FVAR23S Smooth (Woodgrain beads)	FVAR23S	2201	2400	911	1060	PW - NZ : Imports
FVAR23S2400810	Duramax FVAR23S Smooth (Woodgrain beads)	FVAR23S	2201	2400	761	810	PW - NZ : Imports
FVAR23S2400860	Duramax FVAR23S Smooth (Woodgrain beads)	FVAR23S	2201	2400	811	860	PW - NZ : Imports
FVAR23S2400910	Duramax FVAR23S Smooth (Woodgrain beads)	FVAR23S	2201	2400	861	910	PW - NZ : Imports
FVAR23W1980760	Duramax FVAR23W Woodgrain	FVAR23W	1600	1980	720	760	PW - NZ : Imports
FVAR23W1980810	Duramax FVAR23W Woodgrain	FVAR23W	1600	1980	761	810	PW - NZ : Imports
FVAR23W1980860	Duramax FVAR23W Woodgrain	FVAR23W	1600	1980	811	860	PW - NZ : Imports
FVAR23W20401200	Duramax FVAR23W Woodgrain	FVAR23W	2040	2040	1200	1200	PW - NZ : Imports
FVAR23W2040820	Duramax FVAR23W Woodgrain	FVAR23W	2040	2040	820	820	PW - NZ : Imports
FVAR23W2040870	Duramax FVAR23W Woodgrain	FVAR23W	2040	2040	870	870	PW - NZ : Imports
FVAR23W2040920	Duramax FVAR23W Woodgrain	FVAR23W	2040	2040	920	920	PW - NZ : Imports
FVAR23W22001060	Duramax FVAR23W Woodgrain	FVAR23W	1600	2200	911	1060	PW - NZ : Imports
FVAR23W2200810	Duramax FVAR23W Woodgrain	FVAR23W	1600	2200	761	810	PW - NZ : Imports
FVAR23W2200860	Duramax FVAR23W Woodgrain	FVAR23W	1600	2200	811	860	PW - NZ : Imports
FVAR23W2200910	Duramax FVAR23W Woodgrain	FVAR23W	1600	2200	861	910	PW - NZ : Imports
FVAR23W2340820	Duramax FVAR23W Woodgrain	FVAR23W	2340	2340	820	820	PW - NZ : Imports
FVAR23W2340920	Duramax FVAR23W Woodgrain	FVAR23W	2340	2340	920	920	PW - NZ : Imports
FVAR23W24001060	Duramax FVAR23W Woodgrain	FVAR23W	2201	2400	911	1060	PW - NZ : Imports
FVAR23W2400810	Duramax FVAR23W Woodgrain	FVAR23W	2201	2400	761	810	PW - NZ : Imports



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
FVAR23W2400860	Duramax FVAR23W Woodgrain	FVAR23W	2201	2400	811	860	PW - NZ : Imports
FVAR23W2400910	Duramax FVAR23W Woodgrain	FVAR23W	2201	2400	861	910	PW - NZ : Imports
FVAR24S1980760	Duramax FVAR24S Smooth (Woodgrain beads)	FVAR24S	1600	1980	760	760	PW - NZ : Imports
FVAR24S1980810	Duramax FVAR24S Smooth (Woodgrain beads)	FVAR24S	1600	1980	761	810	PW - NZ : Imports
FVAR24S1980860	Duramax FVAR24S Smooth (Woodgrain beads)	FVAR24S	1600	1980	811	860	PW - NZ : Imports
FVAR24S2040820	Duramax FVAR24S Smooth (Woodgrain beads)	FVAR24S	2040	2040	820	820	PW - NZ : Imports
FVAR24S2040870	Duramax FVAR24S Smooth (Woodgrain beads)	FVAR24S	2040	2040	870	870	PW - NZ : Imports
FVAR24S2040920	Duramax FVAR24S Smooth (Woodgrain beads)	FVAR24S	2040	2040	920	920	PW - NZ : Imports
FVAR24S22001060	Duramax FVAR24S Smooth (Woodgrain beads)	FVAR24S	1600	2200	911	1060	PW - NZ : Imports
FVAR24S2200810	Duramax FVAR24S Smooth (Woodgrain beads)	FVAR24S	1600	2200	761	810	PW - NZ : Imports
FVAR24S2200860	Duramax FVAR24S Smooth (Woodgrain beads)	FVAR24S	1600	2200	811	860	PW - NZ : Imports
FVAR24S2200910	Duramax FVAR24S Smooth (Woodgrain beads)	FVAR24S	1600	2200	861	910	PW - NZ : Imports
FVAR24S2340820	Duramax FVAR24S Smooth (Woodgrain beads)	FVAR24S	2340	2340	820	820	PW - NZ : Imports
FVAR24S2340920	Duramax FVAR24S Smooth (Woodgrain beads)	FVAR24S	2340	2340	920	920	PW - NZ : Imports
FVAR24S24001060	Duramax FVAR24S Smooth (Woodgrain beads)	FVAR24S	2201	2400	911	1060	PW - NZ : Imports
FVAR24S2400810	Duramax FVAR24S Smooth (Woodgrain beads)	FVAR24S	2201	2400	761	810	PW - NZ : Imports
FVAR24S2400860	Duramax FVAR24S Smooth (Woodgrain beads)	FVAR24S	2201	2400	811	860	PW - NZ : Imports
FVAR24S2400910	Duramax FVAR24S Smooth (Woodgrain beads)	FVAR24S	2201	2400	861	910	PW - NZ : Imports
FVAR24W1980760	Duramax FVAR24W Woodgrain	FVAR24W	1600	1980	760	760	PW - NZ : Imports
FVAR24W1980810	Duramax FVAR24W Woodgrain	FVAR24W	1600	1980	761	810	PW - NZ : Imports
FVAR24W1980860	Duramax FVAR24W Woodgrain	FVAR24W	1600	1980	811	860	PW - NZ : Imports
FVAR24W2040820	Duramax FVAR24W Woodgrain	FVAR24W	2040	2040	820	820	PW - NZ : Imports
FVAR24W2040870	Duramax FVAR24W Woodgrain	FVAR24W	2040	2040	870	870	PW - NZ : Imports
FVAR24W2040920	Duramax FVAR24W Woodgrain	FVAR24W	2040	2040	920	920	PW - NZ : Imports
FVAR24W22001060	Duramax FVAR24W Woodgrain	FVAR24W	1600	2200	911	1060	PW - NZ : Imports
FVAR24W2200810	Duramax FVAR24W Woodgrain	FVAR24W	1600	2200	761	810	PW - NZ : Imports
FVAR24W2200860	Duramax FVAR24W Woodgrain	FVAR24W	1600	2200	811	860	PW - NZ : Imports
FVAR24W2200910	Duramax FVAR24W Woodgrain	FVAR24W	1600	2200	861	910	PW - NZ : Imports
FVAR24W2340820	Duramax FVAR24W Woodgrain	FVAR24W	2340	2340	820	820	PW - NZ : Imports
FVAR24W2340920	Duramax FVAR24W Woodgrain	FVAR24W	2340	2340	920	920	PW - NZ : Imports
FVAR24W24001060	Duramax FVAR24W Woodgrain	FVAR24W	2201	2400	911	1060	PW - NZ : Imports
FVAR24W2400810	Duramax FVAR24W Woodgrain	FVAR24W	2201	2400	761	810	PW - NZ : Imports
FVAR24W2400860	Duramax FVAR24W Woodgrain	FVAR24W	2201	2400	811	860	PW - NZ : Imports
FVAR24W2400910	Duramax FVAR24W Woodgrain	FVAR24W	2201	2400	861	910	PW - NZ : Imports
FVAR9S1980760	Duramax FVAR9S Smooth (Woodgrain beads)	FVAR9S	1600	1980	720	760	PW - NZ : Imports
FVAR9S1980810	Duramax FVAR9S Smooth (Woodgrain beads)	FVAR9S	1600	1980	761	810	PW - NZ : Imports
FVAR9S1980860	Duramax FVAR9S Smooth (Woodgrain beads)	FVAR9S	1600	1980	811	860	PW - NZ : Imports
FVAR9S2040820	Duramax FVAR9S Smooth (Woodgrain beads)	FVAR9S	2040	2040	820	820	PW - NZ : Imports
FVAR9S2040870	Duramax FVAR9S Smooth (Woodgrain beads)	FVAR9S	2040	2040	870	870	PW - NZ : Imports



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
FVAR9S2040920	Duramax FVAR9S Smooth (Woodgrain beads)	FVAR9S	2040	2040	920	920	PW - NZ : Imports
FVAR9S22001060	Duramax FVAR9S Smooth (Woodgrain beads)	FVAR9S	1600	2200	911	1060	PW - NZ : Imports
FVAR9S2200810	Duramax FVAR9S Smooth (Woodgrain beads)	FVAR9S	1600	2200	761	810	PW - NZ : Imports
FVAR9S2200860	Duramax FVAR9S Smooth (Woodgrain beads)	FVAR9S	1600	2200	811	860	PW - NZ : Imports
FVAR9S2200910	Duramax FVAR9S Smooth (Woodgrain beads)	FVAR9S	1600	2200	861	910	PW - NZ : Imports
FVAR9S2340820	Duramax FVAR9S Smooth (Woodgrain beads)	FVAR9S	2340	2340	820	820	PW - NZ : Imports
FVAR9S2340920	Duramax FVAR9S Smooth (Woodgrain beads)	FVAR9S	2340	2340	920	920	PW - NZ : Imports
FVAR9S24001060	Duramax FVAR9S Smooth (Woodgrain beads)	FVAR9S	2201	2400	911	1060	PW - NZ : Imports
FVAR9S2400810	Duramax FVAR9S Smooth (Woodgrain beads)	FVAR9S	2201	2400	761	810	PW - NZ : Imports
FVAR9S2400860	Duramax FVAR9S Smooth (Woodgrain beads)	FVAR9S	2201	2400	811	860	PW - NZ : Imports
FVAR9S2400910	Duramax FVAR9S Smooth (Woodgrain beads)	FVAR9S	2201	2400	861	910	PW - NZ : Imports
FVAR9W1980760	Duramax FVAR9W Woodgrain	FVAR9W	1600	1980	720	760	PW - NZ : Imports
FVAR9W1980810	Duramax FVAR9W Woodgrain	FVAR9W	1600	1980	761	810	PW - NZ : Imports
FVAR9W1980860	Duramax FVAR9W Woodgrain	FVAR9W	1600	1980	811	860	PW - NZ : Imports
FVAR9W20401200	Duramax FVAR9W Woodgrain	FVAR9W	2040	2040	1200	1200	PW - NZ : Imports
FVAR9W2040820	Duramax FVAR9W Woodgrain	FVAR9W	2040	2040	820	820	PW - NZ : Imports
FVAR9W2040870	Duramax FVAR9W Woodgrain	FVAR9W	2040	2040	870	870	PW - NZ : Imports
FVAR9W2040920	Duramax FVAR9W Woodgrain	FVAR9W	2040	2040	920	920	PW - NZ : Imports
FVAR9W22001060	Duramax FVAR9W Woodgrain	FVAR9W	1600	2200	911	1060	PW - NZ : Imports
FVAR9W2200810	Duramax FVAR9W Woodgrain	FVAR9W	1600	2200	761	810	PW - NZ : Imports
FVAR9W2200860	Duramax FVAR9W Woodgrain	FVAR9W	1600	2200	811	860	PW - NZ : Imports
FVAR9W2200910	Duramax FVAR9W Woodgrain	FVAR9W	1600	2200	861	910	PW - NZ : Imports
FVAR9W2340820	Duramax FVAR9W Woodgrain	FVAR9W	2340	2340	820	820	PW - NZ : Imports
FVAR9W2340920	Duramax FVAR9W Woodgrain	FVAR9W	2340	2340	920	920	PW - NZ : Imports
FVAR9W24001060	Duramax FVAR9W Woodgrain	FVAR9W	2201	2400	911	1060	PW - NZ : Imports
FVAR9W2400810	Duramax FVAR9W Woodgrain	FVAR9W	2201	2400	761	810	PW - NZ : Imports
FVAR9W2400860	Duramax FVAR9W Woodgrain	FVAR9W	2201	2400	811	860	PW - NZ : Imports
FVAR9W2400910	Duramax FVAR9W Woodgrain	FVAR9W	2201	2400	861	910	PW - NZ : Imports
FVS1980760	Duramax FVS Smooth	FVS	300	1980	720	760	PW - NZ : Imports
FVS1980810	Duramax FVS Smooth	FVS	300	1980	761	810	PW - NZ : Imports
FVS1980860	Duramax FVS Smooth	FVS	300	1980	811	860	PW - NZ : Imports
FVS2040820	Duramax FVS Smooth	FVS	2040	2040	820	820	PW - NZ : Imports
FVS2040870	Duramax FVS Smooth	FVS	2040	2040	870	870	PW - NZ : Imports
FVS2040920	Duramax FVS Smooth	FVS	2040	2040	920	920	PW - NZ : Imports
FVS22001060	Duramax FVS Smooth	FVS	300	2200	911	1060	PW - NZ : Imports
FVS2200810	Duramax FVS Smooth	FVS	300	2200	761	810	PW - NZ : Imports
FVS2200860	Duramax FVS Smooth	FVS	300	2200	811	860	PW - NZ : Imports
FVS2200910	Duramax FVS Smooth	FVS	300	2200	861	910	PW - NZ : Imports
FVS2340820	Duramax FVS Smooth	FVS	2340	2340	820	820	PW - NZ : Imports



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
FVS2340920	Duramax FVS Smooth	FVS	2340	2340	920	920	PW - NZ : Imports
FVS24001060	Duramax FVS Smooth	FVS	2201	2400	911	1060	PW - NZ : Imports
FVS2400810	Duramax FVS Smooth	FVS	2201	2400	761	810	PW - NZ : Imports
FVS2400860	Duramax FVS Smooth	FVS	2201	2400	811	860	PW - NZ : Imports
FVS2400910	Duramax FVS Smooth	FVS	2201	2400	861	910	PW - NZ : Imports
FVW1980760	Duramax FVW Woodgrain	FVW	300	1980	720	760	PW - NZ : Imports
FVW1980810	Duramax FVW Woodgrain	FVW	300	1980	761	810	PW - NZ : Imports
FVW1980860	Duramax FVW Woodgrain	FVW	300	1980	811	860	PW - NZ : Imports
FVW20401200	Duramax FVW Woodgrain	FVW	2040	2040	1200	1200	PW - NZ : Imports
FVW2040820	Duramax FVW Woodgrain	FVW	2040	2040	820	820	PW - NZ : Imports
FVW2040870	Duramax FVW Woodgrain	FVW	2040	2040	870	870	PW - NZ : Imports
FVW2040920	Duramax FVW Woodgrain	FVW	2040	2040	920	920	PW - NZ : Imports
FVW22001060	Duramax FVW Woodgrain	FVW	300	2200	911	1060	PW - NZ : Imports
FVW2200810	Duramax FVW Woodgrain	FVW	300	2200	761	810	PW - NZ : Imports
FVW2200860	Duramax FVW Woodgrain	FVW	300	2200	811	860	PW - NZ : Imports
FVW2200910	Duramax FVW Woodgrain	FVW	300	2200	861	910	PW - NZ : Imports
FVW2340820	Duramax FVW Woodgrain	FVW	2340	2340	820	820	PW - NZ : Imports
FVW2340920	Duramax FVW Woodgrain	FVW	2340	2340	920	920	PW - NZ : Imports
FVW24001060	Duramax FVW Woodgrain	FVW	2201	2400	911	1060	PW - NZ : Imports
FVW2400810	Duramax FVW Woodgrain	FVW	2201	2400	761	810	PW - NZ : Imports
FVW2400860	Duramax FVW Woodgrain	FVW	2201	2400	811	860	PW - NZ : Imports
FVW2400910	Duramax FVW Woodgrain	FVW	2201	2400	861	910	PW - NZ : Imports
HEAR10V	Hemlock AR10 TGV	AR10V	1900	2600	510	1200	PW - NZ : Timber
HEAR11V	Hemlock AR11 TGV	AR11V	1900	2600	610	1200	PW - NZ : Timber
HEAR12V	Hemlock AR12 TGV	AR12V	1900	2600	510	1200	PW - NZ : Timber
HEAR13V	Hemlock AR13 TGV	AR13V	1900	2600	610	1200	PW - NZ : Timber
HEAR14V	Hemlock AR14 TGV	AR14V	1900	2600	510	1200	PW - NZ : Timber
HEAR41	Hemlock AR41 Interior	AR41	600	2600	310	1400	PW - NZ : Timber
HEAR41D	Hemlock AR41D Interior	AR41D	600	2600	510	1400	PW - NZ : Timber
HEAR41E	Hemlock AR41E Interior	AR41E	1600	2600	510	1400	PW - NZ : Timber
HEAR42	Hemlock AR42 Interior	AR42	600	2600	310	1400	PW - NZ : Timber
HEAR43	Hemlock AR43 Interior	AR43	1600	2600	310	1400	PW - NZ : Timber
HEAR43A	Hemlock AR43A Interior	AR43A	1600	2600	510	1400	PW - NZ : Timber
HEAR43B	Hemlock AR43B Interior	AR43B	1600	2600	510	1400	PW - NZ : Timber
HEAR43C	Hemlock AR43C Interior	AR43C	1600	2600	510	1400	PW - NZ : Timber
HEAR44	Hemlock AR44 Interior	AR44	1600	2600	310	1400	PW - NZ : Timber
HEAR44V	Hemlock AR44 Exterior	AR44V	1600	2600	510	1200	PW - NZ : Timber
HEAR45	Hemlock AR45 Interior	AR45	600	2600	1200	1900	PW - NZ : Timber
HEAR45A	Hemlock AR45A Interior	AR45A	600	2600	1200	1900	PW - NZ : Timber



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
HEAR45B	Hemlock AR45B Interior	AR45B	600	2600	1200	1900	PW - NZ : Timber
HEAR45C	Hemlock AR45C Interior	AR45C	600	2600	1200	1900	PW - NZ : Timber
HEAR45D	Hemlock AR45D Interior	AR45D	600	2600	1200	1900	PW - NZ : Timber
HEAR45E	Hemlock AR45E Interior	AR45E	600	2600	1200	1900	PW - NZ : Timber
HEAR46	Hemlock AR46 Interior	AR46	600	2600	1200	1900	PW - NZ : Timber
HEAR47	Hemlock AR47 Interior	AR47	1600	2600	1200	1900	PW - NZ : Timber
HEAR47A	Hemlock AR47A Interior	AR47A	1600	2600	1200	1900	PW - NZ : Timber
HEAR47B	Hemlock AR47B Interior	AR47B	1600	2600	1200	1900	PW - NZ : Timber
HEAR47C	Hemlock AR47C Interior	AR47C	1600	2600	1200	1900	PW - NZ : Timber
HEAR47D	Hemlock AR47D Interior	AR47D	1600	2600	1200	1900	PW - NZ : Timber
HEAR48	Hemlock AR48 Interior	AR48	1600	2600	1200	1900	PW - NZ : Timber
HEAR61	Hemlock AR61 Interior	AR61	1600	2600	510	1200	PW - NZ : Timber
HEAR62	Hemlock AR62 Interior	AR62	1600	2600	510	1200	PW - NZ : Timber
HEAR63	Hemlock AR63 Interior	AR63	1600	2600	510	1200	PW - NZ : Timber
HEBRACE	Hemlock Braced & Ledged	BRACE	1600	2600	510	1200	PW - NZ : Timber
HEE1	Hemlock E1	E1	1200	2600	330	1200	PW - NZ : Timber
HEE11	Hemlock E1 1	E11	1800	2600	760	1200	PW - NZ : Timber
HEE12	Hemlock E12	E12	1600	2600	760	1200	PW - NZ : Timber
HEE13	Hemlock E13	E13	1600	2600	810	860	PW - NZ : Timber
HEE14	Hemlock E14	E14	1800	2600	810	860	PW - NZ : Timber
HEE14S	Hemlock E14S	E14S	1800	2600	375	610	PW - NZ : Timber
HEE152	Hemlock E1 52mm thick	E152	1200	2600	330	1200	PW - NZ : Timber
HEE16	Hemlock E16	E16	1900	2600	510	1200	PW - NZ : Timber
HEE17	Hemlock E17	E17	1800	2600	610	1200	PW - NZ : Timber
HEE18	Hemlock E18	E18	1200	2600	610	1200	PW - NZ : Timber
HEE19	Hemlock E19	E19	1960	2600	510	1200	PW - NZ : Timber
HEE1L	Hemlock Exterior 1 Lite	E1L	1200	2600	360	1200	PW - NZ : Timber
HEE1WR	Hemlock E1 W/R	E1WR	1200	2600	510	1200	PW - NZ : Timber
HEE2	Hemlock E2	E2	1200	2600	510	1200	PW - NZ : Timber
HEE20	Hemlock E20	E20	1200	2600	810	1200	PW - NZ : Timber
HEE21	Hemlock E21	E21	1960	2600	610	1200	PW - NZ : Timber
HEE24	Hemlock E24	E24	1900	2600	510	1200	PW - NZ : Timber
HEE2L	Hemlock Exterior 2 Lite	E2L	1200	2600	360	1200	PW - NZ : Timber
HEE2NS	Hemlock E2 N/S	E2NS	1200	2400	510	1200	PW - NZ : Timber
HEE3	Hemlock E3	E3	1600	2600	610	1200	PW - NZ : Timber
HEE3L	Hemlock Exterior 3 Lite	E3L	1600	2600	360	1200	PW - NZ : Timber
HEE4	Hemlock E4	E4	1600	2600	610	1200	PW - NZ : Timber
HEE4G	Hemlock E4G	E4G	1600	2600	610	1200	PW - NZ : Timber
HEE4L	Hemlock Exterior 4 Lite	E4L	1600	2600	360	1200	PW - NZ : Timber



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
HEE4OT	Hemlock E4 O/T	E4OT	1600	2600	610	1200	PW - NZ : Timber
HEE4S	Hemlock E4S	E4S	1600	2600	310	510	PW - NZ : Timber
HEE5	Hemlock E5	E5	1600	2600	610	1200	PW - NZ : Timber
HEE6	Hemlock E6	E6	1600	2600	610	1200	PW - NZ : Timber
HEE7	Hemlock E7	E7	1600	2600	610	1200	PW - NZ : Timber
HEE8	Hemlock E8	E8	1600	2600	610	1200	PW - NZ : Timber
HEE8OT	Hemlock E8 O/T	E8OT	1600	2600	610	1200	PW - NZ : Timber
HEE8S	Hemlock E8S	E8S	1600	2600	310	510	PW - NZ : Timber
HEE9	Hemlock E9	E9	1800	2600	610	1200	PW - NZ : Timber
HEE9S	Hemlock E9S	E9S	1800	2600	310	510	PW - NZ : Timber
HEEAR41	Hemlock EAR41 Exterior	EAR41	600	2600	310	1200	PW - NZ : Timber
HEEAR41D	Hemlock EAR41D Exterior	EAR41D	600	2600	510	1200	PW - NZ : Timber
HEEAR41E	Hemlock EAR41E Exterior	EAR41E	1600	2600	510	1200	PW - NZ : Timber
HEEAR42	Hemlock EAR42 Exterior	EAR42	600	2600	310	1200	PW - NZ : Timber
HEEAR43	Hemlock EAR43 Exterior	EAR43	1600	2600	310	1200	PW - NZ : Timber
HEEAR43A	Hemlock EAR43A Exterior	EAR43A	1600	2600	510	1200	PW - NZ : Timber
HEEAR43B	Hemlock EAR43B Exterior	EAR43B	1600	2600	510	1200	PW - NZ : Timber
HEEAR43C	Hemlock EAR43C Exterior	EAR43C	1600	2600	510	1200	PW - NZ : Timber
HEEAR44	Hemlock EAR44 Exterior	EAR44	1600	2600	310	1200	PW - NZ : Timber
HEEAR61	Hemlock EAR61 Exterior	EAR61	1600	2600	510	1200	PW - NZ : Timber
HEEAR63	Hemlock EAR63 Exterior	EAR63	1600	2600	510	1200	PW - NZ : Timber
HEEF3	Hemlock EF3	EF3	1200	2600	710	1200	PW - NZ : Timber
HEF10	Hemlock F10	F10	1600	2600	510	1200	PW - NZ : Timber
HEF12	Hemlock F12	F12	1600	2600	610	1200	PW - NZ : Timber
HEF6	Hemlock F6	F6	1600	2600	510	1200	PW - NZ : Timber
HEF8	Hemlock F8	F8	1600	2600	510	1200	PW - NZ : Timber
HEF9	Hemlock F9	F9	1600	2600	610	1200	PW - NZ : Timber
HEFIG5	Hemlock FIG 5	FIG5	1200	2600	510	1200	PW - NZ : Timber
HEFIG5A	Hemlock FIG 5A	FIG5A	1200	2600	510	1200	PW - NZ : Timber
HEFP1	Hemlock FP1	FP1	1600	2600	610	1200	PW - NZ : Timber
HEFP12	Hemlock FP12	FP12	1800	2600	760	1200	PW - NZ : Timber
HEFP6	Hemlock FP6	FP6	1800	2600	610	1200	PW - NZ : Timber
HEI1L	Hemlock Interior 1 Lite	I1L	600	2600	360	1200	PW - NZ : Timber
HEI2L	Hemlock Interior 2 Lite	I2L	1200	2600	360	1200	PW - NZ : Timber
HEI3L	Hemlock Interior 3 Lite	I3L	1600	2600	360	1200	PW - NZ : Timber
HEI4L	Hemlock Interior 4 Lite	I4L	1600	2600	360	1200	PW - NZ : Timber
HEIF10	Hemlock IF10	IF10	1600	2600	510	1200	PW - NZ : Timber
HEIF12	Hemlock IF12	IF12	1600	2600	610	1200	PW - NZ : Timber
HEIF3	Hemlock IF3	IF3	1200	2600	710	1200	PW - NZ : Timber



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
HEIF6	Hemlock IF6	IF6	1600	2600	510	1200	PW - NZ : Timber
HEIF8	Hemlock IF8	IF8	1600	2600	510	1200	PW - NZ : Timber
HEIF9	Hemlock IF9	IF9	1200	2600	610	1200	PW - NZ : Timber
HEIP1	Hemlock IP1	IP1	1600	2600	610	1200	PW - NZ : Timber
HEIP12	Hemlock IP12	IP12	1600	2600	760	1200	PW - NZ : Timber
HEIP6	Hemlock IP6	IP6	1600	2600	610	1200	PW - NZ : Timber
HEPIO2	Hemlock Pioneer 2	PIO2	1600	2600	460	1200	PW - NZ : Timber
HEPIO2OT	Hemlock Pioneer 2 O/T	PIO2OT	1600	2600	460	1200	PW - NZ : Timber
HEPIO4	Hemlock Pioneer 4	PIO4	1600	2600	610	1200	PW - NZ : Timber
HEPIO4OT	Hemlock Pioneer 4 O/T	PIO4OT	1600	2600	610	1200	PW - NZ : Timber
HEPIO61	Hemlock Pioneer 61	PIO61	1600	2600	510	1000	PW - NZ : Timber
HEPIO7	Hemlock Pioneer 7	PIO7	1600	2400	460	1200	PW - NZ : Timber
HEROS	Hemlock Roseville	ROS	1600	2600	610	1200	PW - NZ : Timber
HESA1	Hemlock 1 Lite Sash	SA1	200	2600	200	1200	PW - NZ : Timber
KWAR44V	Kwila AR44 Exterior - BAL29	AR44V	1600	2340	510	1000	PW - NZ : Timber
KWE16	Kwila E16 - BAL29. 6mm Toughened glass min	E16	1900	2340	510	1000	PW - NZ : Timber
KWE17	Kwila E17 - BAL29. 6mm Toughened glass min	E17	1800	2340	610	1000	PW - NZ : Timber
KWE18	Kwila E18 - BAL29. 6mm Toughened glass min	E18	1200	2340	610	1000	PW - NZ : Timber
KWE1L	Kwila Exterior 1 Lite - BAL29. 6mm Toughened glass min	E1L	1200	2340	360	1000	PW - NZ : Timber
KWE1WR	Kwila E1 With Rails - BAL29	E1WR	1200	2340	510	1000	PW - NZ : Timber
KWE2	Kwila E2 - BAL29	E2	1200	2340	510	1000	PW - NZ : Timber
KWE24	Kwila E24 - BAL29. 6mm Toughened glass min	E24	1900	2340	510	1000	PW - NZ : Timber
KWE2L	Kwila Exterior 2 Lite - BAL29. 6mm Toughened glass min	E2L	1200	2340	360	1000	PW - NZ : Timber
KWE3L	Kwila Exterior 3 Lite - BAL29. 6mm Toughened glass min	E3L	1600	2340	360	1000	PW - NZ : Timber
KWE4L	Kwila Exterior 4 Lite - BAL29. 6mm Toughened glass min	E4L	1600	2340	360	1000	PW - NZ : Timber
KWEF3	Kwila EF3 - BAL29. 6mm Toughened glass min	EF3	1200	2340	760	1000	PW - NZ : Timber
KWF10	Kwila F10 - BAL29. 6mm Toughened glass min	F10	1600	2340	510	1000	PW - NZ : Timber
KWF6	Kwila F6 - BAL29. 6mm Toughened glass min	F6	1600	2340	510	1000	PW - NZ : Timber
KWF8	Kwila F8 - BAL29. 6mm Toughened glass min	F8	1600	2340	510	1000	PW - NZ : Timber
PLBL610	Plantation Bifold Open Louvre incl track hardware 610	BL	1980	1980	610	810	PW - NZ : Imports
PLBL710	Plantation Bifold Open Louvre incl track hardware 710	BL	1980	1980	610	810	PW - NZ : Imports
PLBL760	Plantation Bifold Open Louvre incl track hardware 760	BL	1980	1980	610	810	PW - NZ : Imports
PLBL810	Plantation Bifold Open Louvre incl track hardware 810	BL	1980	1980	610	810	PW - NZ : Imports
PLOL410	Plantation Open Louvre Door - 1980 x 410	OL	1980	1980	410	810	PW - NZ : Imports
PLOL460	Plantation Open Louvre Door - 1980 x 460	OL	1980	1980	410	810	PW - NZ : Imports
PLOL610	Plantation Open Louvre Door - 1980 x 610	OL	1980	1980	410	810	PW - NZ : Imports
PLOL810	Plantation Open Louvre Door - 1980 x 810	OL	1980	1980	410	810	PW - NZ : Imports
PQCAR10V	Paint Quality Cedar AR10 TGV	AR10V	1900	2600	510	1200	PW - NZ : Timber
PQCAR11V	Paint Quality Cedar AR11 TGV	AR11V	1900	2600	610	1200	PW - NZ : Timber



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
PQCAR12V	Paint Quality Cedar AR12 TGV	AR12V	1900	2600	510	1200	PW - NZ : Timber
PQCAR13V	Paint Quality Cedar AR13 TGV	AR13V	1900	2600	610	1200	PW - NZ : Timber
PQCAR14V	Paint Quality Cedar AR14 TGV	AR14V	1900	2600	510	1200	PW - NZ : Timber
PQCAR44V	Paint Quality Cedar AR44 Exterior	AR44V	1600	2600	510	1200	PW - NZ : Timber
PQCBRACE	Paint Quality Cedar Braced & Ledged	BRACE	1600	2600	510	1200	PW - NZ : Timber
PQCE1	Paint Quality Cedar E1	E1	1200	2600	330	1200	PW - NZ : Timber
PQCE11	Paint Quality Cedar E1 1	E11	1800	2600	760	1200	PW - NZ : Timber
PQCE12	Paint Quality Cedar E12	E12	1600	2600	760	1200	PW - NZ : Timber
PQCE13	Paint Quality Cedar E13	E13	1600	2600	810	860	PW - NZ : Timber
PQCE14	Paint Quality Cedar E14	E14	1800	2600	810	860	PW - NZ : Timber
PQCE14S	Paint Quality Cedar E14S	E14S	1800	2600	375	610	PW - NZ : Timber
PQCE152	Paint Quality Cedar E1 52mm	E152	1200	2600	330	1200	PW - NZ : Timber
PQCE16	Paint Quality Cedar E1 6	E16	1900	2600	510	1200	PW - NZ : Timber
PQCE17	Paint Quality Cedar E17	E17	1800	2600	610	1200	PW - NZ : Timber
PQCE18	Paint Quality Cedar E18	E18	1200	2600	610	1200	PW - NZ : Timber
PQCE19	Paint Quality Cedar E19	E19	1960	2600	510	1200	PW - NZ : Timber
PQCE1L	Paint Quality Cedar Exterior 1 Lite	E1L	1200	2600	360	1200	PW - NZ : Timber
PQCE1WR	Paint Quality Cedar E1 With Rails	E1WR	1200	2600	510	1200	PW - NZ : Timber
PQCE2	Paint Quality Cedar E2	E2	1200	2600	510	1200	PW - NZ : Timber
PQCE20	Paint Quality Cedar E20	E20	1200	2600	810	1200	PW - NZ : Timber
PQCE21	Paint Quality Cedar E21	E21	1960	2600	610	1200	PW - NZ : Timber
PQCE24	Paint Quality Cedar E24	E24	1900	2600	510	1200	PW - NZ : Timber
PQCE2L	Paint Quality Cedar Exterior 2 Lite	E2L	1200	2600	360	1200	PW - NZ : Timber
PQCE2NS	Paint Quality Cedar E2 No Stiles	E2NS	1200	2400	510	1200	PW - NZ : Timber
PQCE3	Paint Quality Cedar E3	E3	1600	2600	610	1200	PW - NZ : Timber
PQCE3L	Paint Quality Cedar Exterior 3 Lite	E3L	1600	2600	360	1200	PW - NZ : Timber
PQCE4	Paint Quality Cedar E4	E4	1600	2600	610	1200	PW - NZ : Timber
PQCE4G	Paint Quality Cedar E4G	E4G	1600	2600	610	1200	PW - NZ : Timber
PQCE4L	Paint Quality Cedar Exterior 4 Lite	E4L	1600	2600	360	1200	PW - NZ : Timber
PQCE4OT	Paint Quality Cedar E4 O/T	E4OT	1600	2600	610	1200	PW - NZ : Timber
PQCE4S	Paint Quality Cedar E4S	E4S	1600	2600	310	510	PW - NZ : Timber
PQCE5	Paint Quality Cedar E5	E5	1600	2600	610	1200	PW - NZ : Timber
PQCE6	Paint Quality Cedar E6	E6	1600	2600	610	1200	PW - NZ : Timber
PQCE7	Paint Quality Cedar E7	E7	1600	2600	610	1200	PW - NZ : Timber
PQCE8	Paint Quality Cedar E8	E8	1600	2600	610	1200	PW - NZ : Timber
PQCE8OT	Paint Quality Cedar E8 O/T	E8OT	1600	2600	610	1200	PW - NZ : Timber
PQCE8S	Paint Quality Cedar E8S	E8S	1600	2600	310	510	PW - NZ : Timber
PQCE9	Paint Quality Cedar E9	E9	1800	2600	610	1200	PW - NZ : Timber
PQCE9S	Paint Quality Cedar E9S	E9S	1800	2600	310	510	PW - NZ : Timber



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
PQCEAR41	Paint Quality Cedar EAR41 Exterior	EAR41	600	2600	310	1200	PW - NZ : Timber
PQCEAR41D	Paint Quality Cedar EAR41D Exterior	EAR41D	600	2600	510	1200	PW - NZ : Timber
PQCEAR41E	Paint Quality Cedar EAR41E Exterior	EAR41E	1600	2600	510	1200	PW - NZ : Timber
PQCEAR42	Paint Quality Cedar EAR42 Exterior	EAR42	600	2600	310	1200	PW - NZ : Timber
PQCEAR43	Paint Quality Cedar EAR43 Exterior	EAR43	1600	2600	310	1200	PW - NZ : Timber
PQCEAR43A	Paint Quality Cedar EAR43A Exterior	EAR43A	1600	2600	510	1200	PW - NZ : Timber
PQCEAR43B	Paint Quality Cedar EAR43B Exterior	EAR43B	1600	2600	510	1200	PW - NZ : Timber
PQCEAR43C	Paint Quality Cedar EAR43C Exterior	EAR43C	1600	2600	510	1200	PW - NZ : Timber
PQCEAR44	Paint Quality Cedar EAR44 Exterior	EAR44	1600	2600	310	1200	PW - NZ : Timber
PQCEAR61	Paint Quality Cedar EAR61 Exterior	EAR61	1600	2600	510	1200	PW - NZ : Timber
PQCEAR63	Paint Quality Cedar EAR63 Exterior	EAR63	1600	2600	510	1200	PW - NZ : Timber
PQCECO	Paint Quality Cedar Eco Shutter	ECO	300	2100	250	860	PW - NZ : Timber
PQCEF3	Paint Quality Cedar EF3	EF3	1200	2600	710	1200	PW - NZ : Timber
PQCEV2	Paint Quality Cedar EV2	EV2	1600	2600	710	1200	PW - NZ : Timber
PQCEV2OT	Paint Quality Cedar EV2 O/T	EV2OT	1600	2600	710	1200	PW - NZ : Timber
PQCEV4	Paint Quality Cedar EV4	EV4	1600	2600	710	1200	PW - NZ : Timber
PQCEV4OT	Paint Quality Cedar EV4 O/T	EV4OT	1600	2600	710	1200	PW - NZ : Timber
PQCF10	Paint Quality Cedar F10	F10	1600	2600	510	1200	PW - NZ : Timber
PQCF12	Paint Quality Cedar F12	F12	1600	2600	610	1200	PW - NZ : Timber
PQCF6	Paint Quality Cedar F6	F6	1600	2600	510	1200	PW - NZ : Timber
PQCF8	Paint Quality Cedar F8	F8	1600	2600	510	1200	PW - NZ : Timber
PQCF9	Paint Quality Cedar F9	F9	1600	2600	610	1200	PW - NZ : Timber
PQCFIG5	Paint Quality Cedar FIG 5	FIG5	1200	2600	510	1200	PW - NZ : Timber
PQCFIG5A	Paint Quality Cedar FIG 5A	FIG5A	1200	2600	510	1200	PW - NZ : Timber
PQCFP1	Paint Quality Cedar FP1	FP1	1600	2600	610	1200	PW - NZ : Timber
PQCFP12	Paint Quality Cedar FP12	FP12	1800	2600	760	1200	PW - NZ : Timber
PQCFP6	Paint Quality Cedar FP6	FP6	1800	2600	610	1200	PW - NZ : Timber
PQC11L	Paint Quality Cedar Interior 1 lite	I1L	600	2600	360	1600	PW - NZ : Timber
PQCLFCL	Paint Quality Cedar LF Closed Louvre	LFCL	500	2400	250	1200	PW - NZ : Timber
PQCLFOP	Paint Quality Cedar LF Open Louvre	LFOP	500	2400	250	1200	PW - NZ : Timber
PQCLPCL	Paint Quality Cedar LP Closed Louvre	LPCL	1200	2400	250	1200	PW - NZ : Timber
PQCLPOP	Paint Quality Cedar LP Open Louvre	LPOP	1200	2400	250	1200	PW - NZ : Timber
PQCMODEC	Paint Quality Cedar Mode Shutter - Closed	MODEC	300	2400	250	1200	PW - NZ : Timber
PQCMODEO	Paint Quality Cedar Mode Shutter - Open	MODEO	300	2400	250	1200	PW - NZ : Timber
PQCPIO4	Paint Quality Cedar Pioneer 4	PIO4	1600	2600	610	1200	PW - NZ : Timber
PQCPIO7	Paint Quality Cedar Pioneer 7	PIO7	1600	2400	460	1200	PW - NZ : Timber
PQCSA1	Paint Quality Cedar 1 Lite Sash	SA1	200	2600	200	1200	PW - NZ : Timber
PQCTRAD4	Paint Quality Cedar Traditional 4	TRAD4	1600	2600	510	1600	PW - NZ : Timber
PQPAR41	Paint Quality Pine AR41 Interior	AR41	600	2400	310	1400	PW - NZ : Timber

Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
PQPAR41D	Paint Quality Pine AR41D Interior	AR41D	600	2400	510	1400	PW - NZ : Timber
PQPAR41E	Paint Quality Pine AR41E Interior	AR41E	1600	2400	510	1400	PW - NZ : Timber
PQPAR42	Paint Quality Pine AR42 Interior	AR42	600	2400	310	1400	PW - NZ : Timber
PQPAR43	Paint Quality Pine AR43 Interior	AR43	1600	2400	310	1400	PW - NZ : Timber
PQPAR43A	Paint Quality Pine AR43A Interior	AR43A	1600	2400	510	1400	PW - NZ : Timber
PQPAR43B	Paint Quality Pine AR43B Interior	AR43B	1600	2400	510	1400	PW - NZ : Timber
PQPAR43C	Paint Quality Pine AR43C Interior	AR43C	1600	2400	510	1400	PW - NZ : Timber
PQPAR44	Paint Quality Pine AR44 Interior	AR44	1600	2400	310	1400	PW - NZ : Timber
PQPAR44V	Paint Quality Pine AR44 Exterior	AR44V	1600	2600	510	1200	PW - NZ : Timber
PQPAR45	Paint Quality Pine AR45 Interior	AR45	600	2400	1200	1900	PW - NZ : Timber
PQPAR45A	Paint Quality Pine AR45A Interior	AR45A	600	2400	1200	1900	PW - NZ : Timber
PQPAR45B	Paint Quality Pine AR45B Interior	AR45B	600	2400	1200	1900	PW - NZ : Timber
PQPAR45C	Paint Quality Pine AR45C Interior	AR45C	600	2400	1200	1900	PW - NZ : Timber
PQPAR45D	Paint Quality Pine AR45D Interior	AR45D	600	2400	1200	1900	PW - NZ : Timber
PQPAR45E	Paint Quality Pine AR45E Interior	AR45E	600	2400	1200	1900	PW - NZ : Timber
PQPAR46	Paint Quality Pine AR46 Interior	AR46	600	2400	1200	1900	PW - NZ : Timber
PQPAR47	Paint Quality Pine AR47 Interior	AR47	1600	2400	1200	1900	PW - NZ : Timber
PQPAR47A	Paint Quality Pine AR47A Interior	AR47A	1600	2400	1200	1900	PW - NZ : Timber
PQPAR47B	Paint Quality Pine AR47B Interior	AR47B	1600	2400	1200	1900	PW - NZ : Timber
PQPAR47C	Paint Quality Pine AR47C Interior	AR47C	1600	2400	1200	1900	PW - NZ : Timber
PQPAR47D	Paint Quality Pine AR47D Interior	AR47D	1600	2400	1200	1900	PW - NZ : Timber
PQPAR48	Paint Quality Pine AR48 Interior	AR48	1600	2400	1200	1900	PW - NZ : Timber
PQPAR61	Paint Quality Pine AR61 Interior	AR61	1600	2600	510	1200	PW - NZ : Timber
PQPAR62	Paint Quality Pine AR62 Interior	AR62	1600	2600	510	1200	PW - NZ : Timber
PQPAR63	Paint Quality Pine AR63 Interior	AR63	1600	2600	510	1200	PW - NZ : Timber
PQPBRACE	Paint Quality Pine Braced & Ledged	BRACE	1600	2600	510	1200	PW - NZ : Timber
PQPUN1	Paint Quality Pine Bungalow 1	BUN1	600	2600	310	1200	PW - NZ : Timber
PQPUN2	Paint Quality Pine Bungalow 2	BUN2	1600	2600	310	1200	PW - NZ : Timber
PQPUN3	Paint Quality Pine Bungalow 3	BUN3	1600	2600	410	1200	PW - NZ : Timber
PQPUN4	Paint Quality Pine Bungalow 4	BUN4	1600	2600	610	1200	PW - NZ : Timber
PQPE11	Paint Quality Pine E11	E11	1800	2600	760	1200	PW - NZ : Timber
PQPE12	Paint Quality Pine E12	E12	1600	2600	760	1200	PW - NZ : Timber
PQPE13	Paint Quality Pine E13	E13	1600	2600	810	860	PW - NZ : Timber
PQPE14	Paint Quality Pine E14	E14	1800	2600	810	860	PW - NZ : Timber
PQPE14S	Paint Quality Pine E14S	E14S	1800	2600	375	610	PW - NZ : Timber
PQPE16	Paint Quality Pine E16	E16	1900	2600	510	1200	PW - NZ : Timber
PQPE17	Paint Quality Pine E17	E17	1800	2600	610	1200	PW - NZ : Timber
PQPE18	Paint Quality Pine E18	E18	1200	2600	610	1200	PW - NZ : Timber
PQPE19	Paint Quality Pine E19	E19	1960	2600	510	1200	PW - NZ : Timber



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
PQPE1L	Paint Quality Pine Exterior 1 Lite	E1L	1200	2600	360	1200	PW - NZ : Timber
PQPE1WR	Paint Quality Pine E1 With Rails	E1WR	1200	2600	510	1200	PW - NZ : Timber
PQPE2	Paint Quality Pine E2	E2	1200	2600	510	1200	PW - NZ : Timber
PQPE20	Paint Quality Pine E20	E20	1200	2600	810	1200	PW - NZ : Timber
PQPE21	Paint Quality Pine E21	E21	1960	2600	610	1200	PW - NZ : Timber
PQPE24	Paint Quality Pine E24	E24	1900	2600	510	1200	PW - NZ : Timber
PQPE2L	Paint Quality Pine Exterior 2 Lite	E2L	1200	2600	360	1200	PW - NZ : Timber
PQPE2NS	Paint Quality Pine E2 No Stiles	E2NS	1200	2400	510	1200	PW - NZ : Timber
PQPE3	Paint Quality Pine E3	E3	1600	2600	610	1200	PW - NZ : Timber
PQPE3L	Paint Quality Pine Exterior 3 Lite	E3L	1600	2600	360	1200	PW - NZ : Timber
PQPE4	Paint Quality Pine E4	E4	1600	2600	610	1200	PW - NZ : Timber
PQPE4G	Paint Quality Pine E4G	E4G	1600	2600	610	1200	PW - NZ : Timber
PQPE4L	Paint Quality Pine Exterior 4 Lite	E4L	1600	2600	360	1200	PW - NZ : Timber
PQPE4OT	Paint Quality Pine E4 O/T	E4OT	1600	2600	610	1200	PW - NZ : Timber
PQPE4S	Paint Quality Pine E4S	E4S	1600	2600	310	510	PW - NZ : Timber
PQPE5	Paint Quality Pine E5	E5	1600	2600	610	1200	PW - NZ : Timber
PQPE6	Paint Quality Pine E6	E6	1600	2600	610	1200	PW - NZ : Timber
PQPE7	Paint Quality Pine E7	E7	1600	2600	610	1200	PW - NZ : Timber
PQPE8	Paint Quality Pine E8	E8	1600	2600	610	1200	PW - NZ : Timber
PQPE8OT	Paint Quality Pine E8 O/T	E8OT	1600	2600	610	1200	PW - NZ : Timber
PQPE8S	Paint Quality Pine E8S	E8S	1600	2600	310	510	PW - NZ : Timber
PQPE9	Paint Quality Pine E9	E9	1800	2600	610	1200	PW - NZ : Timber
PQPE9S	Paint Quality Pine E9S	E9S	1800	2600	310	510	PW - NZ : Timber
PQPEAR41	Paint Quality Pine EAR41 Exterior	EAR41	600	2400	310	1200	PW - NZ : Timber
PQPEAR41D	Paint Quality Pine EAR41D Exterior	EAR41D	600	2400	510	1200	PW - NZ : Timber
PQPEAR41E	Paint Quality Pine EAR41E Exterior	EAR41E	1600	2400	510	1200	PW - NZ : Timber
PQPEAR42	Paint Quality Pine EAR42 Exterior	EAR42	600	2400	310	1200	PW - NZ : Timber
PQPEAR43	Paint Quality Pine EAR43 Exterior	EAR43	1600	2400	310	1200	PW - NZ : Timber
PQPEAR43A	Paint Quality Pine EAR43A Exterior	EAR43A	1600	2400	510	1200	PW - NZ : Timber
PQPEAR43B	Paint Quality Pine EAR43B Exterior	EAR43B	1600	2400	510	1200	PW - NZ : Timber
PQPEAR43C	Paint Quality Pine EAR43C Exterior	EAR43C	1600	2400	510	1200	PW - NZ : Timber
PQPEAR44	Paint Quality Pine EAR44 Exterior	EAR44	1600	2400	310	1200	PW - NZ : Timber
PQPEAR61	Paint Quality Pine EAR61 Exterior	EAR61	1600	2400	510	1200	PW - NZ : Timber
PQPEAR63	Paint Quality Pine EAR63 Exterior	EAR63	1600	2400	510	1200	PW - NZ : Timber
PQPEF3	Paint Quality Pine EF3	EF3	1200	2600	710	1200	PW - NZ : Timber
PQPEV2	Paint Quality Pine EV2	EV2	1600	2600	710	1200	PW - NZ : Timber
PQPEV2OT	Paint Quality Pine EV2 O/T	EV2OT	1600	2600	710	1200	PW - NZ : Timber
PQPEV4	Paint Quality Pine EV4	EV4	1600	2600	710	1200	PW - NZ : Timber
PQPEV4OT	Paint Quality Pine EV4 O/T	EV4OT	1600	2600	710	1200	PW - NZ : Timber



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
PQPF10	Paint Quality Pine F10	F10	1600	2600	510	1200	PW - NZ : Timber
PQPF12	Paint Quality Pine F12	F12	1600	2600	610	1200	PW - NZ : Timber
PQPF6	Paint Quality Pine F6	F6	1600	2600	510	1200	PW - NZ : Timber
PQPF8	Paint Quality Pine F8	F8	1600	2600	510	1200	PW - NZ : Timber
PQPF9	Paint Quality Pine F9	F9	1600	2600	610	1200	PW - NZ : Timber
PQPFIG5	Paint Quality Pine FIG 5	FIG5	1200	2600	510	1200	PW - NZ : Timber
PQPFIG5A	Paint Quality Pine FIG 5A	FIG5A	1200	2600	510	1200	PW - NZ : Timber
PQFPF1	Paint Quality Pine FP1	FP1	1600	2600	610	1200	PW - NZ : Timber
PQFPF12	Paint Quality Pine FP12	FP12	1800	2600	760	1200	PW - NZ : Timber
PQFPF6	Paint Quality Pine FP6	FP6	1800	2600	610	1200	PW - NZ : Timber
PQFRAD	Paint Quality Pine - Exterior Double Frame	FRAD	600	2700	600	2480	PW - NZ : Timber
PQFRADDS	Paint Quality Pine - Exterior Double Frame with double sidelite	FRADDS	600	2700	1200	4000	PW - NZ : Timber
PQFRAS	Paint Quality Pine - Exterior Single Frame	FRAS	600	2700	300	1280	PW - NZ : Timber
PQFRASDS	Paint Quality Pine - Exterior Single Frame with double sidelite	FRASDS	600	2700	900	2800	PW - NZ : Timber
PQFRASLS	Paint Quality Pine - Exterior Single Frame with left sidelite	FRASLS	600	2700	600	2000	PW - NZ : Timber
PQFRASRS	Paint Quality Pine - Exterior Single Frame with right sidelite	FRASRS	600	2700	600	2000	PW - NZ : Timber
PQPI1L	Paint Quality Pine Interior 1 Lite	I1L	600	2600	360	1200	PW - NZ : Timber
PQPI2L	Paint Quality Pine Interior 2 Lite	I2L	1200	2600	360	1200	PW - NZ : Timber
PQPI3L	Paint Quality Pine Interior 3 Lite	I3L	1600	2600	360	1200	PW - NZ : Timber
PQPI4L	Paint Quality Pine Interior 4 Lite	I4L	1600	2600	360	1200	PW - NZ : Timber
PQPIF10	Paint Quality Pine IF10	IF10	1600	2600	510	1200	PW - NZ : Timber
PQPIF12	Paint Quality Pine IF12	IF12	1600	2600	610	1200	PW - NZ : Timber
PQPIF3	Paint Quality Pine IF3	IF3	1200	2600	710	1200	PW - NZ : Timber
PQPIF6	Paint Quality Pine IF6	IF6	1600	2600	510	1200	PW - NZ : Timber
PQPIF8	Paint Quality Pine IF8	IF8	1600	2600	510	1200	PW - NZ : Timber
PQPIF9	Paint Quality Pine IF9	IF9	1200	2600	610	1200	PW - NZ : Timber
PQPIP1	Paint Quality Pine IP1	IP1	1600	2600	610	1200	PW - NZ : Timber
PQPIP12	Paint Quality Pine IP12	IP12	1600	2600	760	1200	PW - NZ : Timber
PQPIP6	Paint Quality Pine IP6	IP6	1600	2600	610	1200	PW - NZ : Timber
PQPLFCL	Paint Quality Pine LF Closed Louvre	LFCL	500	2400	250	1200	PW - NZ : Timber
PQPLFOP	Paint Quality Pine LF Open Louvre	LFOP	500	2400	250	1200	PW - NZ : Timber
PQPLPCL	Paint Quality Pine LP Closed Louvre	LPCL	1200	2400	250	1200	PW - NZ : Timber
PQPLPOP	Paint Quality Pine LP Open Louvre	LPOP	1200	2400	250	1200	PW - NZ : Timber
PQPIO2	Paint Quality Pine Pioneer 2	PIO2	1600	2600	460	1200	PW - NZ : Timber
PQPIO2OT	Paint Quality Pine Pioneer 2 O/T	PIO2OT	1600	2600	460	1200	PW - NZ : Timber
PQPIO4	Paint Quality Pine Pioneer 4	PIO4	1600	2600	610	1200	PW - NZ : Timber
PQPIO4OT	Paint Quality Pine Pioneer 4 O/T	PIO4OT	1600	2600	610	1200	PW - NZ : Timber
PQPIO61	Paint Quality Pine Pioneer 61	PIO61	1600	2600	510	1000	PW - NZ : Timber
PQPIO7	Paint Quality Pine Pioneer 7	PIO7	1600	2400	460	1200	PW - NZ : Timber



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
PQPROS	Paint Quality Pine Roseville	ROS	1600	2600	610	1200	PW - NZ : Timber
PQPSA1	Paint Quality Pine 1 Lite Sash	SA1	200	2600	200	1200	PW - NZ : Timber
PQPSHA41	Paint Quality Pine Shaker 41	SHA41	600	2400	310	1400	PW - NZ : Timber
PQPSHA43	Paint Quality Pine Shaker 43	SHA43	1600	2400	310	1400	PW - NZ : Timber
PQPSHA44	Paint Quality Pine Shaker 44	SHA44	1600	2400	310	1400	PW - NZ : Timber
PQPTRAD1	Paint Quality Pine Traditional 1	TRAD1	600	2600	310	1200	PW - NZ : Timber
PQPTRAD2	Paint Quality Pine Traditional 2	TRAD2	1600	2600	310	1200	PW - NZ : Timber
PQPTRAD2OT	Paint Quality Pine Traditional 2 O/T	TRAD2OT	1600	2600	310	1200	PW - NZ : Timber
PQPTRAD4	Paint Quality Pine Traditional 4	TRAD4	1600	2600	510	1200	PW - NZ : Timber
PQPTRAD4OT	Paint Quality Pine Traditional 4 O/T	TRAD4OT	1600	2600	510	1200	PW - NZ : Timber
PQPTRAD61	Paint Quality Pine Traditional 61	TRAD61	1600	2600	510	1200	PW - NZ : Timber
PQPTRAD7	Paint Quality Pine Traditional 7	TRAD7	1600	2600	510	1200	PW - NZ : Timber
PQPVIC1	Paint Quality Pine Victorian 1	VIC1	600	2600	410	1200	PW - NZ : Timber
PQPVIC2	Paint Quality Pine Victorian 2	VIC2	1600	2600	410	1200	PW - NZ : Timber
PQPVIC2OT	Paint Quality Pine Victorian 2 O/T	VIC2OT	1600	2600	410	1200	PW - NZ : Timber
PQPVIC4	Paint Quality Pine Victorian 4	VIC4	1600	2600	710	1200	PW - NZ : Timber
PQPVIC4OT	Paint Quality Pine Victorian 4 O/T	VIC4OT	1600	2600	710	1200	PW - NZ : Timber
PQPVIL1	Paint Quality Pine Villa 1	VIL1	600	2600	410	1200	PW - NZ : Timber
PQPVIL2	Paint Quality Pine Villa 2	VIL2	1600	2600	410	1200	PW - NZ : Timber
PQPVIL2OT	Paint Quality Pine Villa 2 O/T	VIL2OT	1600	2600	410	1200	PW - NZ : Timber
PQPVIL4	Paint Quality Pine Villa 4	VIL4	1600	2600	610	1200	PW - NZ : Timber
PQPVIL4OT	Paint Quality Pine Villa 4 O/T	VIL4OT	1600	2600	610	1200	PW - NZ : Timber
PQVAR10V	Paint Quality Vulcan AR10 TGV	AR10V	1900	2600	510	1200	PW - NZ : Timber
PQVAR11V	Paint Quality Vulcan AR11 TGV	AR11V	1900	2600	610	1200	PW - NZ : Timber
PQVAR12V	Paint Quality Vulcan AR12 TGV	AR12V	1900	2600	510	1200	PW - NZ : Timber
PQVAR13V	Paint Quality Vulcan AR13 TGV	AR13V	1900	2600	610	1200	PW - NZ : Timber
PQVAR14V	Paint Quality Vulcan AR14 TGV	AR14V	1900	2600	510	1200	PW - NZ : Timber
PQVAR41	Paint Quality Vulcan AR41 Interior	AR41	600	2600	310	1400	PW - NZ : Timber
PQVAR41D	Paint Quality Vulcan AR41D Interior	AR41D	600	2600	510	1400	PW - NZ : Timber
PQVAR41E	Paint Quality Vulcan AR41E Interior	AR41E	1600	2600	510	1400	PW - NZ : Timber
PQVAR42	Paint Quality Vulcan AR42 Interior	AR42	600	2600	310	1400	PW - NZ : Timber
PQVAR43	Paint Quality Vulcan AR43 Interior	AR43	1600	2600	310	1400	PW - NZ : Timber
PQVAR43A	Paint Quality Vulcan AR43A Interior	AR43A	1600	2600	510	1400	PW - NZ : Timber
PQVAR43B	Paint Quality Vulcan AR43B Interior	AR43B	1600	2600	510	1400	PW - NZ : Timber
PQVAR43C	Paint Quality Vulcan AR43C Interior	AR43C	1600	2600	510	1400	PW - NZ : Timber
PQVAR44	Paint Quality Vulcan AR44 Interior	AR44	1600	2600	310	1400	PW - NZ : Timber
PQVAR44V	Paint Quality Vulcan AR44 Exterior	AR44V	1600	2600	510	1200	PW - NZ : Timber
PQVAR45	Paint Quality Vulcan AR45 Interior	AR45	600	2600	1200	1900	PW - NZ : Timber
PQVAR45A	Paint Quality Vulcan AR45A Interior	AR45A	600	2600	1200	1900	PW - NZ : Timber

Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
PQVAR45B	Paint Quality Vulcan AR45B Interior	AR45B	600	2600	1200	1900	PW - NZ : Timber
PQVAR45C	Paint Quality Vulcan AR45C Interior	AR45C	600	2600	1200	1900	PW - NZ : Timber
PQVAR45D	Paint Quality Vulcan AR45D Interior	AR45D	600	2600	1200	1900	PW - NZ : Timber
PQVAR45E	Paint Quality Vulcan AR45E Interior	AR45E	600	2600	1200	1900	PW - NZ : Timber
PQVAR46	Paint Quality Vulcan AR46 Interior	AR46	600	2600	1200	1900	PW - NZ : Timber
PQVAR47	Paint Quality Vulcan AR47 Interior	AR47	1600	2600	1200	1900	PW - NZ : Timber
PQVAR47A	Paint Quality Vulcan AR47A Interior	AR47A	1600	2600	1200	1900	PW - NZ : Timber
PQVAR47B	Paint Quality Vulcan AR47B Interior	AR47B	1600	2600	1200	1900	PW - NZ : Timber
PQVAR47C	Paint Quality Vulcan AR47C Interior	AR47C	1600	2600	1200	1900	PW - NZ : Timber
PQVAR47D	Paint Quality Vulcan AR47D Interior	AR47D	1600	2600	1200	1900	PW - NZ : Timber
PQVAR48	Paint Quality Vulcan AR48 Interior	AR48	1600	2600	1200	1900	PW - NZ : Timber
PQVAR61	Paint Quality Vulcan AR61 Interior	AR61	1600	2600	510	1600	PW - NZ : Timber
PQVAR62	Paint Quality Vulcan AR62 Interior	AR62	1600	2600	510	1200	PW - NZ : Timber
PQVAR63	Paint Quality Vulcan AR63 Interior	AR63	1600	2600	510	1200	PW - NZ : Timber
PQVBRACE	Paint Quality Vulcan Braced & Ledged	BRACE	1600	2600	510	1200	PW - NZ : Timber
PQVBUN1	Paint Quality Vulcan Bungalow 1	BUN1	600	2600	310	1200	PW - NZ : Timber
PQVBUN2	Paint Quality Vulcan Bungalow 2	BUN2	1600	2600	310	1200	PW - NZ : Timber
PQVBUN3	Paint Quality Vulcan Bungalow 3	BUN3	1600	2600	410	1600	PW - NZ : Timber
PQVBUN4	Paint Quality Vulcan Bungalow 4	BUN4	1600	2600	610	1600	PW - NZ : Timber
PQVE1	Paint Quality Vulcan E1	E1	1200	2600	330	1200	PW - NZ : Timber
PQVE11	Paint Quality Vulcan E11	E11	1800	2600	760	1200	PW - NZ : Timber
PQVE12	Paint Quality Vulcan E12	E12	1600	2600	760	1200	PW - NZ : Timber
PQVE13	Paint Quality Vulcan E13	E13	1600	2600	810	860	PW - NZ : Timber
PQVE14	Paint Quality Vulcan E14	E14	1800	2600	810	860	PW - NZ : Timber
PQVE14S	Paint Quality Vulcan E14S	E14S	1800	2600	375	610	PW - NZ : Timber
PQVE152	Paint Quality Vulcan E1 52mm thick	E152	1200	2600	330	1200	PW - NZ : Timber
PQVE16	Paint Quality Vulcan E16	E16	1900	2600	510	1200	PW - NZ : Timber
PQVE17	Paint Quality Vulcan E17	E17	1800	2600	610	1200	PW - NZ : Timber
PQVE18	Paint Quality Vulcan E18	E18	1200	2600	610	1200	PW - NZ : Timber
PQVE19	Paint Quality Vulcan E19	E19	1960	2600	510	1200	PW - NZ : Timber
PQVE1L	Paint Quality Vulcan Exterior 1 Lite	E1L	1200	2600	360	1200	PW - NZ : Timber
PQVE1WR	Paint Quality Vulcan E1 W/R	E1WR	1200	2600	510	1200	PW - NZ : Timber
PQVE2	Paint Quality Vulcan E2	E2	1200	2600	510	1200	PW - NZ : Timber
PQVE20	Paint Quality Vulcan E20	E20	1200	2600	810	1200	PW - NZ : Timber
PQVE21	Paint Quality Vulcan E21	E21	1960	2600	610	1200	PW - NZ : Timber
PQVE24	Paint Quality Vulcan E24	E24	1900	2600	510	1200	PW - NZ : Timber
PQVE2L	Paint Quality Vulcan Exterior 2 Lite	E2L	1200	2600	360	1200	PW - NZ : Timber
PQVE2NS	Paint Quality Vulcan E2 N/S	E2NS	1200	2400	510	1200	PW - NZ : Timber
PQVE3	Paint Quality Vulcan E3	E3	1600	2600	610	1200	PW - NZ : Timber



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
PQVE3L	Paint Quality Vulcan Exterior 3 Lite	E3L	1600	2600	360	1200	PW - NZ : Timber
PQVE4	Paint Quality Vulcan E4	E4	1600	2600	610	1200	PW - NZ : Timber
PQVE4G	Paint Quality Vulcan E4G	E4G	1600	2600	610	1200	PW - NZ : Timber
PQVE4L	Paint Quality Vulcan Exterior 4 Lite	E4L	1600	2600	360	1200	PW - NZ : Timber
PQVE4OT	Paint Quality Vulcan E4 O/T	E4OT	1600	2600	610	1200	PW - NZ : Timber
PQVE4S	Paint Quality Vulcan E4S	E4S	1600	2600	310	510	PW - NZ : Timber
PQVE5	Paint Quality Vulcan E5	E5	1600	2600	610	1200	PW - NZ : Timber
PQVE6	Paint Quality Vulcan E6	E6	1600	2600	610	1200	PW - NZ : Timber
PQVE7	Paint Quality Vulcan E7	E7	1600	2600	610	1200	PW - NZ : Timber
PQVE8	Paint Quality Vulcan E8	E8	1600	2600	610	1200	PW - NZ : Timber
PQVE8OT	Paint Quality Vulcan E8 O/T	E8OT	1600	2600	610	1200	PW - NZ : Timber
PQVE8S	Paint Quality Vulcan E8S	E8S	1600	2600	310	510	PW - NZ : Timber
PQVE9	Paint Quality Vulcan E9	E9	1800	2600	610	1200	PW - NZ : Timber
PQVE9S	Paint Quality Vulcan E9S	E9S	1800	2600	310	510	PW - NZ : Timber
PQVEAR41	Paint Quality Vulcan EAR41 Exterior	EAR41	600	2600	310	1200	PW - NZ : Timber
PQVEAR41D	Paint Quality Vulcan EAR41D Exterior	EAR41D	600	2600	510	1200	PW - NZ : Timber
PQVEAR41E	Paint Quality Vulcan EAR41E Exterior	EAR41E	1600	2600	510	1200	PW - NZ : Timber
PQVEAR42	Paint Quality Vulcan EAR42 Exterior	EAR42	600	2600	310	1200	PW - NZ : Timber
PQVEAR43	Paint Quality Vulcan EAR43 Exterior	EAR43	1600	2600	310	1200	PW - NZ : Timber
PQVEAR43A	Paint Quality Vulcan EAR43A Exterior	EAR43A	1600	2600	510	1200	PW - NZ : Timber
PQVEAR43B	Paint Quality Vulcan EAR43B Exterior	EAR43B	1600	2600	510	1200	PW - NZ : Timber
PQVEAR43C	Paint Quality Vulcan EAR43C Exterior	EAR43C	1600	2600	510	1200	PW - NZ : Timber
PQVEAR44	Paint Quality Vulcan EAR44 Exterior	EAR44	1600	2600	310	1200	PW - NZ : Timber
PQVEAR61	Paint Quality Vulcan EAR61 Exterior	EAR61	1600	2600	510	1200	PW - NZ : Timber
PQVEAR63	Paint Quality Vulcan EAR63 Exterior	EAR63	1600	2600	510	1200	PW - NZ : Timber
PQVEF3	Paint Quality Vulcan EF3	EF3	1200	2600	710	1200	PW - NZ : Timber
PQVEV2	Paint Quality Vulcan EV2	EV2	1600	2600	710	1200	PW - NZ : Timber
PQVEV2OT	Paint Quality Vulcan EV2 O/T	EV2OT	1600	2600	710	1200	PW - NZ : Timber
PQVEV4	Paint Quality Vulcan EV4	EV4	1600	2600	710	1200	PW - NZ : Timber
PQVEV4OT	Paint Quality Vulcan EV4 O/T	EV4OT	1600	2600	710	1200	PW - NZ : Timber
PQVF10	Paint Quality Vulcan F10	F10	1600	2600	510	1200	PW - NZ : Timber
PQVF12	Paint Quality Vulcan F12	F12	1600	2600	610	1200	PW - NZ : Timber
PQVF6	Paint Quality Vulcan F6	F6	1600	2600	510	1200	PW - NZ : Timber
PQVF8	Paint Quality Vulcan F8	F8	1600	2600	510	1200	PW - NZ : Timber
PQVF9	Paint Quality Vulcan F9	F9	1600	2600	610	1200	PW - NZ : Timber
PQVFIG5	Paint Quality Vulcan FIG 5	FIG5	1200	2600	510	1200	PW - NZ : Timber
PQVFIG5A	Paint Quality Vulcan FIG 5A	FIG5A	1200	2600	510	1200	PW - NZ : Timber
PQVFP1	Paint Quality Vulcan FP1	FP1	1600	2600	610	1200	PW - NZ : Timber
PQVFP12	Paint Quality Vulcan FP12	FP12	1800	2600	760	1200	PW - NZ : Timber

Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
PQVFP6	Paint Quality Vulcan FP6	FP6	1800	2600	610	1200	PW - NZ : Timber
PQVFRAD	Paint Quality Vulcan - Exterior Double Frame	FRAD	600	2700	600	2480	PW - NZ : Timber
PQVFRADDS	Paint Quality Vulcan - Exterior Double Frame with double sidelite	FRADDS	600	2700	1200	4000	PW - NZ : Timber
PQVFRAS	Paint Quality Vulcan - Exterior Single Frame	FRAS	600	2700	300	1280	PW - NZ : Timber
PQVFRASDS	Paint Quality Vulcan - Exterior Single Frame with double sidelite	FRASDS	600	2700	900	2800	PW - NZ : Timber
PQVFRASLS	Paint Quality Vulcan - Exterior Single Frame with left sidelite	FRASLS	600	2700	600	2000	PW - NZ : Timber
PQVFRASRS	Paint Quality Vulcan - Exterior Single Frame with right sidelite	FRASRS	600	2700	600	2000	PW - NZ : Timber
PQVI1L	Paint Quality Vulcan Interior 1 Lite	I1L	600	2600	360	1600	PW - NZ : Timber
PQVI2L	Paint Quality Vulcan Interior 2 Lite	I2L	1200	2600	360	1600	PW - NZ : Timber
PQVI3L	Paint Quality Vulcan Interior 3 Lite	I3L	1600	2600	360	1600	PW - NZ : Timber
PQVI4L	Paint Quality Vulcan Interior 4 Lite	I4L	1600	2600	360	1600	PW - NZ : Timber
PQVIF10	Paint Quality Vulcan IF10	IF10	1600	2600	510	1200	PW - NZ : Timber
PQVIF12	Paint Quality Vulcan IF12	IF12	1600	2600	610	1200	PW - NZ : Timber
PQVIF3	Paint Quality Vulcan IF3	IF3	1200	2600	710	1600	PW - NZ : Timber
PQVIF6	Paint Quality Vulcan IF6	IF6	1600	2600	510	1200	PW - NZ : Timber
PQVIF8	Paint Quality Vulcan IF8	IF8	1600	2600	510	1200	PW - NZ : Timber
PQVIF9	Paint Quality Vulcan IF9	IF9	1200	2600	610	1200	PW - NZ : Timber
PQVIP1	Paint Quality Vulcan IP1	IP1	1600	2600	610	1200	PW - NZ : Timber
PQVIP12	Paint Quality Vulcan IP12	IP12	1600	2600	760	1200	PW - NZ : Timber
PQVIP6	Paint Quality Vulcan IP6	IP6	1600	2600	610	1200	PW - NZ : Timber
PQVPIO2	Paint Quality Vulcan Pioneer 2	PIO2	1600	2600	460	1200	PW - NZ : Timber
PQVPIO2OT	Paint Quality Vulcan Pioneer 2 O/T	PIO2OT	1600	2600	460	1200	PW - NZ : Timber
PQVPIO4	Paint Quality Vulcan Pioneer 4	PIO4	1600	2600	610	1200	PW - NZ : Timber
PQVPIO4OT	Paint Quality Vulcan Pioneer 4 O/T	PIO4OT	1600	2600	610	1200	PW - NZ : Timber
PQVPIO61	Paint Quality Vulcan Pioneer 61	PIO61	1600	2600	510	1000	PW - NZ : Timber
PQVPIO7	Paint Quality Vulcan Pioneer 7	PIO7	1600	2400	460	1200	PW - NZ : Timber
PQVROS	Paint Quality Vulcan Roseville	ROS	1600	2600	610	1200	PW - NZ : Timber
PQVSA1	Paint Quality Vulcan 1 Lite Sash	SA1	200	2600	200	1200	PW - NZ : Timber
PQVSHA41	Paint Quality Vulcan Shaker 41	SHA41	600	2600	310	1400	PW - NZ : Timber
PQVSHA43	Paint Quality Vulcan Shaker 43	SHA43	1600	2600	310	1400	PW - NZ : Timber
PQVSHA44	Paint Quality Vulcan Shaker 44	SHA44	1600	2600	310	1400	PW - NZ : Timber
PQVTRAD1	Paint Quality Vulcan Traditional 1	TRAD1	600	2600	310	1200	PW - NZ : Timber
PQVTRAD2	Paint Quality Vulcan Traditional 2	TRAD2	1600	2600	310	1200	PW - NZ : Timber
PQVTRAD2OT	Paint Quality Vulcan Traditional 2 O/T	TRAD2OT	1600	2600	310	1200	PW - NZ : Timber
PQVTRAD4	Paint Quality Vulcan Traditional 4	TRAD4	1600	2600	510	1600	PW - NZ : Timber
PQVTRAD4OT	Paint Quality Vulcan Traditional 4 O/T	TRAD4OT	1600	2600	510	1600	PW - NZ : Timber
PQVTRAD61	Paint Quality Vulcan Traditional 61	TRAD61	1600	2600	510	1300	PW - NZ : Timber
PQVTRAD7	Paint Quality Vulcan Traditional 7	TRAD7	1600	2600	510	1300	PW - NZ : Timber
PQVVIC1	Paint Quality Vulcan Victorian 1	VIC1	600	2600	410	1200	PW - NZ : Timber

Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
PQVVIC2	Paint Quality Vulcan Victorian 2	VIC2	1600	2600	410	1200	PW - NZ : Timber
PQVVIC2OT	Paint Quality Vulcan Victorian 2 O/T	VIC2OT	1600	2600	410	1200	PW - NZ : Timber
PQVVIC4	Paint Quality Vulcan Victorian 4	VIC4	1600	2600	710	1200	PW - NZ : Timber
PQVVIC4OT	Paint Quality Vulcan Victorian 4 O/T	VIC4OT	1600	2600	710	1200	PW - NZ : Timber
PQVVIL1	Paint Quality Vulcan Villa 1	VIL1	600	2600	410	1200	PW - NZ : Timber
PQVVIL2	Paint Quality Vulcan Villa 2	VIL2	1600	2600	410	1200	PW - NZ : Timber
PQVVIL2OT	Paint Quality Vulcan Villa 2 O/T	VIL2OT	1600	2600	410	1200	PW - NZ : Timber
PQVVIL4	Paint Quality Vulcan Villa 4	VIL4	1600	2600	610	1600	PW - NZ : Timber
PQVVIL4OT	Paint Quality Vulcan Villa 4 O/T	VIL4OT	1600	2600	610	1600	PW - NZ : Timber
ROAR41	Rosewood AR41 Interior	AR41	600	2600	310	1400	PW - NZ : Timber
ROAR41D	Rosewood AR41D Interior	AR41D	600	2600	510	1400	PW - NZ : Timber
ROAR41E	Rosewood AR41E Interior	AR41E	1600	2600	510	1400	PW - NZ : Timber
ROAR42	Rosewood AR42 Interior	AR42	600	2600	310	1400	PW - NZ : Timber
ROAR43	Rosewood AR43 Interior	AR43	1600	2600	310	1400	PW - NZ : Timber
ROAR43A	Rosewood AR43A Interior	AR43A	1600	2600	510	1400	PW - NZ : Timber
ROAR43B	Rosewood AR43B Interior	AR43B	1600	2600	510	1400	PW - NZ : Timber
ROAR43C	Rosewood AR43C Interior	AR43C	1600	2600	510	1400	PW - NZ : Timber
ROAR44	Rosewood AR44 Interior	AR44	1600	2600	310	1400	PW - NZ : Timber
ROAR44V	Rosewood AR44 Exterior	AR44V	1600	2600	510	1200	PW - NZ : Timber
ROAR45	Rosewood AR45 Interior	AR45	600	2600	1200	1900	PW - NZ : Timber
ROAR45A	Rosewood AR45A Interior	AR45A	600	2600	1200	1900	PW - NZ : Timber
ROAR45B	Rosewood AR45B Interior	AR45B	600	2600	1200	1900	PW - NZ : Timber
ROAR45C	Rosewood AR45C Interior	AR45C	600	2600	1200	1900	PW - NZ : Timber
ROAR45D	Rosewood AR45D Interior	AR45D	600	2600	1200	1900	PW - NZ : Timber
ROAR45E	Rosewood AR45E Interior	AR45E	600	2600	1200	1900	PW - NZ : Timber
ROAR46	Rosewood AR46 Interior	AR46	600	2600	1200	1900	PW - NZ : Timber
ROAR47	Rosewood AR47 Interior	AR47	1600	2600	1200	1900	PW - NZ : Timber
ROAR47A	Rosewood AR47A Interior	AR47A	1600	2600	1200	1900	PW - NZ : Timber
ROAR47B	Rosewood AR47B Interior	AR47B	1600	2600	1200	1900	PW - NZ : Timber
ROAR47C	Rosewood AR47C Interior	AR47C	1600	2600	1200	1900	PW - NZ : Timber
ROAR47D	Rosewood AR47D Interior	AR47D	1600	2600	1200	1900	PW - NZ : Timber
ROAR48	Rosewood AR48 Interior	AR48	1600	2600	1200	1900	PW - NZ : Timber
ROAR61	Rosewood AR61 Interior	AR61	1600	2600	510	1200	PW - NZ : Timber
ROAR62	Rosewood AR62 Interior	AR62	1600	2600	510	1200	PW - NZ : Timber
ROAR63	Rosewood AR63 Interior	AR63	1600	2600	510	1200	PW - NZ : Timber
ROBRACE	Rosewood Braced & Ledged	BRACE	1600	2600	510	1200	PW - NZ : Timber
ROBUN1	Rosewood Bungalow 1	BUN1	600	2600	310	1200	PW - NZ : Timber
ROBUN2	Rosewood Bungalow 2	BUN2	1600	2600	310	1200	PW - NZ : Timber
ROBUN3	Rosewood Bungalow 3	BUN3	1600	2600	410	1200	PW - NZ : Timber



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
ROBUN4	Rosewood Bungalow 4	BUN4	1600	2600	610	1200	PW - NZ : Timber
ROE11	Rosewood E11	E11	1800	2600	760	1200	PW - NZ : Timber
ROE12	Rosewood E12	E12	1600	2600	760	1200	PW - NZ : Timber
ROE13	Rosewood E13	E13	1600	2600	810	860	PW - NZ : Timber
ROE14	Rosewood E14	E14	1800	2600	810	860	PW - NZ : Timber
ROE14S	Rosewood E14S	E14S	1800	2600	375	610	PW - NZ : Timber
ROE16	Rosewood E16	E16	1900	2600	510	1200	PW - NZ : Timber
ROE17	Rosewood E17	E17	1800	2600	610	1200	PW - NZ : Timber
ROE18	Rosewood E18	E18	1200	2600	610	1200	PW - NZ : Timber
ROE19	Rosewood E19	E19	1960	2600	510	1200	PW - NZ : Timber
ROE1L	Rosewood Exterior 1 Lite	E1L	1200	2600	360	1200	PW - NZ : Timber
ROE1WR	Rosewood E1 With Rails	E1WR	1200	2600	510	1200	PW - NZ : Timber
ROE2	Rosewood E2	E2	1200	2600	510	1200	PW - NZ : Timber
ROE20	Rosewood E20	E20	1200	2600	810	1200	PW - NZ : Timber
ROE21	Rosewood E21	E21	1960	2600	610	1200	PW - NZ : Timber
ROE24	Rosewood E24	E24	1900	2600	510	1200	PW - NZ : Timber
ROE2L	Rosewood Exterior 2 Lite	E2L	1200	2600	360	1200	PW - NZ : Timber
ROE2NS	Rosewood E2 No Stiles	E2NS	1200	2400	510	1200	PW - NZ : Timber
ROE3	Rosewood E3	E3	1600	2600	610	1200	PW - NZ : Timber
ROE3L	Rosewood Exterior 3 Lite	E3L	1600	2600	360	1200	PW - NZ : Timber
ROE4	Rosewood E4	E4	1600	2600	610	1200	PW - NZ : Timber
ROE4G	Rosewood E4G	E4G	1600	2600	610	1200	PW - NZ : Timber
ROE4L	Rosewood Exterior 4 Lite	E4L	1600	2600	360	1200	PW - NZ : Timber
ROE4OT	Rosewood E4 O/T	E4OT	1600	2600	610	1200	PW - NZ : Timber
ROE4S	Rosewood E4S	E4S	1600	2600	310	510	PW - NZ : Timber
ROE5	Rosewood E5	E5	1600	2600	610	1200	PW - NZ : Timber
ROE6	Rosewood E6	E6	1600	2600	610	1200	PW - NZ : Timber
ROE7	Rosewood E7	E7	1600	2600	610	1200	PW - NZ : Timber
ROE8	Rosewood E8	E8	1600	2600	610	1200	PW - NZ : Timber
ROE8OT	Rosewood E8 O/T	E8OT	1600	2600	610	1200	PW - NZ : Timber
ROE8S	Rosewood E8S	E8S	1600	2600	310	510	PW - NZ : Timber
ROE9	Rosewood E9	E9	1800	2600	610	1200	PW - NZ : Timber
ROE9S	Rosewood E9S	E9S	1800	2600	310	510	PW - NZ : Timber
ROEAR41	Rosewood EAR41 Exterior	EAR41	600	2600	310	1200	PW - NZ : Timber
ROEAR41D	Rosewood EAR41D Exterior	EAR41D	600	2600	510	1200	PW - NZ : Timber
ROEAR41E	Rosewood EAR41E Exterior	EAR41E	1600	2600	510	1200	PW - NZ : Timber
ROEAR42	Rosewood EAR42 Exterior	EAR42	600	2600	310	1200	PW - NZ : Timber
ROEAR43	Rosewood EAR43 Exterior	EAR43	1600	2600	310	1200	PW - NZ : Timber
ROEAR43A	Rosewood EAR43A Exterior	EAR43A	1600	2600	510	1200	PW - NZ : Timber



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
ROEAR43B	Rosewood EAR43B Exterior	EAR43B	1600	2600	510	1200	PW - NZ : Timber
ROEAR43C	Rosewood EAR43C Exterior	EAR43C	1600	2600	510	1200	PW - NZ : Timber
ROEAR44	Rosewood EAR44 Exterior	EAR44	1600	2600	310	1200	PW - NZ : Timber
ROEAR61	Rosewood EAR61 Exterior	EAR61	1600	2600	510	1200	PW - NZ : Timber
ROEAR63	Rosewood EAR63 Exterior	EAR63	1600	2600	510	1200	PW - NZ : Timber
ROEF3	Rosewood EF3	EF3	1200	2600	710	1200	PW - NZ : Timber
ROF10	Rosewood F10	F10	1600	2600	510	1200	PW - NZ : Timber
ROF12	Rosewood F12	F12	1600	2600	610	1200	PW - NZ : Timber
ROF6	Rosewood F6	F6	1600	2600	510	1200	PW - NZ : Timber
ROF8	Rosewood F8	F8	1600	2600	510	1200	PW - NZ : Timber
ROF9	Rosewood F9	F9	1600	2600	610	1200	PW - NZ : Timber
ROFIG5	Rosewood FIG 5	FIG5	1200	2600	510	1200	PW - NZ : Timber
ROFIG5A	Rosewood FIG 5A	FIG5A	1200	2600	510	1200	PW - NZ : Timber
ROFP1	Rosewood FP1	FP1	1600	2600	610	1200	PW - NZ : Timber
ROFP12	Rosewood FP12	FP12	1800	2600	760	1200	PW - NZ : Timber
ROFP6	Rosewood FP6	FP6	1800	2600	610	1200	PW - NZ : Timber
ROFRAD	Rosewood - Exterior Double Frame	FRAD	600	2700	600	2480	PW - NZ : Timber
ROFRADDS	Rosewood - Exterior Double Frame with double sidelite	FRADDS	600	2700	1200	4000	PW - NZ : Timber
ROFRAS	Rosewood - Exterior Single Frame	FRAS	600	2700	300	1280	PW - NZ : Timber
ROFRASDS	Rosewood - Exterior Single Frame with double sidelite	FRASDS	600	2700	900	2800	PW - NZ : Timber
ROFRASLS	Rosewood - Exterior Single Frame with left sidelite	FRASLS	600	2700	600	2000	PW - NZ : Timber
ROFRASRS	Rosewood - Exterior Single Frame with right sidelite	FRASRS	600	2700	600	2000	PW - NZ : Timber
ROI1L	Rosewood Interior 1 Lite	I1L	600	2600	360	1200	PW - NZ : Timber
ROI2L	Rosewood Interior 2 Lite	I2L	1200	2600	360	1200	PW - NZ : Timber
ROI3L	Rosewood Interior 3 Lite	I3L	1600	2600	360	1200	PW - NZ : Timber
ROI4L	Rosewood Interior 4 Lite	I4L	1600	2600	360	1200	PW - NZ : Timber
ROIF10	Rosewood IF10	IF10	1600	2600	510	1200	PW - NZ : Timber
ROIF12	Rosewood IF12	IF12	1600	2600	610	1200	PW - NZ : Timber
ROIF3	Rosewood IF3	IF3	1200	2600	710	1200	PW - NZ : Timber
ROIF6	Rosewood IF6	IF6	1600	2600	510	1200	PW - NZ : Timber
ROIF8	Rosewood IF8	IF8	1600	2600	510	1200	PW - NZ : Timber
ROIF9	Rosewood IF9	IF9	1200	2600	610	1200	PW - NZ : Timber
ROIP1	Rosewood IP1	IP1	1600	2600	610	1200	PW - NZ : Timber
ROIP12	Rosewood IP12	IP12	1600	2600	760	1200	PW - NZ : Timber
ROIP6	Rosewood IP6	IP6	1600	2600	610	1200	PW - NZ : Timber
ROPIO2	Rosewood Pioneer 2	PIO2	1600	2600	460	1200	PW - NZ : Timber
ROPIO2OT	Rosewood Pioneer 2 O/T	PIO2OT	1600	2600	460	1200	PW - NZ : Timber
ROPIO4	Rosewood Pioneer 4	PIO4	1600	2600	610	1200	PW - NZ : Timber
ROPIO4OT	Rosewood Pioneer 4 O/T	PIO4OT	1600	2600	610	1200	PW - NZ : Timber



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
ROPIO61	Rosewood Pioneer 61	PIO61	1600	2600	510	1000	PW - NZ : Timber
ROPIO7	Rosewood Pioneer 7	PIO7	1600	2400	460	1200	PW - NZ : Timber
ROROS	Rosewood Roseville	ROS	1600	2600	610	1200	PW - NZ : Timber
ROSA1	Rosewood 1 Lite Sash	SA1	200	2600	200	1200	PW - NZ : Timber
ROSHA41	Rosewood Shaker 41	SHA41	600	2600	310	1400	PW - NZ : Timber
ROSHA43	Rosewood Shaker 43	SHA43	1600	2600	310	1400	PW - NZ : Timber
ROSHA44	Rosewood Shaker 44	SHA44	1600	2600	310	1400	PW - NZ : Timber
ROTRAD1	Rosewood Traditional 1	TRAD1	600	2600	310	1200	PW - NZ : Timber
ROTRAD2	Rosewood Traditional 2	TRAD2	1600	2600	310	1200	PW - NZ : Timber
ROTRAD2OT	Rosewood Traditional 2 O/T	TRAD2OT	1600	2600	310	1200	PW - NZ : Timber
ROTRAD4	Rosewood Traditional 4	TRAD4	1600	2600	510	1200	PW - NZ : Timber
ROTRAD4OT	Rosewood Traditional 4 O/T	TRAD4OT	1600	2600	510	1200	PW - NZ : Timber
ROTRAD61	Rosewood Traditional 61	TRAD61	1600	2600	510	1200	PW - NZ : Timber
ROTRAD7	Rosewood Traditional 7	TRAD7	1600	2600	510	1200	PW - NZ : Timber
ROVIC1	Rosewood Victorian 1	VIC1	600	2600	410	1200	PW - NZ : Timber
ROVIC2	Rosewood Victorian 2	VIC2	1600	2600	410	1200	PW - NZ : Timber
ROVIC2OT	Rosewood Victorian 2 O/T	VIC2OT	1600	2600	410	1200	PW - NZ : Timber
ROVIC4	Rosewood Victorian 4	VIC4	1600	2600	710	1200	PW - NZ : Timber
ROVIC4OT	Rosewood Victorian 4 O/T	VIC4OT	1600	2600	710	1200	PW - NZ : Timber
ROVIL1	Rosewood Villa 1	VIL1	600	2600	410	1200	PW - NZ : Timber
ROVIL2	Rosewood Villa 2	VIL2	1600	2600	410	1200	PW - NZ : Timber
ROVIL2OT	Rosewood Villa 2 O/T	VIL2OT	1600	2600	410	1200	PW - NZ : Timber
ROVIL4	Rosewood Villa 4	VIL4	1600	2600	610	1200	PW - NZ : Timber
ROVIL4OT	Rosewood Villa 4 O/T	VIL4OT	1600	2600	610	1200	PW - NZ : Timber
SQCAR10V	Stain Quality Cedar AR10 TGV	AR10V	1900	2600	510	1200	PW - NZ : Timber
SQCAR11V	Stain Quality Cedar AR11 TGV	AR11V	1900	2600	610	1200	PW - NZ : Timber
SQCAR12V	Stain Quality Cedar AR12 TGV	AR12V	1900	2600	510	1200	PW - NZ : Timber
SQCAR13V	Stain Quality Cedar AR13 TGV	AR13V	1900	2600	610	1200	PW - NZ : Timber
SQCAR14V	Stain Quality Cedar AR14 TGV	AR14V	1900	2600	510	1200	PW - NZ : Timber
SQCAR41	Stain Quality Cedar AR41 Interior	AR41	600	2900	310	1400	PW - NZ : Timber
SQCAR41D	Stain Quality Cedar AR41D Interior	AR41D	600	2900	510	1400	PW - NZ : Timber
SQCAR41E	Stain Quality Cedar AR41E Interior	AR41E	1600	2900	510	1400	PW - NZ : Timber
SQCAR42	Stain Quality Cedar AR42 Interior	AR42	600	2900	310	1400	PW - NZ : Timber
SQCAR43	Stain Quality Cedar AR43 Interior	AR43	1600	2900	310	1400	PW - NZ : Timber
SQCAR43A	Stain Quality Cedar AR43A Interior	AR43A	1600	2900	510	1400	PW - NZ : Timber
SQCAR43B	Stain Quality Cedar AR43B Interior	AR43B	1600	2900	510	1400	PW - NZ : Timber
SQCAR43C	Stain Quality Cedar AR43C Interior	AR43C	1600	2900	510	1400	PW - NZ : Timber
SQCAR44	Stain Quality Cedar AR44 Interior	AR44	1600	2900	310	1400	PW - NZ : Timber
SQCAR44V	Stain Quality Cedar AR44 Exterior	AR44V	1600	2600	510	1200	PW - NZ : Timber



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
SQCAR45	Stain Quality Cedar AR45 Interior	AR45	600	2900	1200	1900	PW - NZ : Timber
SQCAR45A	Stain Quality Cedar AR45A Interior	AR45A	600	2900	1200	1900	PW - NZ : Timber
SQCAR45B	Stain Quality Cedar AR45B Interior	AR45B	600	2900	1200	1900	PW - NZ : Timber
SQCAR45C	Stain Quality Cedar AR45C Interior	AR45C	600	2900	1200	1900	PW - NZ : Timber
SQCAR45D	Stain Quality Cedar AR45D Interior	AR45D	600	2900	1200	1900	PW - NZ : Timber
SQCAR45E	Stain Quality Cedar AR45E Interior	AR45E	600	2900	1200	1900	PW - NZ : Timber
SQCAR46	Stain Quality Cedar AR46 Interior	AR46	600	2900	1200	1900	PW - NZ : Timber
SQCAR47	Stain Quality Cedar AR47 Interior	AR47	1600	2900	1200	1900	PW - NZ : Timber
SQCAR47A	Stain Quality Cedar AR47A Interior	AR47A	1600	2900	1200	1900	PW - NZ : Timber
SQCAR47B	Stain Quality Cedar AR47B Interior	AR47B	1600	2900	1200	1900	PW - NZ : Timber
SQCAR47C	Stain Quality Cedar AR47C Interior	AR47C	1600	2900	1200	1900	PW - NZ : Timber
SQCAR47D	Stain Quality Cedar AR47D Interior	AR47D	1600	2900	1200	1900	PW - NZ : Timber
SQCAR48	Stain Quality Cedar AR48 Interior	AR48	1600	2900	1200	1900	PW - NZ : Timber
SQCAR61	Stain Quality Cedar AR61 Interior	AR61	1600	2600	510	1600	PW - NZ : Timber
SQCAR62	Stain Quality Cedar AR62 Interior	AR62	1600	2600	510	1200	PW - NZ : Timber
SQCAR63	Stain Quality Cedar AR63 Interior	AR63	1600	2600	510	1200	PW - NZ : Timber
SQCBRACE	Stain Quality Cedar Braced & Ledged	BRACE	1600	2600	510	1200	PW - NZ : Timber
SQCBUN1	Stain Quality Cedar Bungalow 1	BUN1	600	2600	310	1200	PW - NZ : Timber
SQCBUN2	Stain Quality Cedar Bungalow 2	BUN2	1600	2600	310	1200	PW - NZ : Timber
SQCBUN3	Stain Quality Cedar Bungalow 3	BUN3	1600	2600	410	1600	PW - NZ : Timber
SQCBUN4	Stain Quality Cedar Bungalow 4	BUN4	1600	2600	610	1600	PW - NZ : Timber
SQCE1	Stain Quality Cedar E1	E1	1200	2600	330	1200	PW - NZ : Timber
SQCE11	Stain Quality Cedar E11	E11	1800	2600	760	1200	PW - NZ : Timber
SQCE12	Stain Quality Cedar E12	E12	1600	2600	760	1200	PW - NZ : Timber
SQCE13	Stain Quality Cedar E13	E13	1600	2600	810	860	PW - NZ : Timber
SQCE14	Stain Quality Cedar E14	E14	1800	2600	810	860	PW - NZ : Timber
SQCE14S	Stain Quality Cedar E14S	E14S	1800	2600	375	610	PW - NZ : Timber
SQCE152	Stain Quality Cedar E1 52mm thick	E152	1200	2600	330	1200	PW - NZ : Timber
SQCE16	Stain Quality Cedar E16	E16	1900	2600	510	1200	PW - NZ : Timber
SQCE17	Stain Quality Cedar E17	E17	1800	2600	610	1200	PW - NZ : Timber
SQCE18	Stain Quality Cedar E18	E18	1200	2600	610	1200	PW - NZ : Timber
SQCE19	Stain Quality Cedar E19	E19	1960	2600	510	1200	PW - NZ : Timber
SQCE1L	Stain Quality Cedar Exterior 1 Lite	E1L	1200	2600	360	1200	PW - NZ : Timber
SQCE1WR	Stain Quality Cedar E1 With Rails	E1WR	1200	2600	510	1200	PW - NZ : Timber
SQCE2	Stain Quality Cedar E2	E2	1200	2600	510	1200	PW - NZ : Timber
SQCE20	Stain Quality Cedar E20	E20	1200	2600	810	1200	PW - NZ : Timber
SQCE21	Stain Quality Cedar E21	E21	1960	2600	610	1200	PW - NZ : Timber
SQCE24	Stain Quality Cedar E24	E24	1900	2600	510	1200	PW - NZ : Timber
SQCE2L	Stain Quality Cedar Exterior 2 Lite	E2L	1200	2600	360	1200	PW - NZ : Timber



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
SQCE2NS	Stain Quality Cedar E2 No Stiles	E2NS	1200	2400	510	1200	PW - NZ : Timber
SQCE3	Stain Quality Cedar E3	E3	1600	2600	610	1200	PW - NZ : Timber
SQCE3L	Stain Quality Cedar Exterior 3 Lite	E3L	1600	2600	360	1200	PW - NZ : Timber
SQCE4	Stain Quality Cedar E4	E4	1600	2600	610	1200	PW - NZ : Timber
SQCE4G	Stain Quality Cedar E4G	E4G	1600	2600	610	1200	PW - NZ : Timber
SQCE4L	Stain Quality Cedar Exterior 4 Lite	E4L	1600	2600	360	1200	PW - NZ : Timber
SQCE4OT	Stain Quality Cedar E4 O/T	E4OT	1600	2600	610	1200	PW - NZ : Timber
SQCE4S	Stain Quality Cedar E4S	E4S	1600	2600	310	510	PW - NZ : Timber
SQCE5	Stain Quality Cedar E5	E5	1600	2600	610	1200	PW - NZ : Timber
SQCE6	Stain Quality Cedar E6	E6	1600	2600	610	1200	PW - NZ : Timber
SQCE7	Stain Quality Cedar E7	E7	1600	2600	610	1200	PW - NZ : Timber
SQCE8	Stain Quality Cedar E8	E8	1600	2600	610	1200	PW - NZ : Timber
SQCE8OT	Stain Quality Cedar E8 O/T	E8OT	1600	2600	610	1200	PW - NZ : Timber
SQCE8S	Stain Quality Cedar E8S	E8S	1600	2600	310	510	PW - NZ : Timber
SQCE9	Stain Quality Cedar E9	E9	1800	2600	610	1200	PW - NZ : Timber
SQCE9S	Stain Quality Cedar E9S	E9S	1800	2600	310	510	PW - NZ : Timber
SQCEAR41	Stain Quality Cedar EAR41 Exterior	EAR41	600	2600	310	1200	PW - NZ : Timber
SQCEAR41D	Stain Quality Cedar EAR41D Exterior	EAR41D	600	2600	510	1200	PW - NZ : Timber
SQCEAR41E	Stain Quality Cedar EAR41E Exterior	EAR41E	1600	2600	510	1200	PW - NZ : Timber
SQCEAR42	Stain Quality Cedar EAR42 Exterior	EAR42	600	2600	310	1200	PW - NZ : Timber
SQCEAR43	Stain Quality Cedar EAR43 Exterior	EAR43	1600	2600	310	1200	PW - NZ : Timber
SQCEAR43A	Stain Quality Cedar EAR43A Exterior	EAR43A	1600	2600	510	1200	PW - NZ : Timber
SQCEAR43B	Stain Quality Cedar EAR43B Exterior	EAR43B	1600	2600	510	1200	PW - NZ : Timber
SQCEAR43C	Stain Quality Cedar EAR43C Exterior	EAR43C	1600	2600	510	1200	PW - NZ : Timber
SQCEAR44	Stain Quality Cedar EAR44 Exterior	EAR44	1600	2600	310	1200	PW - NZ : Timber
SQCEAR61	Stain Quality Cedar EAR61 Exterior	EAR61	1600	2600	510	1200	PW - NZ : Timber
SQCEAR63	Stain Quality Cedar EAR63 Exterior	EAR63	1600	2600	510	1200	PW - NZ : Timber
SQCECO	Stain Quality Cedar Eco Shutter	ECO	300	2100	250	860	PW - NZ : Timber
SQCEF3	Stain Quality Cedar EF3	EF3	1200	2600	710	1200	PW - NZ : Timber
SQCF10	Stain Quality Cedar F10	F10	1600	2600	510	1200	PW - NZ : Timber
SQCF12	Stain Quality Cedar F12	F12	1600	2600	610	1200	PW - NZ : Timber
SQCF6	Stain Quality Cedar F6	F6	1600	2600	510	1200	PW - NZ : Timber
SQCF8	Stain Quality Cedar F8	F8	1600	2600	510	1200	PW - NZ : Timber
SQCF9	Stain Quality Cedar F9	F9	1600	2600	610	1200	PW - NZ : Timber
SQCFIG5	Stain Quality Cedar FIG 5	FIG5	1200	2600	510	1200	PW - NZ : Timber
SQCFIG5A	Stain Quality Cedar FIG 5A	FIG5A	1200	2600	510	1200	PW - NZ : Timber
SQCFP1	Stain Quality Cedar FP1	FP1	1600	2600	610	1200	PW - NZ : Timber
SQCFP12	Stain Quality Cedar FP12	FP12	1800	2600	760	1200	PW - NZ : Timber
SQCFP6	Stain Quality Cedar FP6	FP6	1800	2600	610	1200	PW - NZ : Timber



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
SQC11L	Stain Quality Cedar Interior 1 Lite	I1L	600	2600	360	1600	PW - NZ : Timber
SQC12L	Stain Quality Cedar Interior 2 Lite	I2L	1200	2600	360	1600	PW - NZ : Timber
SQC13L	Stain Quality Cedar Interior 3 Lite	I3L	1600	2600	360	1600	PW - NZ : Timber
SQC14L	Stain Quality Cedar Interior 4 Lite	I4L	1600	2600	360	1600	PW - NZ : Timber
SQCIF10	Stain Quality Cedar IF10	IF10	1600	2600	510	1200	PW - NZ : Timber
SQCIF12	Stain Quality Cedar IF12	IF12	1600	2600	610	1200	PW - NZ : Timber
SQCIF3	Stain Quality Cedar IF3	IF3	1200	2600	710	1600	PW - NZ : Timber
SQCIF6	Stain Quality Cedar IF6	IF6	1600	2600	510	1200	PW - NZ : Timber
SQCIF8	Stain Quality Cedar IF8	IF8	1600	2600	510	1200	PW - NZ : Timber
SQCIF9	Stain Quality Cedar IF9	IF9	1200	2600	610	1200	PW - NZ : Timber
SQCIP1	Stain Quality Cedar IP1	IP1	1600	2600	610	1200	PW - NZ : Timber
SQCIP12	Stain Quality Cedar IP12	IP12	1600	2600	760	1200	PW - NZ : Timber
SQCIP6	Stain Quality Cedar IP6	IP6	1600	2600	610	1200	PW - NZ : Timber
SQCLFCL	Stain Quality Cedar LF Closed Louvre	LFCL	500	2400	250	1200	PW - NZ : Timber
SQCLFOP	Stain Quality Cedar LF Open Louvre	LFOP	500	2400	250	1200	PW - NZ : Timber
SQCLPCL	Stain Quality Cedar LP Closed Louvre	LPCL	1200	2400	250	1200	PW - NZ : Timber
SQCLPOP	Stain Quality Cedar LP Open Louvre	LPOP	1200	2400	250	1200	PW - NZ : Timber
SQCMODEC	Stain Quality Cedar Mode Shutter - Closed	MODEC	300	2400	250	1200	PW - NZ : Timber
SQCMODEO	Stain Quality Cedar Mode Shutter - Open	MODEO	300	2400	250	1200	PW - NZ : Timber
SQCPIO2	Stain Quality Cedar Pioneer 2	PIO2	1600	2600	460	1200	PW - NZ : Timber
SQCPIO2OT	Stain Quality Cedar Pioneer 2 O/T	PIO2OT	1600	2600	460	1200	PW - NZ : Timber
SQCPIO4	Stain Quality Cedar Pioneer 4	PIO4	1600	2600	610	1200	PW - NZ : Timber
SQCPIO4OT	Stain Quality Cedar Pioneer 4 O/T	PIO4OT	1600	2600	610	1200	PW - NZ : Timber
SQCPIO61	Stain Quality Cedar Pioneer 61	PIO61	1600	2600	510	1000	PW - NZ : Timber
SQCPIO7	Stain Quality Cedar Pioneer 7	PIO7	1600	2400	460	1200	PW - NZ : Timber
SQCROS	Stain Quality Cedar Roseville	ROS	1600	2600	610	1200	PW - NZ : Timber
SQCSA1	Stain Quality Cedar 1 Lite Sash	SA1	200	2600	200	1200	PW - NZ : Timber
SQCSHA41	Stain Quality Cedar Shaker 41	SHA41	600	2600	310	1400	PW - NZ : Timber
SQCSHA43	Stain Quality Cedar Shaker 43	SHA43	1600	2600	310	1400	PW - NZ : Timber
SQCSHA44	Stain Quality Cedar Shaker 44	SHA44	1600	2600	310	1400	PW - NZ : Timber
SQCTRAD1	Stain Quality Cedar Traditional 1	TRAD1	600	2600	310	1200	PW - NZ : Timber
SQCTRAD2	Stain Quality Cedar Traditional 2	TRAD2	1600	2600	310	1200	PW - NZ : Timber
SQCTRAD2OT	Stain Quality Cedar Traditional 2 O/T	TRAD2OT	1600	2600	310	1200	PW - NZ : Timber
SQCTRAD4	Stain Quality Cedar Traditional 4	TRAD4	1600	2600	510	1600	PW - NZ : Timber
SQCTRAD4OT	Stain Quality Cedar Traditional 4 O/T	TRAD4OT	1600	2600	510	1600	PW - NZ : Timber
SQCTRAD61	Stain Quality Cedar Traditional 61	TRAD61	1600	2600	510	1300	PW - NZ : Timber
SQCTRAD7	Stain Quality Cedar Traditional 7	TRAD7	1600	2600	510	1300	PW - NZ : Timber
SQCVIC1	Stain Quality Cedar Victorian 1	VIC1	600	2600	410	1200	PW - NZ : Timber
SQCVIC2	Stain Quality Cedar Victorian 2	VIC2	1600	2600	410	1200	PW - NZ : Timber



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
SQCVIC2OT	Stain Quality Cedar Victorian 2 O/T	VIC2OT	1600	2600	410	1200	PW - NZ : Timber
SQCVIC4	Stain Quality Cedar Victorian 4	VIC4	1600	2600	710	1200	PW - NZ : Timber
SQCVIC4OT	Stain Quality Cedar Victorian 4 O/T	VIC4OT	1600	2600	710	1200	PW - NZ : Timber
SQCVIL1	Stain Quality Cedar Villa 1	VIL1	600	2600	410	1200	PW - NZ : Timber
SQCVIL2	Stain Quality Cedar Villa 2	VIL2	1600	2600	410	1200	PW - NZ : Timber
SQCVIL2OT	Stain Quality Cedar Villa 2 O/T	VIL2OT	1600	2600	410	1200	PW - NZ : Timber
SQCVIL4	Stain Quality Cedar Villa 4	VIL4	1600	2600	610	1600	PW - NZ : Timber
SQCVIL4OT	Stain Quality Cedar Villa 4 O/T	VIL4OT	1600	2600	610	1600	PW - NZ : Timber
SQPAR41	Stain Quality Pine AR41 Interior	AR41	600	2400	310	1400	PW - NZ : Timber
SQPAR41D	Stain Quality Pine AR41D Interior	AR41D	600	2400	510	1400	PW - NZ : Timber
SQPAR41E	Stain Quality Pine AR41E Interior	AR41E	1600	2400	510	1400	PW - NZ : Timber
SQPAR42	Stain Quality Pine AR42 Interior	AR42	600	2400	310	1400	PW - NZ : Timber
SQPAR43	Stain Quality Pine AR43 Interior	AR43	1600	2400	310	1400	PW - NZ : Timber
SQPAR43A	Stain Quality Pine AR43A Interior	AR43A	1600	2400	510	1400	PW - NZ : Timber
SQPAR43B	Stain Quality Pine AR43B Interior	AR43B	1600	2400	510	1400	PW - NZ : Timber
SQPAR43C	Stain Quality Pine AR43C Interior	AR43C	1600	2400	510	1400	PW - NZ : Timber
SQPAR44	Stain Quality Pine AR44 Interior	AR44	1600	2400	310	1400	PW - NZ : Timber
SQPAR45	Stain Quality Pine AR45 Interior	AR45	600	2400	1200	1900	PW - NZ : Timber
SQPAR45A	Stain Quality Pine AR45A Interior	AR45A	600	2400	1200	1900	PW - NZ : Timber
SQPAR45B	Stain Quality Pine AR45B Interior	AR45B	600	2400	1200	1900	PW - NZ : Timber
SQPAR45C	Stain Quality Pine AR45C Interior	AR45C	600	2400	1200	1900	PW - NZ : Timber
SQPAR45D	Stain Quality Pine AR45D Interior	AR45D	600	2400	1200	1900	PW - NZ : Timber
SQPAR45E	Stain Quality Pine AR45E Interior	AR45E	600	2400	1200	1900	PW - NZ : Timber
SQPAR46	Stain Quality Pine AR46 Interior	AR46	600	2400	1200	1900	PW - NZ : Timber
SQPAR47	Stain Quality Pine AR47 Interior	AR47	1600	2400	1200	1900	PW - NZ : Timber
SQPAR47A	Stain Quality Pine AR47A Interior	AR47A	1600	2400	1200	1900	PW - NZ : Timber
SQPAR47B	Stain Quality Pine AR47B Interior	AR47B	1600	2400	1200	1900	PW - NZ : Timber
SQPAR47C	Stain Quality Pine AR47C Interior	AR47C	1600	2400	1200	1900	PW - NZ : Timber
SQPAR47D	Stain Quality Pine AR47D Interior	AR47D	1600	2400	1200	1900	PW - NZ : Timber
SQPAR48	Stain Quality Pine AR48 Interior	AR48	1600	2400	1200	1900	PW - NZ : Timber
SQPAR61	Stain Quality Pine AR61 Interior	AR61	1600	2600	510	1200	PW - NZ : Timber
SQPAR62	Stain Quality Pine AR62 Interior	AR62	1600	2600	510	1200	PW - NZ : Timber
SQPAR63	Stain Quality Pine AR63 Interior	AR63	1600	2600	510	1200	PW - NZ : Timber
SQPBUN1	Stain Quality Pine Bungalow 1	BUN1	600	2600	310	1200	PW - NZ : Timber
SQPBUN2	Stain Quality Pine Bungalow 2	BUN2	1600	2600	310	1200	PW - NZ : Timber
SQPBUN3	Stain Quality Pine Bungalow 3	BUN3	1600	2600	410	1200	PW - NZ : Timber
SQPBUN4	Stain Quality Pine Bungalow 4	BUN4	1600	2600	610	1200	PW - NZ : Timber
SQPI1L	Stain Quality Pine Interior 1 Lite	I1L	600	2600	360	1200	PW - NZ : Timber
SQPI2L	Stain Quality Pine Interior 2 Lite	I2L	1200	2600	360	1200	PW - NZ : Timber



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
SQPI3L	Stain Quality Pine Interior 3 Lite	I3L	1600	2600	360	1200	PW - NZ : Timber
SQPI4L	Stain Quality Pine Interior 4 Lite	I4L	1600	2600	360	1200	PW - NZ : Timber
SQPIF10	Stain Quality Pine IF10	IF10	1600	2600	510	1200	PW - NZ : Timber
SQPIF12	Stain Quality Pine IF12	IF12	1600	2600	610	1200	PW - NZ : Timber
SQPIF3	Stain Quality Pine IF3	IF3	1200	2600	710	1200	PW - NZ : Timber
SQPIF6	Stain Quality Pine IF6	IF6	1600	2600	510	1200	PW - NZ : Timber
SQPIF8	Stain Quality Pine IF8	IF8	1600	2600	510	1200	PW - NZ : Timber
SQPIF9	Stain Quality Pine IF9	IF9	1200	2600	610	1200	PW - NZ : Timber
SQPIP1	Stain Quality Pine IP1	IP1	1600	2600	610	1200	PW - NZ : Timber
SQPIP12	Stain Quality Pine IP12	IP12	1600	2600	760	1200	PW - NZ : Timber
SQPIP6	Stain Quality Pine IP6	IP6	1600	2600	610	1200	PW - NZ : Timber
SQPLFCL	Stain Quality Pine LF Closed Louvre	LFCL	500	2400	250	1200	PW - NZ : Timber
SQPLFOP	Stain Quality Pine LF Open Louvre	LFOP	500	2400	250	1200	PW - NZ : Timber
SQPLPCL	Stain Quality Pine LP Closed Louvre	LPCL	1200	2400	250	1200	PW - NZ : Timber
SQPLPOP	Stain Quality Pine LP Open Louvre	LPOP	1200	2400	250	1200	PW - NZ : Timber
SQPPIO2	Stain Quality Pine Pioneer 2	PIO2	1600	2600	460	1200	PW - NZ : Timber
SQPPIO2OT	Stain Quality Pine Pioneer 2 O/T	PIO2OT	1600	2600	460	1200	PW - NZ : Timber
SQPPIO4	Stain Quality Pine Pioneer 4	PIO4	1600	2600	610	1200	PW - NZ : Timber
SQPPIO4OT	Stain Quality Pine Pioneer 4 O/T	PIO4OT	1600	2600	610	1200	PW - NZ : Timber
SQPPIO61	Stain Quality Pine Pioneer 61	PIO61	1600	2600	510	1000	PW - NZ : Timber
SQPPIO7	Stain Quality Pine Pioneer 7	PIO7	1600	2400	460	1200	PW - NZ : Timber
SQPROS	Stain Quality Pine Roseville	ROS	1600	2600	610	1200	PW - NZ : Timber
SQPSHA41	Stain Quality Pine Shaker 41	SHA41	600	2400	310	1400	PW - NZ : Timber
SQPSHA43	Stain Quality Pine Shaker 43	SHA43	1600	2400	310	1400	PW - NZ : Timber
SQPSHA44	Stain Quality Pine Shaker 44	SHA44	1600	2400	310	1400	PW - NZ : Timber
SQPTRAD1	Stain Quality Pine Traditional 1	TRAD1	600	2600	310	1200	PW - NZ : Timber
SQPTRAD2	Stain Quality Pine Traditional 2	TRAD2	1600	2600	310	1200	PW - NZ : Timber
SQPTRAD2OT	Stain Quality Pine Traditional 2 O/T	TRAD2OT	1600	2600	310	1200	PW - NZ : Timber
SQPTRAD4	Stain Quality Pine Traditional 4	TRAD4	1600	2600	510	1200	PW - NZ : Timber
SQPTRAD4OT	Stain Quality Pine Traditional 4 O/T	TRAD4OT	1600	2600	510	1200	PW - NZ : Timber
SQPTRAD61	Stain Quality Pine Traditional 61	TRAD61	1600	2600	510	1200	PW - NZ : Timber
SQPTRAD7	Stain Quality Pine Traditional 7	TRAD7	1600	2600	510	1200	PW - NZ : Timber
SQPVIC1	Stain Quality Pine Victorian 1	VIC1	600	2600	410	1200	PW - NZ : Timber
SQPVIC2	Stain Quality Pine Victorian 2	VIC2	1600	2600	410	1200	PW - NZ : Timber
SQPVIC2OT	Stain Quality Pine Victorian 2 O/T	VIC2OT	1600	2600	410	1200	PW - NZ : Timber
SQPVIC4	Stain Quality Pine Victorian 4	VIC4	1600	2600	710	1200	PW - NZ : Timber
SQPVIC4OT	Stain Quality Pine Victorian 4 O/T	VIC4OT	1600	2600	710	1200	PW - NZ : Timber
SQPVIL1	Stain Quality Pine Villa 1	VIL1	600	2600	410	1200	PW - NZ : Timber
SQPVIL2	Stain Quality Pine Villa 2	VIL2	1600	2600	410	1200	PW - NZ : Timber



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
SQPVIL2OT	Stain Quality Pine Villa 2 O/T	VIL2OT	1600	2600	410	1200	PW - NZ : Timber
SQPVIL4	Stain Quality Pine Villa 4	VIL4	1600	2600	610	1200	PW - NZ : Timber
SQPVIL4OT	Stain Quality Pine Villa 4 O/T	VIL4OT	1600	2600	610	1200	PW - NZ : Timber
SQVAR10V	Stain Quality Vulcan AR10 TGV	AR10V	1900	2600	510	1200	PW - NZ : Timber
SQVAR11V	Stain Quality Vulcan AR11 TGV	AR11V	1900	2600	610	1200	PW - NZ : Timber
SQVAR12V	Stain Quality Vulcan AR12 TGV	AR12V	1900	2600	510	1200	PW - NZ : Timber
SQVAR13V	Stain Quality Vulcan AR13 TGV	AR13V	1900	2600	610	1200	PW - NZ : Timber
SQVAR14V	Stain Quality Vulcan AR14 TGV	AR14V	1900	2600	510	1200	PW - NZ : Timber
SQVAR41	Stain Quality Vulcan AR41 Interior	AR41	600	2900	310	1400	PW - NZ : Timber
SQVAR41D	Stain Quality Vulcan AR41D Interior	AR41D	600	2900	510	1400	PW - NZ : Timber
SQVAR41E	Stain Quality Vulcan AR41E Interior	AR41E	1600	2900	510	1400	PW - NZ : Timber
SQVAR42	Stain Quality Vulcan AR42 Interior	AR42	600	2900	310	1400	PW - NZ : Timber
SQVAR43	Stain Quality Vulcan AR43 Interior	AR43	1600	2900	310	1400	PW - NZ : Timber
SQVAR43A	Stain Quality Vulcan AR43A Interior	AR43A	1600	2900	510	1400	PW - NZ : Timber
SQVAR43B	Stain Quality Vulcan AR43B Interior	AR43B	1600	2900	510	1400	PW - NZ : Timber
SQVAR43C	Stain Quality Vulcan AR43C Interior	AR43C	1600	2900	510	1400	PW - NZ : Timber
SQVAR44	Stain Quality Vulcan AR44 Interior	AR44	1600	2900	310	1400	PW - NZ : Timber
SQVAR44V	Stain Quality Vulcan AR44 Exterior	AR44V	1600	2600	510	1200	PW - NZ : Timber
SQVAR45	Stain Quality Vulcan AR45 Interior	AR45	600	2900	1200	1900	PW - NZ : Timber
SQVAR45A	Stain Quality Vulcan AR45A Interior	AR45A	600	2900	1200	1900	PW - NZ : Timber
SQVAR45B	Stain Quality Vulcan AR45B Interior	AR45B	600	2900	1200	1900	PW - NZ : Timber
SQVAR45C	Stain Quality Vulcan AR45C Interior	AR45C	600	2900	1200	1900	PW - NZ : Timber
SQVAR45D	Stain Quality Vulcan AR45D Interior	AR45D	600	2900	1200	1900	PW - NZ : Timber
SQVAR45E	Stain Quality Vulcan AR45E Interior	AR45E	600	2900	1200	1900	PW - NZ : Timber
SQVAR46	Stain Quality Vulcan AR46 Interior	AR46	600	2900	1200	1900	PW - NZ : Timber
SQVAR47	Stain Quality Vulcan AR47 Interior	AR47	1600	2900	1200	1900	PW - NZ : Timber
SQVAR47A	Stain Quality Vulcan AR47A Interior	AR47A	1600	2900	1200	1900	PW - NZ : Timber
SQVAR47B	Stain Quality Vulcan AR47B Interior	AR47B	1600	2900	1200	1900	PW - NZ : Timber
SQVAR47C	Stain Quality Vulcan AR47C Interior	AR47C	1600	2900	1200	1900	PW - NZ : Timber
SQVAR47D	Stain Quality Vulcan AR47D Interior	AR47D	1600	2900	1200	1900	PW - NZ : Timber
SQVAR48	Stain Quality Vulcan AR48 Interior	AR48	1600	2900	1200	1900	PW - NZ : Timber
SQVAR61	Stain Quality Vulcan AR61 Interior	AR61	1600	2600	510	1600	PW - NZ : Timber
SQVAR62	Stain Quality Vulcan AR62 Interior	AR62	1600	2600	510	1200	PW - NZ : Timber
SQVAR63	Stain Quality Vulcan AR63 Interior	AR63	1600	2600	510	1200	PW - NZ : Timber
SQVBRACE	Stain Quality Vulcan Braced & Ledged	BRACE	1600	2600	510	1200	PW - NZ : Timber
SQVE1	Stain Quality Vulcan E1	E1	1200	2600	330	1200	PW - NZ : Timber
SQVE11	Stain Quality Vulcan E1 1	E11	1800	2600	760	1200	PW - NZ : Timber
SQVE12	Stain Quality Vulcan E1 2	E12	1600	2600	760	1200	PW - NZ : Timber
SQVE13	Stain Quality Vulcan E1 3	E13	1600	2600	810	860	PW - NZ : Timber



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
SQVE14	Stain Quality Vulcan E14	E14	1800	2600	810	860	PW - NZ : Timber
SQVE14S	Stain Quality Vulcan E14S	E14S	1800	2600	375	610	PW - NZ : Timber
SQVE152	Stain Quality Vulcan E1 52mm thick	E152	1200	2600	330	1200	PW - NZ : Timber
SQVE16	Stain Quality Vulcan E16	E16	1900	2600	510	1200	PW - NZ : Timber
SQVE17	Stain Quality Vulcan E17	E17	1800	2600	610	1200	PW - NZ : Timber
SQVE18	Stain Quality Vulcan E18	E18	1200	2600	610	1200	PW - NZ : Timber
SQVE19	Stain Quality Vulcan E19	E19	1960	2600	510	1200	PW - NZ : Timber
SQVE1L	Stain Quality Vulcan Exterior 1 Lite	E1L	1200	2600	360	1200	PW - NZ : Timber
SQVE1WR	Stain Quality Vulcan E1 W/R	E1WR	1200	2600	510	1200	PW - NZ : Timber
SQVE2	Stain Quality Vulcan E2	E2	1200	2600	510	1200	PW - NZ : Timber
SQVE20	Stain Quality Vulcan E20	E20	1200	2600	810	1200	PW - NZ : Timber
SQVE21	Stain Quality Vulcan E21	E21	1960	2600	610	1200	PW - NZ : Timber
SQVE24	Stain Quality Vulcan E24	E24	1900	2600	510	1200	PW - NZ : Timber
SQVE2L	Stain Quality Vulcan Exterior 2 Lite	E2L	1200	2600	360	1200	PW - NZ : Timber
SQVE2NS	Stain Quality Vulcan E2 N/S	E2NS	1200	2400	510	1200	PW - NZ : Timber
SQVE3	Stain Quality Vulcan E3	E3	1600	2600	610	1200	PW - NZ : Timber
SQVE3L	Stain Quality Vulcan Exterior 3 Lite	E3L	1600	2600	360	1200	PW - NZ : Timber
SQVE4	Stain Quality Vulcan E4	E4	1600	2600	610	1200	PW - NZ : Timber
SQVE4G	Stain Quality Vulcan E4G	E4G	1600	2600	610	1200	PW - NZ : Timber
SQVE4L	Stain Quality Vulcan Exterior 4 Lite	E4L	1600	2600	360	1200	PW - NZ : Timber
SQVE4OT	Stain Quality Vulcan E4 O/T	E4OT	1600	2600	610	1200	PW - NZ : Timber
SQVE4S	Stain Quality Vulcan E4S	E4S	1600	2600	310	510	PW - NZ : Timber
SQVE5	Stain Quality Vulcan E5	E5	1600	2600	610	1200	PW - NZ : Timber
SQVE6	Stain Quality Vulcan E6	E6	1600	2600	610	1200	PW - NZ : Timber
SQVE7	Stain Quality Vulcan E7	E7	1600	2600	610	1200	PW - NZ : Timber
SQVE8	Stain Quality Vulcan E8	E8	1600	2600	610	1200	PW - NZ : Timber
SQVE8OT	Stain Quality Vulcan E8 O/T	E8OT	1600	2600	610	1200	PW - NZ : Timber
SQVE8S	Stain Quality Vulcan E8S	E8S	1600	2600	310	510	PW - NZ : Timber
SQVE9	Stain Quality Vulcan E9	E9	1800	2600	610	1200	PW - NZ : Timber
SQVE9S	Stain Quality Vulcan E9S	E9S	1800	2600	310	510	PW - NZ : Timber
SQVEAR41	Stain Quality Vulcan EAR41 Exterior	EAR41	600	2600	310	1200	PW - NZ : Timber
SQVEAR41D	Stain Quality Vulcan EAR41D Exterior	EAR41D	600	2600	510	1200	PW - NZ : Timber
SQVEAR41E	Stain Quality Vulcan EAR41E Exterior	EAR41E	1600	2600	510	1200	PW - NZ : Timber
SQVEAR42	Stain Quality Vulcan EAR42 Exterior	EAR42	600	2600	310	1200	PW - NZ : Timber
SQVEAR43	Stain Quality Vulcan EAR43 Exterior	EAR43	1600	2600	310	1200	PW - NZ : Timber
SQVEAR43A	Stain Quality Vulcan EAR43A Exterior	EAR43A	1600	2600	510	1200	PW - NZ : Timber
SQVEAR43B	Stain Quality Vulcan EAR43B Exterior	EAR43B	1600	2600	510	1200	PW - NZ : Timber
SQVEAR43C	Stain Quality Vulcan EAR43C Exterior	EAR43C	1600	2600	510	1200	PW - NZ : Timber
SQVEAR44	Stain Quality Vulcan EAR44 Exterior	EAR44	1600	2600	310	1200	PW - NZ : Timber



Minimum and Maximum Door Sizes

Assembly ID	Display Name	Code ID	min_height	max_height	min_width	max_width	Department
SQVEAR61	Stain Quality Vulcan EAR61 Exterior	EAR61	1600	2600	510	1200	PW - NZ : Timber
SQVEAR63	Stain Quality Vulcan EAR63 Exterior	EAR63	1600	2600	510	1200	PW - NZ : Timber
SQVEF3	Stain Quality Vulcan EF3	EF3	1200	2600	710	1200	PW - NZ : Timber
SQVF10	Stain Quality Vulcan F10	F10	1600	2600	510	1200	PW - NZ : Timber
SQVF12	Stain Quality Vulcan F12	F12	1600	2600	610	1200	PW - NZ : Timber
SQVF6	Stain Quality Vulcan F6	F6	1600	2600	510	1200	PW - NZ : Timber
SQVF8	Stain Quality Vulcan F8	F8	1600	2600	510	1200	PW - NZ : Timber
SQVF9	Stain Quality Vulcan F9	F9	1600	2600	610	1200	PW - NZ : Timber
SQVFIG5	Stain Quality Vulcan FIG 5	FIG5	1200	2600	510	1200	PW - NZ : Timber
SQVFIG5A	Stain Quality Vulcan FIG 5A	FIG5A	1200	2600	510	1200	PW - NZ : Timber
SQVFP1	Stain Quality Vulcan FP1	FP1	1600	2600	610	1200	PW - NZ : Timber
SQVFP12	Stain Quality Vulcan FP12	FP12	1800	2600	760	1200	PW - NZ : Timber
SQVFP6	Stain Quality Vulcan FP6	FP6	1800	2600	610	1200	PW - NZ : Timber
SQVI1L	Stain Quality Vulcan Interior 1 Lite	I1L	600	2600	360	1600	PW - NZ : Timber
SQVI2L	Stain Quality Vulcan Interior 2 Lite	I2L	1200	2600	360	1600	PW - NZ : Timber
SQVI3L	Stain Quality Vulcan Interior 3 Lite	I3L	1600	2600	360	1600	PW - NZ : Timber
SQVI4L	Stain Quality Vulcan Interior 4 Lite	I4L	1600	2600	360	1600	PW - NZ : Timber
SQVIF10	Stain Quality Vulcan IF10	IF10	1600	2600	510	1200	PW - NZ : Timber
SQVIF12	Stain Quality Vulcan IF12	IF12	1600	2600	610	1200	PW - NZ : Timber
SQVIF3	Stain Quality Vulcan IF3	IF3	1200	2600	710	1600	PW - NZ : Timber
SQVIF6	Stain Quality Vulcan IF6	IF6	1600	2600	510	1200	PW - NZ : Timber
SQVIF8	Stain Quality Vulcan IF8	IF8	1600	2600	510	1200	PW - NZ : Timber
SQVIF9	Stain Quality Vulcan IF9	IF9	1200	2600	610	1200	PW - NZ : Timber
SQVIP1	Stain Quality Vulcan IP1	IP1	1600	2600	610	1200	PW - NZ : Timber
SQVIP12	Stain Quality Vulcan IP12	IP12	1600	2600	760	1200	PW - NZ : Timber
SQVIP6	Stain Quality Vulcan IP6	IP6	1600	2600	610	1200	PW - NZ : Timber
SQVPIO2	Stain Quality Vulcan Pioneer 2	PIO2	1600	2600	460	1200	PW - NZ : Timber
SQVPIO2OT	Stain Quality Vulcan Pioneer 2 O/T	PIO2OT	1600	2600	460	1200	PW - NZ : Timber
SQVPIO4	Stain Quality Vulcan Pioneer 4	PIO4	1600	2600	610	1200	PW - NZ : Timber
SQVPIO4OT	Stain Quality Vulcan Pioneer 4 O/T	PIO4OT	1600	2600	610	1200	PW - NZ : Timber
SQVPIO61	Stain Quality Vulcan Pioneer 61	PIO61	1600	2600	510	1000	PW - NZ : Timber
SQVPIO7	Stain Quality Vulcan Pioneer 7	PIO7	1600	2400	460	1200	PW - NZ : Timber
SQVROS	Stain Quality Vulcan Roseville	ROS	1600	2600	610	1200	PW - NZ : Timber
SQVSA1	Stain Quality Vulcan 1 Lite Sash	SA1	200	2600	200	1200	PW - NZ : Timber