




COMMERCIAL DOORS

SECURITY, STRENGTH AND ENDURANCE





CHOOSE PERSONNEL ACCESS AND INTERIOR COMMERCIAL DOORS DESIGNED TO DO THE JOB



ALUMINIUM FRAMES

Doors can be pre-hung in frames (in timber or aluminium)



HARDWARE

Locks/Handles / Anti-Jemmy Strips / Seals / Closers



ARUHIILUI UUWNLUAUS Check the Parkwood website for downloadable Architect Specifications in our Specifier's Library, including

Revit and DWG files

NACTOR TO A TRANSPORT OF THE PARTY

If you have challenges, we can provide solutions, with recommendations for every situation

View our Commercial range at parkwooddoors.co.nz/commercial or parkwooddoors.com.au/commercial

GARRISON COMMERCIAL DOORS

Tough enough to withstand very harsh conditions, Parkwood's aluminium exterior egress doors are built using superior material technology.

Sturdy and suitable for high-traffic areas, such as airport buildings, shopping malls, or warehouses, where high security is of the utmost importance, this versatile range can be configured for multi-purpose industry situations, incorporating vision panels and air vents.

You can't make a safer choice than a commercial door from our Garrison range.







FL VP80



FL VP50
























- → Fit into a 42mm rebate frame
- → Powder coated→ .294sm of air
- vent per square metre


THE ALUMINIUM DOOR CORE






HIGH USAGE AREAS

- → 1.6mm thick skins for durability and strong impact resistance
- → Ribbed core for rigidity
- → Thicker frame for wider stability and support
- → Flush edges for a smoother feel with less protrusions





→ Powdercoated grilles to match door for a cleaner aesthetic






EGRESS TO WAREHOUSE

- Clean frame and door edge design with quality powdercoat finish
- → Solid internal support for door closer and panic device installation
- → Sturdy frame and door core allows a smooth opening for a fast exit
- → Anti-jimmy bar option for optimal security







NGINE & SERVICE ROOMS

- → Robust design works in industrial areas smartly
- Twin fin weatherseal to bottom of door to prevent draughts and water penetration
- → .294sm of air vent per square metre





DOOR TO DOOR WITH MAINFREIGHT

Parkwood was approached by Calder Stewart Construction to provide egress doors and interior doors for the new 4000m2 Mainfreight building being erected in Levin, Parkwood agreed. Parkwood's range of commercial doors were ideal to reflect Mainfreight's values and reputation.











Mainfreight has built a foundation on efficiency so needed doors that were durable and strong to suit the bustling nature of a busy and rapidly expanding logistics firm, along with easy accessibility. Parkwood's Resolute range of interior doors and Garrison range of exterior doors provided these attributes and more.

Matt Flint powder-coated Garrison exterior doors contrasted the well-known Mainfreight Blue colour, while the Resolute interior doors were supplied ready to be painted (to match the Mainfreight colours) and stand as a focal point against the white walls.


Parkwood's close, on-going relationship with Mainfreight as its primary logistics choice, meant that the project had a more personal touch which was well reflected in both the workmanship of the doors and the communication offered to ensure everything was completed in a smooth and timely manner.



FL VP80 L4

FL VP50 L4

0







• TWO SERIES:

Resolute 40 series: 40mm thick doors for busy commercial areas

Resolute 35 series:

35mm thick doors for apartment complexes, communal residential areas etc

THE PERFECT SOLUTIONS FOR:




SHOPPING MALLS

- → Fibreglass skins prevent rapid wear and tear with high usage
- → Vision panels integrate seamlessly into flush door for a clean, clear style
- → Can be hinged or sliding, while being able to take most hardware types
- → Designed to be utilised in offices, bathrooms, retail and food areas
- Polyurethane foam-engineered core for high insulation



WET AREAS

- Moisture proof skin and composite 4-sided PVC edge prevent water absorption
- → No swelling, delaminating, bubbling or warping
- → Fibreglass skin is resistant to chemicals
- → Easy to clean as door has no capping or edge recesses



FAST FOOD AND RESTAURANTS

- Laminate veneer lumber (LVL) internal stiles for superior stability and highly durable under constant duress
- Paintable surface is easy to repair after much use



HYGIENE

- → Smooth fibreglass skin resists mould and bacteria growth
- → A completely flush faced panel that's easy to wash clean
- → Paintable surface



SCHOOLS

- → High impact fibreglass skin kickplates no longer required!!
- Lightweight, has the strength of a solid core door with the weight of a hollowcore door
- Product can be used in both classroom and bathroom applications
- Easily repairable after ceaseless wear and tear
- → Vision panel and door grill options to suit location requirements



11

APARTMENTS

- → Resolute 35 series:
 35mm thick doors apartment complexes,
 communal residential area etc
- Polyurethane foam-engineered core for high insulation



PARKWOOD COMMERCIAL

NEW ZEALAND | 0800 10 10 28 sales@parkwooddoors.co.nz parkwooddoors.co.nz

AUSTRALIA I 1800 681 586 sales@parkwooddoors.com.au parkwooddoors.com.au