


| Standard Component Sizes | | | |
|--------------------------|-----|-----|--------------|
| | Min | Max | Customizable |
| Board Width | 90 | 120 | no |

| | |
|---------------|----------------------------------|
| Pivot | Not Available |
| Seal | Can fit RP8, RP130 and CS groove |
| Cat Door | Can fit (full thickness door) |
| Eye Viewer | Normal thickness door viewer |
| Base R-Value | 0.73 |
| Warranty | 10 years |
| Dual Colour | Yes |
| Rebated Pairs | No |

- Thermally broken with high R Rating.
- Refined, flush door edge.
- Durable 1.6mm skins.
- Grooved designs' stiles/boards have even widths.
- Available any size up to 2200 x 910mm.
- Suitable for custom widths.
- Able to take 4-point locks and RP8's.
- Doesn't contain anti bowing technology if you would like this, please select a Themtek door.



| Product Description | | | |
|---------------------|-----------|-------|------------|
| Thermal Lite AEVV00 | | | |
| Product Code: | AEVV00 | Date: | 03/12/2025 |
| Material: | Aluminium | Units | MILLIMETRE |



| Standard Component Sizes | | | |
|--|------|-----|--------------|
| | Min | Max | Customizable |
| Board Width | 120 | 140 | no |
| Glass Height (Door Height <2200) | 1599 | | yes |
| Glass Height (Door Height >2200) | 1799 | | yes |
| Glass Width | 176 | | yes |
| Glass Centred over third board | | | |

| | |
|---------------|----------------------------------|
| Pivot | Not Available |
| Seal | Can fit RP8, RP130 and CS groove |
| Cat Door | Can fit (full thickness door) |
| Eye Viewer | Normal thickness door viewer |
| Base R-Value | 0.68 |
| Warranty | 10 years |
| Dual Colour | Yes |
| Rebated Pairs | No |

- Thermally broken with high R Rating.
- Refined, flush door edge.
- Durable 1.6mm skins.
- Grooved designs' stiles/boards have even widths.
- Available any size up to 2200 x 910mm.
- Suitable for custom widths.
- Glazed doors available double glazed clear or etchlite only.
- Doesn't contain anti bowing technology if you would like this, please select a Themtek door.
- Able to take 4-point locks and RP8's.

| Product Description | | | |
|---------------------|-----------|-------|------------|
| Thermal Lite AEVV10 | | | |
| Product Code: | AEVV10 | Date: | 03/12/2025 |
| Material: | Aluminium | Units | MILLIMETRE |



NEW ZEALAND | 0800 10 10 28
 sales@parkwooddoors.co.nz
 parkwooddoors.co.nz

AUSTRALIA | 1800 681 586
 sales@parkwooddoors.com.au
 parkwooddoors.com.au




| | |
|---------------|----------------------------------|
| Pivot | Not Available |
| Seal | Can fit RP8, RP130 and CS groove |
| Cat Door | Can fit (full thickness door) |
| Eye Viewer | Normal thickness door viewer |
| Base R-Value | 0.73 |
| Warranty | 10 years |
| Dual Colour | Yes |
| Rebated Pairs | No |

- Thermally broken with high R Rating.
- Refined, flush door edge.
- Durable 1.6mm skins.
- Available any size up to 2200 x 910mm.
- Suitable for custom widths.
- Able to take 4-point locks and RP8's.
- Doesn't contain anti bowing technology if you would like this, please select a Themtek door.



| | | | |
|----------------------------|-----------|-------|------------|
| Product Description | | | |
| Thermal Lite AEFLOO | | | |
| Product Code: | AEFLOO | Date: | 03/12/2025 |
| Material: | Aluminium | Units | MILLIMETRE |



| Standard Component Sizes | | | |
|--|------|-----|--------------|
| | Min | Max | Customizable |
| Glass Height (Door Height <2200) | 1599 | | yes |
| Glass Height (Door Height >2200) | 1799 | | yes |
| Glass Width | 176 | | yes |
| Stile Width | 175 | | no |

| | |
|---------------|----------------------------------|
| Pivot | Not Available |
| Seal | Can fit RP8, RP130 and CS groove |
| Cat Door | Can fit (full thickness door) |
| Eye Viewer | Normal thickness door viewer |
| Base R-Value | 0.68 |
| Warranty | 10 years |
| Dual Colour | Yes |
| Rebated Pairs | No |

- Thermally broken with high R Rating.
- Refined, flush door edge.
- Durable 1.6mm skins.
- Available any size up to 2200 x 910mm.
- Suitable for custom widths.
- Glazed doors available double glazed clear or etchlite only.
- Doesn't contain anti bowing technology if you would like this, please select a Themtek door.
- Able to take 4-point locks and RP8's.

| Product Description | | | |
|---------------------|-----------|-------|------------|
| Thermal Lite AEFL10 | | | |
| Product Code: | AEFL10 | Date: | 03/12/2025 |
| Material: | Aluminium | Units | MILLIMETRE |